

Definitions

Population: All inhabitants of a country, territory, or geographic area, for a given sex and/or age group, at a specific point of time. In demographic terms it is the number of inhabitants of a given sex and/or age group that actually live within the border limits of the country, territory, or geographic area at a specific point of time, usually mid-year. The mid-year population refers to the actual population at July 1st.

Population 65 Years & Over: The percentage of total population of a country, territory, or geographic area, 65 years of age and over, for a given sex and at a specific point of time, usually mid-year.

Proportion of Urban Population: The percentage of total population of a country, territory, or geographic area living in places defined as urban, at a specific point of time, usually mid-year.

Urban: The term urban refers to towns (places with municipal corporation, municipal area committee, notified area committee or cantonment board); also, all places having 1000 or more inhabitants, a density of not less than 1000 persons per sq mile or 390 per sq km, pronounced urban characteristics and at least three-fourths of the adult male population employed in pursuits other than agriculture.

Proportion of Rural Population: The percentage of total population of a country, territory, or geographic area living in places defined as rural, at a specific point of time, usually mid-year. The term rural refers essentially to villages and other rarely populated areas.

Density of Population: Number of persons, living per square kilometer.

Growth Rate: The exponential average annual rate of population growth, expressed as a percentage.

Annual Population Growth Rate: The annual average rate of change of population size, for a given country, territory, or geographic area, during a specified period. It expresses the ratio between the annual increase in the population size and the total population for that year, usually multiplied by 100. The annual increase in the population size is defined as a sum of differences: the difference between births less deaths and the Difference Between Immigrants Less Emigrants, In A Given Country, Territory Or Geographic Area At A Given Year.

Sex Ratio: The number of females per 1000 males.

Dependency Ratio: The average number of economically dependent population per 100 economically productive

population, for a given country, territory, or geographic area, at a specific point in time. In demographic terms, economically dependent population is defined as the sum of the population under 15 years of age plus the population 65 years of age and over, for a given country, territory, or geographic area, at a specific point in time, usually mid-year; economically productive population is defined as the population between 15 and 64 years of age, for the same country, territory, or geographic area, at the same specific point in time.

Old Age Dependency Ratio: The proportion of persons above 65 years of age are considered to be dependent on the economically productive age group (15-64 years)

Life expectancy at Birth: The average number of years that a newborn could expect to live, if he or she were to pass through life exposed to the age and sex-specific death rates prevailing at the time of his or her birth, for a specific year, in a given country, territory, or geographic area.

Birth Rate: The number of live births per 1000 estimated mid year population, in a given year.

Crude Birth Rate: The crude birth rate (CBR) is defined as the number of live births in a year per 1,000 of the midyear population.

Death Rate: The number of deaths per 1000 estimated mid-year population in one year, in a given place.

Crude Death Rate: The crude death rate (CDR) is defined as the number of deaths in a year per 1,000 of the mid-year population.

Infant Mortality Rate (IMR): Infant mortality rate (or IMR) is defined as the number of infant deaths in a year per 1,000 live births during the year

Maternal Mortality Ratio (MMR): Annual number of maternal deaths per 100,000 live births. A maternal death is the death of a woman while pregnant or within 42 days of termination of pregnancy, from any cause related to or aggravated by the pregnancy or its management, but not from accidental or incidental causes.

Neo-natal Mortality Rate: Number of neonatal deaths in a given year per 1000 live births in that year. Neonatal deaths are deaths occurring during the neonatal period, commencing at birth and ending 28 completed days after birth.

Post-natal Mortality Rate: Number of deaths of children between 28 days and one year of age in a given year per 1000

total live births in the same year.

Peri-natal Mortality Rate: Peri-natal mortality rate includes late foetal deaths (28 weeks gestation & more) and early neonatal deaths (first week) in one year per 1000 live births in the same year.

Still Birth Rate: Death of a foetus weighing 1000g (equivalent to 28 weeks of gestation) or more, during one year in every 1000 total births.

Fertility: Fertility means the actual bearing of children during a woman's reproductive period i.e. roughly from 15 to 45, a period of 30 years.

Fertility Rate: The number of live births during a year per 1000 female population aged 15-49 years at the mid point of the same year.

Total Fertility Rate: Number of children that would be born per woman, assuming no female mortality at childbearing age and the age-specific fertility rates of a specified country and reference period.

Poverty: It is a situation in which a person is unable to get minimum basic necessities i.e. food, clothing and shelter for his / her sustenance. The inability to attain a minimum standard of living. The World Bank uses a poverty line of consumption less than us\$ 1.00 a day (at constant 1985 prices) per person

Poverty Line: Poverty estimates in our country are derived from the household consumer expenditure data collected by National Sample Survey Organisation (NSSO) every fifth year. The 'Poverty line' has been calculated to be Rs. 327 per month per capita for rural India and Rs. 454 per month per capita for urban India. The Planning Commission updates the 'poverty lines' for the year 1973-74 according to relevant price indices. The planning commission identified the expenditure group from the NSSO consumer expenditure data, whose expenditure on food fulfilled the calorie norms. The average per capita per month expenditure of this group was fixed as the 'poverty line'. The poverty line was Rs. 49 for rural areas and Rs. 56.6 was for urban areas. The calorie norms for rural India, was 2400 Kcal per capita per diem and for urban India it was 2100 Kcal per capita per diem."

Proportion of Population below National Poverty Line: The percentage of the population living below the national poverty line in a given country, territory, or geographic area, for a given sex and/or age group, at a specific period in time, usually a year. The operational definition for a national poverty line varies from country to country and represents the amount of income

required by each household to meet the basic needs of all its members

Gross Domestic Product/ Capita:

The average per capita market value of the sum of gross values added of all resident institutional units engaged in production, for a given national economy, at a given period in time, usually a year, expressed in international dollars using purchasing power parity rates. The gross domestic product (GDP) at market prices is the sum of gross value added by all resident producers in the economy plus any taxes and minus any subsidies that are not included in the valuation of output. GDP measures the total output of goods and services for final use occurring within the domestic territory of a given country, regardless of the allocation to domestic and foreign claims; it provides an aggregate measure of production. The residency of an institutional unit is defined on the basis of economic interest in the territory for more than a year.

Annual GDP Growth Rate: The annual average rate of change of the gross domestic product (GDP) at market prices based on constant local currency, for a given national economy, during a specified period of time. It expresses the difference between GDP values from one period to the next as a proportion of the GDP from the earlier period, usually multiplied by 100.

Gross National Product (GNP): The sum of gross value added by all resident producers, plus any taxes (less subsidies) that are not included in the valuation of output, plus net receipts of primary income (employee compensation and property income) from nonresident sources, divided by the mid-year population and converted to us dollars using the world bank's atlas method. This involves using a three-year average of exchange rates to smooth the effects of transitory exchange rate fluctuations.

Employment: Any type of work performed or services rendered in exchange for compensation. Compensation may include money (cash) or the equivalent in tuition, fees, books, supplies, room, or for any other benefit.

Household: A group of persons normally living together and taking food from a common kitchen constituted a household. The members of a household might or might not be related by blood to one another.

House: Every structure, tent, shelter, etc. was considered as a house irrespective of its use. It might be used for residential or non-residential purposes or both or might even be vacant.

Proportion of Population with Access to Potable Water Services: The size of the population with access to services of potable water at a given year, expressed as a percentage of the

corresponding mid-year population, for a given country, territory, or geographic area.

Percentage covered with Safe Water:

The percentage of the population that has safe drinking water available in the home or with reasonable access

Percentage covered with Sanitation:

The percentage of the population that has adequate excreta-disposal facilities available.

Communicable diseases: An illness due to a specific infectious agent or its toxic products capable of being directly or indirectly transmitted from man to man, animal to animal or from the environment (through air, dust, soil, water, food etc) to man or animal.

Mortality Rate from Communicable Diseases: The total number of deaths from communicable diseases in a population of a given sex divided by the corresponding total number of this population, after removing the effect of differences in the age distribution, expressed per 100,000 population for a given year, in a given country, territory, or geographic area.

Non-communicable Diseases: Diseases that cannot be directly transmitted from man to man, animal to animal or from the environment (through air, dust, soil, water, food etc) to man or animal are deemed as non communicable diseases.

Mortality Rate from Non-communicable Diseases: The total number of deaths from non-communicable diseases in a population of a given sex divided by the corresponding total number of this population, after removing the effect of differences in the age distribution, expressed per 100,000 population for a given year, in a given country, territory, or geographic area.

Accidental Deaths: The total number of deaths from accidents in a population of a given sex and age, divided by the total number of this population, expressed per 100000 population, for a given year, in a given country, territory, or geographical area.

Infanticide: Putting to the death to a newborn with the consent of the parent, family, or community.

Foeticide: Induced termination of a pregnancy with destruction of the fetus or embryo; therapeutic abortion.

Maternal & Child Health: The term maternal & child health refers to the promotive, preventive, curative & rehabilitative health care for mother & children which includes the sub areas of maternal

health, child health, family planning and health aspects of care of children.

Family Planning: Family planning refers to practices that help individuals or couples to attain certain objectives:

- a) to avoid unwanted births
- b) to bring about wanted births
- c) to regulate the intervals between pregnancies
- d) to control the time at which births occur in relation to the ages of the parent
- e) to determine the number of children in the family.

ANC (ante natal care): It is the care of the woman during pregnancy, aim of which is to achieve at the end of a pregnancy a healthy mother & a healthy baby. Minimum ante-natal care include at least three antenatal checkups, TT immunisation and IFA supplement.

Proportion of Deliveries attended by Trained Personnel: The number of deliveries assisted by trained personnel in a specific year, regardless of their site of occurrence, expressed as a percentage of the total number of births in that same year, in a given country, territory, or geographic area. Trained personnel include medical doctors, certified nurses and midwives; not included are traditional birth attendants, trained or not.

Prevalence: The number of events, e.g., instances of a given disease or other condition, in a given population at a designated time; sometimes used to mean "prevalence rate". When used without qualification, the term usually refers to the situation at a specified point in time (point prevalence). Prevalence rate (ratio) is the total number of all individuals who have an attribute or disease at a particular time (or during a particular period) divided by the population at risk of having the attribute or disease at this point in time or midway through the period.

Percentage of Contraceptive Users: Percentage of eligible couples effectively protected against childbirth by one or the other approved methods of family planning, viz sterilization, IUD (intra-uterine devices), condom or oral pills.

Contraceptive Methods: Preventive methods that help women to avoid unwanted pregnancies. Which include all temporary and permanent measures to prevent pregnancy resulting from coitus.

Percentage of Infants Immunized: The percentage of infants reaching their first birthday that have been immunized against each of the six epi-target diseases (diphtheria, pertussis, tetanus, polio, measles and tuberculosis). The denominator used in the calculation is the number of infants surviving to age one.

One-year-olds immunized against measles: Percentage of 1-year-olds who have received at least one dose of measles-containing vaccine in a given year. For countries recommending the first dose of measles among children older than 12 months of age, the indicator is calculated as the proportion of children aged less than 24 months receiving one dose of measles-containing vaccine.

Malnutrition: Malnutrition is a general term for the medical condition in a person caused by an unbalanced diet—either too little or too much food, or a diet missing one or more important nutrients. Most commonly, malnourished people either do not have enough calories in their diet, or are eating a diet that lacks protein, vitamins, or trace minerals.

Calorie: A calorie is a unit of measurement for energy. In most fields, it has been replaced by the joule, the SI unit of energy. However, it is used for the amount of energy obtained from food.

Daily Calorie Requirement Per Capita: The average number of calories needed to sustain a person at normal levels of activity and health, taking into account the distribution of the population by age, sex, body weight and environmental temperature. (UNDP, human development report 1994)

Low Birth Weight: Birth weight less than 2500 grams (up to and including 2499 grams)

Health expenditures: Health expenditure covers the provision of preventive and curative health services, public health affairs and services, health applied research, and medical supply and delivery systems, but it does not include provision of water and sanitation

Total health expenditures: Annual national health expenditure as a proportion of the GDP. The value of the sum of public and private expenditures on health care goods and services for a given national economy, at a given period in time, usually a year, expressed as a percentage of the corresponding gross domestic product (GDP).

Public Sector Expenditures: Annual public health expenditure as a proportion of the national health expenditure. The size of the public expenditure on health care goods and services for a given national economy, at a given period in time, usually a year, expressed as a percentage of the corresponding national health expenditure. It represents the governmental share, not limited to the ministry of health, of the total annual expenditure for covering the provision of preventive and curative health services, public health affairs and services, health applied research, and medical supply and delivery systems, excluding the provision of water and sanitation

Physicians Ratio: The average number of physicians available per every 10,000 inhabitants in a population, at a given year, for a given country, territory, or geographic area.

Dentists Ratio: The average number of dentists available per every 10,000 inhabitants in a population, at a given year, for a given country, territory, or geographic area.

Professional Nurses Ratio: The average number of certified nurses available per every 10,000 inhabitants in a population, at a given year, for a given country, territory, or geographic area. Certified nurses not include auxiliary and unlicensed personnel.

Pharmacists Ratio: The average number of pharmacists available per every 10,000 inhabitants in a population, at a given year, for a given country, territory, or geographic area.

Primary Health Care: Essential health care that is technically valid, economically feasible and socially acceptable. Primary health care includes eight essential elements: education concerning prevailing health problems and the methods of preventing and controlling them; promotion of food supply and proper nutrition; an adequate supply of safe water and basic sanitation; maternal and child health care, including family planning; immunization against the major infectious diseases; prevention and control of locally endemic diseases; appropriate treatment of common diseases and injuries; and provision of essential drugs.

INDEX

- Accidental Deaths 43, 113
 Acute Respiratory Infection 51
 Admissions to BDS& MDS Courses 98, 101
 Age Specific Mortality Rates 22
 AIDS 43, 60, 61
 Allopathic Doctors 90, 91, 93
 Ante Natal Care 69, 113
 Ayush Institutes 98, 102
 Ayush Doctors 90, 94
 Birth Rate 2, 13, 14, 15, 113
 Blindness 43, 65, 66
 Blood Banks 98, 107
 Breastfeeding 73
 Budgetary Allocation 78, 84
 Calorie Intake 74
 Cancers 43, 67, 109
 Census Population 3
 CHCs 96, 98, 104, 105
 Cholera 43, 48
 Communicable Diseases 43, 44, 113
 Contraceptive users 71, 82, 87, 113
 Coronary Heart Disease 43, 64
 Death Rate 2, 13, 16, 21, 111
 Deliveries attended by trained Personnel 43, 60, 113
 Demographic Indicators 2
 Dengue 43, 47
 Dependency Ratio 2, 10, 111
 Density of Population 2, 3, 8, 111
 Dental Colleges 98, 101
 Dental Surgeons 90, 92, 93
 Diabetes 43, 64
 Diphtheria 43, 54
 Disability 43, 76
 Economic Indicators 29
 Education 24, 25
 Education Infrastructure 98, 99
 Employment 24, 31
 Energy Consumption (GWH) 37
 Expenditure 78, 81, 82, 83, 85, 86, 87
 Family Planning 71, 113
 Filariasis 43, 45
 Financing Agents 85
 Five Year Plan 78, 79
 Foeticide 75, 113
 GDP 78, 85
 GNP 24, 30
 Gross Primary Enrolment Ratio 26
 Health finance indicators 77
 Health infrastructure 97
 Health Manpower In Rural Areas 89, 96
 Health Status Indicators 41
 Hospital Beds 98, 105, 108
 Household Health Expenditure 87
 Households having Electricity 34
 Housing & Amenities 33
 Human Resources 90
 Immunisation 72
 Infant Mortality Rates 2, 19, 20, 21, 111
 Infanticide 75, 113
 Insurance 86, 87
 Japanese Encephalitis 46
 Kala-Azar 43, 45
 Leprosy 63
 Life Expectancy at Birth 2, 17, 18
 Literacy 24, 25
 Malaria 43, 44
 Malnutrition 74, 114
 Medical Colleges 98, 99
 Mental Hospitals 108
 Morbidity 43, 44
 Mortality Indicators 21
 Natural Growth Rate 13
 Net National Product 24, 30
 Non Communicable Diseases 43, 64, 113
 Nurses 95
 Per Capita Income 30
 Pharmacists 90, 95, 114
 PHC 98, 104
 Population Statistics 3
 Poverty Line 28, 112
 Projected Population 4-7
 RNTCP 43, 62
 Safe Drinking Water 24, 32, 38
 Sanitation 38, 113
 Service Infrastructure 98, 104
 Sex Ratio 2, 3, 8, 111
 Socio-Economic Indicators 23, 24
 Sub Centers 104
 Tetanus 43, 52, 53, 69
 Viral Hepatitis 43, 57
 Vital Statistics 2, 13
 Workers & Non Workers 32

CENTRAL BUREAU OF HEALTH INTELLIGENCE

1. Established in 1961, CBHI is the National Nodal Institution for Health Intelligence, with the broad Objectives to:

- Maintain and Disseminate the Data on Health Profile of India
- Facilitate Capacity Building, Human Resource Development and Need Based Operational Research for Efficient Health Information System (HIS) and ICD 10 use.

2. Organization

- a. CBHI headed by Dy. Director General & Director, has three divisions viz. (1) Training, Research & Infrastructure, (ii) Information, Evaluation & Policy and (iii) Administrative.
- b. Six Health Information Field Survey Units (FSUs) of CBHI are located in different Regional Offices of Health and Family Welfare (ROHFW) of GOI at Bangalore, Bhopal, Bhuvaneswar, Jaipur Lucknow & Patna, each headed by a Dy. Director with Technical & support staff, who function under the supervision of Regional Director (HFW/GOI).
- c. Regional Statistics Training Centre (RHSTC) of CBHI at Mohali, Punjab, (near Chandigarh) and Other Training Centres viz. (i & ii) Medical Record Department & Training Centre of Safdarjung Hospital, New Delhi and JIPMER Pondicherry (iii) All India institute of Hygiene and Public Health (AIH PH), Kolkata, (iv) Centre Leprosy Teaching and Research Institute (CLTRI) Chengalpattu; (v) National Institute of Health and Family Welfare (NIHFW); New Delhi; (vi) National Tuberculosis Institute (NIT), Bangalore; conduct CBHI In service Training Courses.

3. Major Activities of CBHI:

- 3.1 Maintain and Disseminate the National Health Data on
 1. Communicable and Non- communicable Disease.
 2. Population and Vital Statistics
 3. Socio-economic Indicators, including BPL population.
 4. MOHFW/GOI plan wise Allocation & Expenditure.
 5. Disabled Population
 6. Medical Nursing 7 paramedical Education, Infrastructure and Manpower.
 7. Health Care(Primary/, Secondary/ Tertiary/Infrastructure
 8. Causes of Death
 9. Various National Health Programmes.
 10. Health Insurance Statistics (CGHS &ESI)
 11. Food Adulteration and Production of Drugs/Pharmaceuticals.
 12. AYUSH Statistics-Education, Practitioners & Facilities.
 13. International Comparative Health Statistics
 14. Various other related aspects.
- 3.2 CBHI National Website-www.cbhidghs.nic.in
CBHI website contains general information about CBHI, Health Information/Profile,/National Recommendations on HIS, Training Calendar, Application Forms, Module &Work Book on ICD 10, Reporting Formats for Health Data from States / Uts to CBHI, etc.
- 3.3 Capacity Building & Research Studies for Efficient HIS including ICD 10 use in the Country.
- 3.4 Health Sector Policy Reform Options Database (HS-PROD) with website address www.prod-india.com
- 3.5 Inventory & GIS Mapping of Medical Health Care Facilities in India.

3.3 Trained Manpower Development for Efficient & Effective HIS in the Country Through CBHI in service Training Programme:

Training Course (and Batch Size)	Duration and Frequency of Course	CBHI Training Centre (Address/contact No/ on Last
<ul style="list-style-type: none"> • Medical Record Teaching (10) 	6 Months 4 batches in a year	Medical Record Department & Training Centers at (i) Safdarjang Hospital, New Delhi (ii) JIPMER, Pondicherry
<ul style="list-style-type: none"> • Medical Record Officers (10) 2 batches in a year 	12 Months	
<ul style="list-style-type: none"> • Orientation course on Health Statistics for Non- Medical Personnel (15) 	One Week (5 days) 7 batches in a year	(i) RHSTC, Mohali (ii) CBHI, FSUs at Bangalore, Bhupal Jaipur BhuvneswarLucknoe & Patna
<ul style="list-style-type: none"> • Orientation course on Health Statistics for Medical Officers (15) 	One Week (5days) 2 batches in a year	(i) RHSTC Mohali (ii) NTI, Bangalore
<ul style="list-style-type: none"> • Orientation course on ICD 10 for Non Medical personnel (15) 	One Week (5 days) 7 batches in a year	(i) RHSTC, Mohali (ii) CBHI FSUs at Bangalore, Bhopal Jaipur, Bhuvneswa Lucknow & Patna
<ul style="list-style-type: none"> • Workshop of State/District Level Cooedinators for Training on Morbidityand Mortality Coding Using ICD 10 (15) 	3 days 6 batches in a year	(i) RHSTC, Mohali (ii) NIHFW, New Delhi (iii) AIHHPH, Kolkata (iv) CLTRI, Chengalpatuu (v) NTI, Bangalore

4. Recent Publication of CBHI:

- Health Information of India (2004-2005)
- National health Profile 2005
- Improving & strengthening the use of ICD 10 & Medical Record System in India. A case Study (2004 & 2005)
- Module and Workbook for Orientation Training on ICD 10 (Decmber-2004)
- Combined Report of Regional Workshop and National Recommendations on improving & strengthening Health Information System (August-2004)
- Report of Training workshop of States Uts for Sensitization on CBHI website for Electronic Data Transmission (2004).

5. Linkages & Coordination

1. All 19 Regional Offices of Health & FW/GOI
2. All 35 States /Uts
3. Planning Commission, Government of India.
4. Census Commissioner & Registrar General of India.
5. Union M/O Statistics & Programme Implementation.
6. Medical & Paramedical Council & Institutions.
7. All National Health Programmes
8. Union Ministries of Railways, Labour HRD, Rural Development etc.
9. Public Health, Medical Care and Research Institutions, including ICMR and Non- Government.
10. WHO and other UN Agencies Concerned with Health and Soci- economic Development.
11. Other Concerned Deptts/ Organizations/Institutions.

6 CBHI Training Centres

S.No.	CBHI Training Centres	Contact:Tel/Fax/Gram/Email/Website
1.	Regional Health Statistics Training Centre (RHSTC) C/0 Primary Health Centre Annexe Phase 3-B-1,SAS Nagar, Mohali (Punjab) 160059	Tel/Fax : 0172-2261070 e-mail : rhstcmohali@yahoo.com
2.	CBHI Survey Unit Regional Office of Health & FW/GOI 2nd dloor, F-Wing, Keandriya Sadan Koramangala , Bangalore- 560034	Tel.: 080 25537310, 25537688 Fax-080 25537310 Gram-PARISWASTH BANGALORE e-mail : rhobng@kar.nic.in
3.	CBHI Field Survey Unit Regional Office of Health & FW/GOI 32 pujor House-2nd floor, Indra Press Complex-Zone - 1 Maharana Pratap Nagar, Bhopal-462011	Tel.: 0755-2553374 Fax: 0755-2553374 Gram : PARISWATH BHOPAL e-mail : rhofwbho@mp.nic.in
4.	CBHI Survey Unit Regional Office of Health & FW/GOI BJ-25, BJB Nagar, Bhavneshwar- 751014	Tel.: 0674-2431708, Fax:0674-2431708 Gram : PARISWASTH BHUVANESWAR e-mail : rhofwbbs@rediffmail.com
5.	CBHI Field Survey Unit Regional Office of Health & FW/GOI D-49 Subhash Marg, C- Scheme, Jaipur-302001	Tel.: 0141- 2370520, Fax ; 0141 2368441 Gram : PARISWASTH JAIPUR e- mail : rdrhojp@raj.nic.in
6.	CBHI Survey Unit Regional Office of Health & FW/GOI, HLL-III 9 floor, Kendriya Bhawan Aliganj, Locknow-226024	Tel.: 0522- 2332399, Fax : 0522 2325268 Gram : PARISWASTH LUCKNOW e-mail : rdrohko@yahoo.co.in
7.	CBHI Field Survey Unit Regional Office of Health 7 FW/GOI, Danara House (Behind RBI) P.O. Kadamkuan, Slipur Area, Patna-800003	Tel : 0612 -22320645 Fax : 0612 - 22320645 Gram : PARISWASTH PATNA e-mail : rdhopatna@vsnl.net
8.	Medical Record Deptt. And Training Safdarjang Hospital, Ansari Nagar New Delhi-110029	Tel.: 011- 26707253 and 26165060 Fax : 011-26163072
9.	Medical Record Deptt. Training Centre JIPMER, Pondicherry- 605006	Tel.: 0413 - 2272067, Fax : 0413 - 2272067 e-mail : jipmer@jipmer.edu
10.	All India Institute of Hygiene & Public Health (AIIH-PH), 110, Chittaranjan Avenue Kolkata - 700073, (West Bengal)	Tel 033 - 22413954, 22197848, 22412860,22413831 Fax :033 22418717, 22418508, 22412539 Gram : HEALTHINST KOLKATA, e-mail : aiihph@ cal.vsnl.net.in
11.	Central Leprosy Teaching & Research Institute (CLTRI), Chengalpattu - 603001, (Tamil Nadu)	Tel.: 04114- 229308, 226275 Fax : 04114- 226064 Gram : CENTLEOINS CHENGALPATTU e-mail : lepcltri@vsnl.com, W: education.vsnl/cltri
12.	National Institute of Health 7 Family Welfare (NIHFV) Munirka New Delhi- 110067	Tel.: 011- 26165959 26166441, Fax ; 011- 26101623 Gram : SWASTH PARIVAR, e-mail : nihfw@mantraonline.com, nihfw@delnet.ren.nic.in
13.	National Tuberculosis Institute (NTI) 7-Bellry Road, Bangalore-560003, Karnataka	Tel.: 080- 23362431 Fax : 08013440952 Gram : NATUBINST, e-mail : ntiindia@blr.vsnl.net.in