

3. HEALTH STATUS INDICATORS

3.1	Morbidity and Mortality
3.1.1	Communicable Diseases - State/UT wise Cases and Deaths Due to
3.1.1.1	Malaria 2004-2008(Provisional)
3.1.1.2	Chikungunya Fever 2007-2008(Provisional)
3.1.1.3	Kala-Azar 2004-2008(Provisional)
3.1.1.4	Japanese Encephalitis 2004-2008(Provisional)
3.1.1.5	Dengue 2004-2008(Provisional)
3.1.1.6	Cholera 2008(Provisional)
3.1.1.7	Acute Diarrhoeal Disease 2007 - 2008(Provisional)
3.1.1.8	Enteric Fever (Typhoid) 2007 - 2008(Provisional)
3.1.1.9	Acute Respiratory Infection 2007 - 2008(Provisional)
3.1.1.10	Tetanus Neonatal 2007 - 2008(Provisional)
3.1.1.11	Tetanus other than Neonatal 2007 - 2008(Provisional)
3.1.1.12	Diphtheria 2007 - 2008(Provisional)
3.1.1.13	Whooping Cough 2007 - 2008(Provisional)
3.1.1.14	Measles 2007 - 2008(Provisional)
3.1.1.15	Viral Hepatitis (All Causes) 2007 - 2008(Provisional)
3.1.1.16	Rabies 2007 - 2008(Provisional)
3.1.1.17	Polio 2007-2008, AFP Cases and Key Surveillance Indicators, 2008
3.1.1.18	Pneumonia 2007 - 2008(Provisional)
3.1.1.19	Meningococcal Meningitis 2007 - 2008 (Provisional)
3.1.1.20	Syphilis 2007 - 2008(Provisional)
3.1.1.21	Gonococcal Infection 2007 - 2008(Provisional)
3.1.1.22	State/UT wise Performance of RNTCP-TB Case Detection, Deaths and Treatment Outcome During 2007 and TB Case Detection 2008*
3.1.1.23	State/UT wise Observed HIV Prevalence Levels 2002-2007 (Provisional)
3.1.1.24	State/UT wise Patients on Ever Started ART in India till October 2008
3.1.1.25	State/UT wise Leprosy Case Detection, Treatment and Discharge 2007-08
3.1.2	Non Communicable Diseases
3.1.2.1	Number of Estimated Cases of Coronary Heart Disease 2000 and 2005 (Latest)
3.1.2.2	Number of Estimated Cases of Diabetes 2000 and 2005 (Latest)
3.1.2.3	Burden of Stroke 1998 and 2004 (Latest)

- 3.1.2.4 Meta Analysis of Epidemiological Studies on Hypertension (Latest)
- 3.1.2.5 State/UT wise Prevalence of Tobacco Smoking and Chewing in India by Sex (age 15years and above) (Latest)
- 3.1.2.6 State/UT wise Estimated Prevalence of Blindness 2004(Latest)
- 3.1.2.7 State/UT wise Estimated Incidences of Blindness 2004(Latest)
- 3.1.2.8 Estimated Incidence of Common Cancers with Truncated rate and Cumulative risk at (0-74 years), 2007(Latest)
- 3.1.2.9 State/UT wise Cases and Deaths Due to Snake Bite 2007 - 2008(Provisional)
- 3.1.3 Incidence of Deaths due to Accidents 2001-2007(Latest)**
- 3.1.4 Major Outbreaks Investigated by NICD during the Year 2008**
- 3.2 Reproductive and Child Health - State/UT wise**
 - 3.2.1 Ante Natal Care
 - 3.2.2 Percentage of Deliveries Attended by Trained Personnel
 - 3.2.3 Percentage of couples using Contraceptives
 - 3.2.4 Percentage of Children Immunized
 - 3.2.5 Percentage of Children Breastfed and their Nutritional Status
 - 3.2.6 Nutritional Status of Women and Men
 - 3.2.7 Percentage of Anaemia among Children and Adults
 - 3.2.8 Incidence of Foeticide and Infanticide 2001-2007
 - 3.2.9 Targets and Achievement of Maternity and Child Health Activities 1991-92 and 2007-08
- 3.3 Disability**
 - 3.3.1 State/UT wise Proportion of Disabled Population by Type of Disability 2001(Census)
- 3.4 Mental Health**
 - 3.4.1 Mental Health Care Load in India July 2002 (Latest)


3. Health Status Indicators

Health status includes a set of indicators used to provide important health and health-related data regarding incidence and prevalence of disease, health risks and performance of health systems. Health status provides a broad overview of morbidity and Mortality patterns in communicable and non-communicable diseases. Besides, it provides an overview of reproductive and child health as well as disability prevailing in the country.









Morbidity among **communicable diseases** include incidence, prevalence, deaths and performance of disease control programme for malaria, tuberculosis, AIDS, leprosy, dengue, cholera, kala azar, Japanese Encephalitis, measles, whooping cough, viral hepatitis, diphtheria, ARI, tetanus and neonatal tetanus.

Since the reported Data is by and large from Government Health Facilities, it may have limitations in terms of its completeness as Private Medical & Health Care Institution still need to strengthen their reporting to their respective Government Health units.


- 3.1 Among the various communicable diseases reported by the States/UTs during the year 2008 (Provisional), while taking a cut off one lakh cases; the following communicable diseases accounted for the maximum number of cases reported.




3.1.1 The Morbidity trend (2000-2007) based on the information received in the past [& revised in succeeding year (s)] from States/UTs, in respect of these eight communicable diseases reporting around one lakh or more cases and corresponding cases per Lakh of Projected Population for the year are shown here under. Since figures for 2008 are still provisional / incomplete, have not been included in the Following trend analysis:




5. Enteric Fever




5. Enteric Fever




6. Pneumonia



6. Pneumonia




7. Gonococcal



7. Gonococcal




8. All Viral Hepatitis







8. All Viral Hepatitis




- 3.2 Among the various communicable diseases reported by the States/UTs during the year 2008, while taking a cut off one hundred deaths; the following communicable diseases accounted for the maximum number of deaths reported.




- 3.2.1 The Mortality trend (2000-2007) based on the information received in the past [& revised in succeeding years (s)] from States/UTs, in respect of these thirteen communicable diseases reporting 100 or more total deaths are and corresponding Deaths per Lakh of Projected Population for the year are shown here under. Since figures for 2008 are still provisional / incomplete, have not been included in the Following trend analysis:



3. Acute Diarrhoeal Disease




3. Acute Diarrhoeal Disease




4. Pneumonia




4. Pneumonia




5. Malaria



5. Malaria




6. Japanese Encephalitis




6. Japanese Encephalitis



7. All Viral Hepatitis



7. All Viral Hepatitis




8. Enteric Fever




8. Enteric Fever




9. Tetanus other than Neonatal




9. Tetanus other than Neonatal









10. Meningococcal Meningitis



10. Meningococcal Meningitis






3.3 Disease with High Case Fatality Rate (About 1% and above) during 2008, as reported by the States/UTs.

S. No.	Name of the Diseases	Cases	Deaths	Case Fatality Rate(%)
1	RABIES	262	262	100.00
2	JAPANESE ENCEPHALITIS	3868	642	17.96
3	MENINGOCOCCAL MENINGITIS	5924	534	9.01
4	TETANUS - OTHERS	2903	253	8.72
5	TETANUS - NEONATAL	811	56	6.91
6	POLIO	559	30	5.37
7	PULMONARY TUBERCULOSIS	1517602	64824*	4.27
8	DIPHTHERIA	6081	65	1.07


* Data Belongs to 2007

Diseases with High Case Fatality Rate (1% & above) excluding Rabies (Provisional)




- 3.4 Cholera data are being compiled on the basis on weekly reports from States/UTs. The annual Cases and deaths due to Cholera in 1991 were 7088 and 150, respectively which now have reduced to 2671 and 1, respectively during the year 2008.

Cholera Cases 1991-2008



Cholera Death 1991-2008



(P): Provisional

Source: Weekly Report from Directorate of Health Services of States/UTs.

- 3.5 In 2008, all Districts of the Country were covered under the Revised National Tuberculosis Programme (RNTCP) in India:
- 3.6 According to National AIDS Control Organization, 263423 patient have ever started ART in the country till 31st October 2008.
- 3.7 Morbidity indicators for **non-communicable diseases** include incidence, prevalence, deaths and performance of disease control programme for Blindness, Cancers, Coronary Heart Disease and Diabetes. This accounts for the second largest share of the disease burden in India after Communicable diseases.

The number of cases of coronary heart disease was estimated to be nearly 3.6 crore for the year 2005, which is expected to reach a figure of nearly 6.1 crore cases in the year 2015. **This pattern is nearly same across age groups.** More than half of this rise can be accredited to demographic change but the contribution of increased prevalence of risk factors is also substantial.

- According to estimates for 2007 based on cancer registries across the country, cervix and breast cancers accounted for more than 36% of cancer incidence in the country.
- Estimated prevalence of blindness in 2004 was 11.2 (10.2 among male and 12.2 among female) per thousand population and is expected to remain more or less the same during the next two decades
- There were 340794 accidental deaths reported in the country in the year 2007.

3.8 Reproductive and Child Health, the key finding of the latest National Health Family Survey (NHFS-3), 2005-06, is already attached in this NHP.

- According to National Family Health Survey - 3 (2005-06) only 52% of Indian mothers received three or more ante natal checkups, 38.7% of deliveries were conducted in medical institution while another 46.6% deliveries were assisted by medical professional.
- 43.5% of children in India received all vaccinations as per National Family Health Survey - 3 (2005-06).

3.1 Morbidity and Mortality

3.1.1 Communicable diseases

3.1.1.1 State/UT wise Cases and Deaths due to Malaria 2004-2008 (Provisional)

S. No.	State/UT	2004		2005		2006		2007		2008*	
		Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths
1		2	3	4	5	6	7	8	9	10	11
1	Andhra Pradesh	35427	2	39099	0	34081	0	27803	2	26165	0
2	Arunachal Pradesh	29849	0	31215	0	39182	196	32072	36	2658	7
3	Assam	58134	54	67885	113	126178	304	94853	152	87566	84
4	Bihar	1872	0	2733	1	2744	1	1595	1	1707	1
5	Chhattisgarh	194256	4	187950	3	190590	3	147525	0	63384	0
6	Goa	7839	7	3747	1	5010	7	9755	11	9822	21
7	Gujarat	222759	89	179023	54	89835	45	71121	73	50884	36
8	Haryana	10064	0	33262	0	47142	0	30895	0	35403	0
9	Himachal Pradesh	126	0	129	0	114	0	104	0	144	0
10	Jammu & Kashmir	250	0	268	0	164	0	240	1	200	1
11	Jharkhand	143722	40	193144	21	193888	4	184878	31	184007	17
12	Karnataka	80961	27	83181	26	62842	32	49355	18	44370	7
13	Kerala	2790	12	2554	6	2131	6	1927	6	1804	3
14	Madhya Pradesh	132094	36	104317	44	96160	56	90829	41	105265	0
15	Maharashtra	68988	61	47608	104	54420	133	67850	182	67321	164
16	Manipur	2736	8	2071	3	2709	8	1194	4	708	2
17	Meghalaya	18080	29	16816	41	29924	167	36337	237	27713	56
18	Mizoram	7830	72	10741	74	10668	120	6081	75	7306	91
19	Nagaland	2486	1	2987	0	3361	75	4976	26	5674	0
20	Orissa	416732	283	396573	255	380216	257	371879	221	323872	187
21	Punjab	1643	0	1883	0	1888	0	2017	0	2494	0
22	Rajasthan	105022	20	52286	22	99529	58	55043	46	57482	54
23	Sikkim	160	3	69	0	93	0	48	0	38	0
24	Tamil Nadu	41732	0	39678	0	28219	0	22389	1	27373	0
25	Tripura	17453	16	18008	20	23375	31	18474	51	25451	46
26	Uttarakhand	1255	0	1242	0	1108	0	953	0	1059	0
27	Uttar Pradesh	87022	0	105303	0	91566	0	82538	0	93383	0
28	West Bengal	220871	184	185964	175	159646	203	87754	96	104757	101
29	A. & N. Islands	745	1	3954	0	2993	1	3973	0	4688	0
30	Chandigarh	199	0	432	0	449	0	340	0	347	0
31	D & N Haveli	787	0	1166	0	3786	0	3780	0	3037	0
32	Daman & Diu	118	0	104	0	140	0	99	0	110	0
33	Delhi	1316	0	1133	0	928	0	182	0	253	0
34	Lakshadweep	2	0	0	0	0	0	0	0	0	0
35	Puducherry	43	0	44	0	50	0	68	0	72	0
	India	1915363	949	1816569	963	1785129	1707	1508927	1311	1366517	878

Notes:

* Provisional

Source: Directorate of National Vector Borne Disease Control Programme

3.1.1.2 State/UT wise Status of Chikungunya Fever in India, 2007-2008 (Provisional)

S. No.	State/UT	No. of districts affected	2007*				2008*			
			Total fever cases/ suspected cases	No. of samples sent to NIV/NICD	No. of confirmed cases	No. of deaths	Total fever cases/ suspected cases	No. of samples sent to NIV/NICD	No. of confirmed cases	No. of deaths
	1	2	3	4	5	6	7	8	9	10
1	Andhra Pradesh	23	39	39	11	0	5	2	1	0
2	Goa	2	93	93	18	0	52	14	21	0
3	Gujarat	25	3223	238	122	0	246	122	31	0
4	Haryana		20	20	13	0	31	0	9	0
5	Karnataka	27	1705	641	133	0	46486	2933	984	0
6	Kerala	14	24052	4732	909	0	24685	1356	492	0
7	Madhya Pradesh	21	0	0	0	0	0	0	0	0
8	Maharashtra	34	1762	297	135	0	730	303	222	0
9	Orissa	13	4065	423	90	0	4676	238	11	0
10	Rajasthan	1	2	2	2	0	3	3	3	0
11	Tamil Nadu	35	45	13	10	0	46	0	0	0
12	Utter Pradesh		4	4	4	0	11	11	7	0
13	West Bengal	1	19138	1135	347	0	17898	2789	593	0
14	A&N Islands	2	0	0	0	0	0	0	0	0
15	Delhi	12	203	203	22	0	14	14	14	0
16	Lakshadweep	1	5184	10	10	0	0	0	0	0
17	Puducherry	1	0	0	0	0	0	0	0	0
	Total	212	59535	7850	1826	0	94883	7785	2388	0

Notes:

* Provisional

Source: Directorate of National Vector Borne Disease Control Programme

3.1.1.3 State/UT wise Cases and Deaths Due to Kala-Azar 2004-2008 (Provisional)

S. No.	State/ UT	2004		2005		2006		2007*		2008*	
		Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths
	1	2	3	4	5	6	7	8	9	10	11
1	Assam	0	0	1	0	0	0	0	0	96	0
2	Bihar	17324	107	23383	124	29711	162	37819	172	26972	132
3	Gujarat^	0	0	0	0	2	0	4	1	0	0
4	Jharkhand**	4028	14	6578	12	7508	11	4803	20	3368	5
5	Sikkim	0	0	0	0	0	0	0	0	4	1
6	Madhya pradesh	0	0	0	0	0	0	0	0	1	0
7	Uttar Pradesh	34	2	73	2	83	0	69	1	25	0
8	West Bengal	3015	23	2706	15	1843	10	1817	9	1099	3
9	Uttrakhand	0	0	0	0	0	0	2	0	0	0
10	Delhi ^	78	9	62	4	31	4	19	0	26	0
	India	24479	155	32803	157	39178	187	44533	203	31591	141

Notes:

* Provisional

** In April 2006 one migrated case in Deoghar District so, total no of cases is 7509

^ All cases are imported.

Source: Directorate of National Vector Borne Disease Control Programme

3.1.1.4 State/UT wise Cases and Deaths Due to Japanese Encephalitis 2004-2008(Provisional)

S. No.	State/UT	2004		2005		2006		2007		2008\$	
		Cases	Death	Cases	Death	Cases	Death	Cases	Death	Cases	Death
	1	2	3	4	5	6	7	8	9	10	11
1	Andhra Pradesh	7	3	34	0	11	0	22	0	6	0
2	Assam	235	64	145	52	392	119	424	133	266	78
3	Bihar	85	28	192	64	21	3	336	164	178*	41*
4	Goa	0	0	4	0	0	0	27	0	36	3
5	Haryana	37	27	46	39	2	1	32	18	13	3
6	Karnataka	181	6	122	10	73	3	32	1	3	0
7	Kerala	9	1	1	0	3	3	2	0	2	0
8	Maharashtra	22	0	0	0	14	0	0	0	23	0
9	Manipur	0	0	1	0	0	0	65	0	4	0
10	Tamilnadu	88	9	51	11	18	1	37	0	73	0
11	Uttarakhand	0	0	0	0	0	0	0	0	12	0
12	Uttar Pradesh	1030	228	6061^	1500^	2320#	528#	3024@	645@	3012**	537**
13	West Bengal	3	1	12	6	0	0	16	2	58	0
14	Nagaland	0	0	0	0	0	0	7	0	0	0
	Total	1697	367	6669	1682	2854	658	4024	963	3686	662

Notes:

\$ Provisional

* Including 4 cases and 4 Deaths from Jharkhand (Palamu & Chatra districts till 31.10.2008)

^ Including 448 cases and 109 Deaths from Bihar and 31 cases and 4 Deaths from Nepal and 1 case & nil Death from Madhya Pradesh reported from BDR medical college, Gorakhpur

Including 237 cases and 51 Deaths from Bihar and 10 cases and 1 Deaths from Nepal reported from BDR medical college, Gorakhpur

@ Including 331 Cases and 63 Deaths from Bihar and 18 Cases and 5 Deaths from Nepal.

** including 277 cases and 52 deaths from Bihar and 5 cases and 2 deaths from Nepal

Source: Directorate of National Vector Borne Disease Control Programme

3.1.1.5 State/UT wise Cases and Deaths Due to Dengue in India 2004-2008 (Provisional)

S. No.	States/UTs	2004		2005		2006		2007		2008*	
		Cases	Death	Cases	Death	Cases	Death	Cases	Death	Cases	Death
	1	2	3	4	5	6	7	8	9	10	11
1	Andhra Pradesh	230	1	99	2	197	17	587	2	307	2
2	Bihar	0	0	0	0	4	0	0	0	1	0
3	Goa	3	0	1	0	1	0	36	0	43	0
4	Gujarat	117	4	454	11	545	5	570	2	1023	2
5	Haryana	25	0	183	1	838	4	365	11	1137	10
6	J&K	0	0	0	0	24	1	0	0	0	0
7	Karnataka	291	2	587	17	109	7	230	0	326	3
8	Kerala	686	8	1028	8	981	4	603	11	733	3
9	Madhya Pradesh	0	0	0	0	16	0	51	2	3	0
10	Maharashtra	856	22	349	56	736	25	614	21	694	21
11	Manipur	0	0	0	0	0	0	51	1	0	0
12	Orissa	0	0	0	0	1	0	4	0	0	0
13	Punjab	52	0	251	2	1166	6	28	0	4349	21
14	Rajasthan	207	5	370	5	1805	26	540	10	682	4
15	Sikkim	12	0	0	0	0	0	0	0	0	0
16	Tamil Nadu	1027	0	1142	8	477	2	707	2	530	3
17	Uttar Pradesh	8	0	121	4	639	14	132	2	51	2
18	West Bengal	32	0	6375	34	1230	8	95	4	1038	7
19	Chandigarh	0	0	2	0	182	0	99	0	167	0
20	D & N Haveli	1	0	0	0	0	0	0	0	0	0
21	Delhi	606	3	1023	9	3366	65	548	1	1312	2
22	Puducherry	0	0	0	0	0	0	274	0	35	0
23	uttrakhand	0	0	0	0	0	0	0	0	9	0
	Total	4153	45	11985	157	12317	184	5534	69	12440	80

Note:

* Provisional

Source: Directorate of National Vector Borne Disease Control Programme

3.1.1.6 State/UT wise Cases and Deaths Due to Cholera in India 2008 (Provisional)

S. No.	State/UT	Jan. to Mar.		Apr. to June		July to Sept.		Oct. to Dec.		Progressive Total					
		C	D	C	D	C	D	C	D	Cases			Deaths		
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
1	Andhra Pradesh	8	0	23	0	83	0	39	0	93	60	153	0	0	0
2	Arunachal Pradesh	0	0	0	0	0	0	0	0	0	0	0	0	0	0
3	Assam	..	..	..	..	..	..	..	..	..	..	..	..	..	..
4	Bihar	..	..	..	..	..	..	..	..	..	..	..	..	..	..
5	Chhattisgarh	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6	Goa	0	0	0	0	0	0	0	0	0	0	0	0	0	0
7	Gujarat	7	0	11	0	17	0	15	0	50	0	50	0	0	0
8	Haryana	0	0	0	0	27	0	0	0	20	7	27	0	0	0
9	Himachal Pradesh	0	0	0	0	0	0	0	0	0	0	0	0	0	0
10	Jammu Division	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Kashmir Division	0	0	0	0	0	..	..	..	..	..	0	..	..	0
11	Jharkhand	..	..	..	..	..	..	..	..	..	..	..	..	..	..
12	Karnataka	38	0	94	0	71	1	51	0	151	103	254	1	0	1
13	Kerala	4	0	3	0	0	0	0	0	5	2	7	0	0	0
14	Madhya Pradesh	5	0	8	0	0	0	1	0	14	0	14	0	0	0
15	Maharashtra	20	0	32	0	35	0	9	0	96	0	96	0	0	0
16	Manipur	..	..	..	..	..	..	..	..	..	..	..	..	..	..
17	Meghalaya	0	0	..	..	0	0	..	..	0	0	0	0	0	0
18	Mizoram	0	0	0	0	0	0	0	0	0	0	0	0	0	0
19	Nagaland	0	0	0	0	0	0	0	0	0	0	0	0	0	0
20	Orissa	..	..	..	..	..	..	..	..	..	..	..	..	..	..
21	Punjab	0	0	0	0	11	0	1	0	7	5	12	0	0	0
22	Rajasthan	0	0	0	0	0	0	0	0	0	0	0	0	0	0
23	Sikkim	0	0	0	0	0	..	0	0	0	0	0	0	0	0
24	Tamil Nadu	253	0	148	0	258	0	331	0	588	402	990	0	0	0
25	Tripura	0	0	0	0	0	0	0	0	0	0	0	0	0	0
26	Uttar Pradesh	0	0	0	0	0	0	0	0	0	0	0	0	0	0
27	Uttarakhand	0	0	0	0	0	0	0	0	0	0	0	0	0	0
28	West Bengal	11	0	16	0	146	0	63	0	130	106	236	0	0	0
29	A&N Islands	0	0	0	0	0	0	0	0	0	0	0	0	0	0
30	Chandigarh	0	0	0	0	15	0	0	0	7	8	15	0	0	0
31	D & N Haveli	0	0	0	0	0	0	0	0	0	0	0	0	0	0
32	Daman & Diu	0	0	0	0	0	0	0	0	0	0	0	0	0	0
33	Delhi	0	0	82	0	572	0	170	0	824	0	824	0	0	0
34	Lakshadweep	0	0	0	0	0	0	0	0	0	0	0	0	0	0
35	Puducherry	0	0	0	0	0	0	2	0	1	1	2	0	0	0
	Total	346	0	417	0	1235	1	682	0	1986	694	2680	1	0	1

Notes:

- C: Cases D:Deaths

- .. Not Reported

- The sum of male and female may not tally with the total figure as some States/UTs have not reported genderwise information separately.

Source: Weekly reports from Directorate of Health Services of States/UTs.

3.1.1.7 State/UT wise Cases and Deaths Due to Acute Diarrhoeal Disease in India 2007

(Revised based on information received from states/UTs after the release of NHP 2007)

S. No.	State/UT	Male		Female		Total		Reference Period up to
		Cases	Deaths	Cases	Deaths	Cases	Deaths	
1		2	3	4	5	6	7	8
1	Andhra Pradesh	762393	121	754402	77	1516795	198	Dec.,07
2	Arunachal Pradesh	..	..	..	..	..	..	NR
3	Assam	156361	724	137287	187	293648	911	Dec.,07
4	Bihar	..	..	..	..	..	..	NR
5	Chhattisgarh	66710	8	58753	3	125463	11	Dec.,07
6	Goa	5334	0	4988	0	10322	0	Dec.,07
7	Gujarat	174823	1	162787	2	337610	3	Dec.,07
8	Haryana	134344	18	130662	12	265006	30	Dec.,07
9	Himachal Pradesh	166589	17	174677	16	341266	33	Dec.,07
10	Jammu Division	111884	0	87648	0	199532	0	Dec.,07
	Kashmir Division	120091	0	101748	0	221839	0	Dec.,07
11	Jharkhand	33802	3	25761	3	59563	6	Dec.,07
12	Karnataka	420961	49	407065	31	828026	80	Dec.,07
13	Kerala	207964	8	242143	4	450107	12	Dec.,07
14	Madhya Pradesh	311314	169	266456	133	577770	302	Dec.,07
15	Maharashtra	428033	114	397011	85	825044	199	Dec.,07
16	Manipur	11342	13	10403	3	21745	16	Dec.,07
17	Meghalaya	56846	33	63589	27	120435	60	Dec.,07
18	Mizoram	8886	7	8470	3	17356	10	Dec.,07
19	Nagaland	7364	0	5311	0	16048	6	Dec.,07
20	Orissa	258358	46	196646	22	455004	68	Dec.,07
21	Punjab	93664	54	92161	30	185825	84	Dec.,07
22	Rajasthan	127620	22	100977	16	228597	38	Dec.,07
23	Sikkim	22981	6	22051	3	45032	9	Dec.,07
24	Tamil Nadu	..	..	..	..	109758	140	Dec.,07
25	Tripura	68276	9	65717	10	133993	19	Dec.,07
26	Uttarakhand	43746	13	44215	5	87961	18	Dec.,07
27	Uttar Pradesh	321625	72	253871	65	575496	137	Dec.,07
28	West Bengal	1320894	647	1271538	471	2592432	1118	Dec.,07
29	A & N Islands	10742	3	8764	1	19506	4	Dec.,07
30	Chandigarh	..	..	..	..	10715	7	Dec.,07
31	D & N Haveli	22631	3	27547	0	50178	3	Dec.,07
32	Daman & Diu	140	0	143	0	283	0	Dec.,07
33	Delhi	93248	35	67525	35	160773	70	Dec.,07
34	Lakshadweep	3637	0	3042	0	6679	0	Dec.,07
35	Puducherry	53514	6	50318	5	103832	11	Dec.,07
TOTAL		5626117	2201	5243676	1249	10993639	3603	

Notes:

../NR Not Reported/Not Received

- The sum of male and female may not tally with the total figure as some States/UTs have not reported genderwise information separately.

Source: Monthly Health Condition Reports from Directorate of Health Services of States/UTs.

3.1.1.7 State/UT wise Cases and Deaths Due to Acute Diarrhoeal Disease in India 2008 (Provisional)

S. No.,	State/UT	Male		Female		Total		Reference Period up to
		Cases	Deaths	Cases	Deaths	Cases	Deaths	
1		2	3	4	5	6	7	8
1	Andhra Pradesh	885566	12	863417	4	1748983	16	Dec.,08
2	Arunachal Pradesh	..	..	..	..	..	..	NR
3	Assam	49942	471	43770	274	93712	745	Apr.,08
4	Bihar	..	..	..	..	..	..	NR
5	Chhattisgarh	73551	25	69368	11	142919	36	Dec.,08
6	Goa	6084	0	5588	0	11672	0	Sept.,08
7	Gujarat	165644	0	166335	2	331979	2	Dec.,08
8	Haryana	115495	30	108708	15	224203	45	Dec.,08
9	Himachal Pradesh	166276	8	176594	9	342870	17	Dec.,08
10	Jammu Division	140588	3	118792	1	259380	4	Dec.,08
	Kashmir Division	83205	0	74140	0	157345	0	Dec.,08
11	Jharkhand	37193	2	33312	2	70505	4	Dec.,08
12	Karnataka	367060	55	356068	29	723128	84	Dec.,08
13	Kerala	171345	1	192802	0	364147	1	Dec.,08
14	Madhya Pradesh	280299	73	269122	75	549421	148	Dec.,08
15	Maharashtra	375897	124	614402	277	990299	401	Dec.,08
16	Manipur	5794	2	6342	1	12136	3	Sept.,08
17	Meghalaya	63010	19	68495	19	131505	38	Dec.,08
18	Mizoram	10281	24	9862	17	20143	41	Dec.,08
19	Nagaland	8132	0	7411	0	15543	0	Dec.,08
20	Orissa	264950	40	193626	29	458576	69	Dec.,08
21	Punjab	90097	13	90623	18	180720	31	Dec.,08
22	Rajasthan	194508	27	160291	11	354799	38	Dec.,08
23	Sikkim	21145	2	21361	1	42506	3	Dec.,08
24	Tamil Nadu	213094	7	214766	9	427860	16	Dec.,08
25	Tripura	64736	34	61735	5	126471	39	Dec.,08
26	Uttarakhand	45315	20	40276	9	85591	29	Dec.,08
27	Uttar Pradesh	222481	61	183958	46	406439	107	Dec.,08
28	West Bengal	1375796	467	1305903	362	2681699	829	Dec.,08
29	A & N Islands	14295	0	10182	0	24477	0	Dec.,08
30	Chandigarh	..	..	..	..	..	..	NR
31	D & N Haveli	28751	1	31997	0	60748	1	Dec.,08
32	Daman & Diu	2341	0	1380	0	3721	0	Nov.,08
33	Delhi	58381	50	42538	29	100919	79	Dec.,08
34	Lakshadweep	2511	0	2190	0	4701	0	Nov.,08
35	Puducherry	42703	12	39219	3	81922	15	Dec.,08 except Mar.
TOTAL		5646466	1583	5584573	1258	11231039	2841	

Notes:

../NR Not Reported/Not Received

- The sum of male and female may not tally with the total figure as some States/UTs have not reported genderwise information separately.

Source: Monthly Health Condition Reports from Directorate of Health Services of States/UTs.

3.1.1.8 State/UT wise Cases and Deaths Due to Enteric Fever (Typhoid) in India 2007

(Revised based on information received from states/UTs after the release of NHP 2007)

S. No.	State/UT	Male		Female		Total		Reference Period up to
		Cases	Deaths	Cases	Deaths	Cases	Deaths	
1		2	3	4	5	6	7	8
1	Andhra Pradesh	63605	10	61039	8	124644	18	Dec.,07
2	Arunachal Pradesh	..	..	..	..	..	..	NR
3	Assam	2989	22	1177	15	4166	37	Dec.,07
4	Bihar	..	..	..	..	..	..	NR
5	Chhattisgarh	21782	0	17072	0	38854	0	Dec.,07
6	Goa	216	0	209	0	425	0	Dec.,07
7	Gujarat	3004	0	2720	1	5724	1	Dec.,07
8	Haryana	3529	1	3109	0	6638	1	Dec.,07
9	Himachal Pr.	10099	0	11261	0	21360	0	Dec.,07
10	Jammu Div.	24962	0	16498	0	41460	0	Dec.,07
	Kashmir Div.	11071	0	8554	0	19625	0	Dec.,07
11	Jharkhand	6823	0	5386	0	12209	0	Dec.,07
12	Karnataka	32409	3	29201	2	61610	5	Dec.,07
13	Kerala	2350	4	1911	0	4261	4	Dec.,07
14	Madhya Pradesh	25325	23	21538	15	46863	38	Dec.,07
15	Maharashtra	37499	10	30162	4	67661	14	Dec.,07
16	Manipur	2679	1	2599	0	5278	1	Dec.,07
17	Meghalaya	17856	1	19268	1	37124	2	Dec.,07
18	Mizoram	460	2	449	0	909	2	Dec.,07
19	Nagaland	3453	0	1300	0	6458	5	Dec.,07
20	Orissa	15973	12	10761	10	26734	22	Dec.,07
21	Punjab	10335	4	9520	2	19855	6	Dec.,07
22	Rajasthan	3648	0	2424	0	6072	0	Dec.,07
23	Sikkim	196	0	119	0	315	0	Dec.,07
24	Tamil Nadu	..	..	..	..	24037	128	Dec.,07
25	Tripura	1449	4	1169	0	2618	4	Dec.,07
26	Uttarakhand	5179	0	5268	0	10447	0	Dec.,07
27	Uttar Pradesh	47283	35	35104	18	82387	53	Dec.,07
28	West Bengal	63472	53	55468	29	118940	82	Dec.,07
29	A & N Islands	346	1	343	0	689	1	Dec.,07
30	Chandigarh	..	..	..	..	422	3	Dec.,07
31	D & N Haveli	324	0	364	0	688	0	Dec.,07
32	Daman & Diu	26	0	24	0	50	0	Dec.,07
33	Delhi	12603	13	8595	11	21198	24	Dec.,07
34	Lakshadweep	2	0	0	0	2	0	Dec.,07
35	Puducherry	374	0	263	1	637	1	Dec.,07
TOTAL		431321	199	362875	117	820360	452	

Notes:

../NR Not Reported/Not Received

- The sum of male and female may not tally with the total figure as some States/UTs have not reported genderwise information separately.

Source: Monthly Health Condition Reports from Directorate of Health Services of States/UTs.

3.1.1.8 State/UT wise Cases and Deaths Due to Enteric Fever (Typhoid) in India 2008 (Provisional)

S. No.	State/UT	Male		Female		Total		Reference Period up to
		Cases	Deaths	Cases	Deaths	Cases	Deaths	
1		2	3	4	5	6	7	8
1	Andhra Pradesh	68190	11	64984	6	133174	17	Dec.,08
2	Arunachal Pradesh	..	..	..	..	..	..	NR
3	Assam	1366	51	589	24	1955	75	Apr.,08
4	Bihar	..	..	..	..	..	..	NR
5	Chhattisgarh	21045	0	18780	0	39825	0	Dec.,08
6	Goa	693	1	539	0	1232	1	Sept.,08
7	Gujarat	2486	0	2432	0	4918	0	Dec.,08
8	Haryana	5755	1	4829	0	10584	1	Dec.,08
9	Himachal Pr.	11266	2	12763	0	24029	2	Dec.,08
10	Jammu Div.	25766	0	21598	0	47364	0	Dec.,08
	Kashmir Div.	6126	0	4556	0	10682	0	Dec.,08
11	Jharkhand	20957	3	16641	2	37598	5	Dec.,08
12	Karnataka	29192	10	25380	6	54572	16	Dec.,08
13	Kerala	3027	4	2893	1	5920	5	Dec.,08
14	Madhya Pradesh	33418	19	29328	18	62746	37	Dec.,08
15	Maharashtra	42560	6	38628	2	81188	8	Dec.,08
16	Manipur	1682	1	1659	0	3341	1	Sept.,08
17	Meghalaya	3233	0	4047	0	7280	0	Dec.,08
18	Mizoram	683	9	712	0	1395	9	Dec.,08
19	Nagaland	4480	0	3564	0	8044	0	Dec.,08
20	Orissa	19080	5	14587	4	33667	9	Dec.,08
21	Punjab	10985	4	9942	0	20927	4	Dec.,08
22	Rajasthan	8345	2	6707	6	15052	8	Dec.,08
23	Sikkim	110	0	107	0	217	0	Dec.,08
24	Tamil Nadu	43669	1	42509	0	86178	1	Dec.,08
25	Tripura	4084	2	4244	2	8328	4	Dec.,08
26	Uttarakhand	5326	0	4323	0	9649	0	Dec.,08
27	Uttar Pradesh	27662	20	21144	11	48806	31	Dec.,08
28	West Bengal	68935	56	67608	18	136543	74	Dec.,08
29	A & N Islands	898	0	777	0	1675	0	Dec.,08
30	Chandigarh	..	..	..	..	..	..	NR
31	D & N Haveli	714	0	827	0	1541	0	Dec.,08
32	Daman & Diu	262	0	172	0	434	0	Nov.,08
33	Delhi	9247	14	7001	14	16248	28	Dec.,08
34	Lakshadweep	11	0	0	0	11	0	Nov.,08
35	Puducherry	598	2	440	0	1038	2	Dec.,08 except Mar.
TOTAL		481851	224	434310	114	916161	338	

Notes:

../NR Not Reported/Not Received

- The sum of male and female may not tally with the total figure as some States/UTs have not reported genderwise information separately.

Source: Monthly Health Condition Reports from Directorate of Health Services of States/UTs.

3.1.1.9 State/UT wise Cases and Deaths Due to Acute Respiratory Infection in India 2007

(Revised based on information received from states/UTs after the release of NHP 2007)

S. No.	State/UT	Male		Female		Total		Reference Period up to
		Cases	Deaths	Cases	Deaths	Cases	Deaths	
	1	2	3	4	5	6	7	8
1	Andhra Pradesh	1182081	329	1183188	208	2365269	537	Dec.,07
2	Arunachal Pradesh	..	..	..	..	..	..	NR
3	Assam	197789	1947	157625	930	355414	2877	Dec.,07
4	Bihar	..	..	..	..	..	..	NR
5	Chhattisgarh	127122	7	112006	6	239128	13	Dec.,07
6	Goa	22661	0	25912	1	48573	1	Dec.,07
7	Gujarat	307455	17	302046	3	609501	20	Dec.,07
8	Haryana	563688	117	563683	51	1127371	168	Dec.,07
9	Himachal Pr.	707833	129	758203	74	1466036	203	Dec.,07
10	Jammu Div.	58514	0	43237	0	101751	0	Dec.,07
	Kashmir Div.	153377	0	134491	0	287868	0	Dec.,07
11	Jharkhand	43521	8	32309	3	75830	11	Dec.,07
12	Karnataka	1248921	151	1166742	67	2415663	218	Dec.,07
13	Kerala	3474161	132	4283039	42	7757200	174	Dec.,07
14	Madhya Pradesh	500915	110	411544	76	912459	186	Dec.,07
15	Maharashtra	380965	91	372264	154	753229	245	Dec.,07
16	Manipur	11520	7	11126	6	22646	13	Dec.,07
17	Meghalaya	101313	24	117813	19	219126	43	Dec.,07
18	Mizoram	17798	13	18218	15	36016	28	Dec.,07
19	Nagaland	12553	0	7664	0	23665	0	Dec.,07
20	Orissa	479188	48	361264	36	840452	84	Dec.,07
21	Punjab	256773	31	271600	19	528373	50	Dec.,07
22	Rajasthan	487153	44	388318	29	875471	73	Dec.,07
23	Sikkim	33524	11	34809	11	68333	22	Dec.,07
24	Tamil Nadu	..	..	..	..	431040	653	Dec.,07
25	Tripura	125537	32	114501	21	240038	53	Dec.,07
26	Uttarakhand	50148	18	60692	6	110840	24	Dec.,07
27	Uttar Pradesh	675025	159	495967	105	1170992	264	Dec.,07
28	West Bengal	1062472	415	1011518	337	2073990	752	Dec.,07
29	A & N Islands	16546	2	15056	1	31602	3	Dec.,07
30	Chandigarh	..	..	..	..	16305	21	Dec.,07
31	D & N Haveli	34502	0	41648	0	76150	0	Dec.,07
32	Daman & Diu	0	0	0	0	0	0	Dec.,07
33	Delhi	177399	168	126904	41	304303	209	Dec.,07
34	Lakshadweep	22042	0	19156	0	41198	0	Dec.,07
35	Puducherry	273238	3	272426	0	545664	3	Dec.,07
	TOTAL	12805734	4013	12914969	2261	26171496	6948	

Notes:

../NR Not Reported/Not Received

- The sum of male and female may not tally with the total figure as some States/UTs have not reported genderwise information separately.

Source: Monthly Health Condition Reports from Directorate of Health Services of States/UTs.

3.1.1.9 State/UT wise Cases and Deaths Due to Acute Respiratory Infection in India 2008 (Provisional)

S. No.	State/UT	Male		Female		Total		Reference Period up to
		Cases	Deaths	Cases	Deaths	Cases	Deaths	
	1	2	3	4	5	6	7	8
1	Andhra Pradesh	1367999	452	1372083	267	2740082	719	Dec.,08
2	Arunachal Pradesh	..	..	..	..	..	..	NR
3	Assam	50974	987	43240	470	94214	1457	Apr.,08
4	Bihar	..	..	..	..	..	..	NR
5	Chhattisgarh	159092	10	148876	8	307968	18	Dec.,08
6	Goa	22423	1	23897	0	46320	1	Sept.,08
7	Gujarat	278164	16	279907	2	558071	18	Dec.,08
8	Haryana	504551	125	505188	50	1009739	175	Dec.,08
9	Himachal Pradesh	748475	81	799627	52	1548102	133	Dec.,08
10	Jammu Div.	54309	0	44789	0	99098	0	Dec.,08
	Kashmir Div.	92354	0	82542	0	174896	0	Dec.,08
11	Jharkhand	49209	0	42212	0	91421	0	Dec.,08
12	Karnataka	981603	81	941021	31	1922624	112	Dec.,08
13	Kerala	3110290	133	3980215	59	7090505	192	Dec.,08
14	Madhya Pradesh	435822	130	368129	104	803951	234	Dec.,08
15	Maharashtra	440774	296	435034	324	875808	620	Dec.,08
16	Manipur	8291	1	7799	3	16090	4	Sept.,08
17	Meghalaya	95864	5	115321	2	211185	7	Dec.,08
18	Mizoram	16356	20	17825	11	34181	31	Dec.,08
19	Nagaland	11970	0	12622	0	24592	0	Dec.,08
20	Orissa	433739	45	331011	29	764750	74	Dec.,08
21	Punjab	263931	14	262850	7	526781	21	Dec.,08
22	Rajasthan	677648	151	556330	77	1233978	228	Dec.,08
23	Sikkim	35868	3	36560	6	72428	9	Dec.,08
24	Tamil Nadu	1218565	1	1298159	3	2516724	4	Dec.,08
25	Tripura	123842	20	118958	23	242800	43	Dec.,08
26	Uttarakhand	69299	27	61579	14	130878	41	Dec.,08
27	Uttar Pradesh	441258	92	357189	45	798447	137	Dec.,08
28	West Bengal	325629	138	309751	125	635380	263	Dec.,08
29	A & N Islands	13553	1	12527	0	26080	1	Dec.,08
30	Chandigarh	..	..	..	..	..	..	NR
31	D & N Haveli	48919	0	51633	0	100552	0	Dec.,08
32	Daman & Diu	9632	1	5737	0	15369	1	Nov.,08
33	Delhi	178010	96	129978	37	307988	133	Dec.,08
34	Lakshadweep	13083	0	11057	0	24140	0	Nov.,08
35	Puducherry	248025	1	248478	4	496503	5	Dec.,08 except Mar.
	TOTAL	12529521	2928	13012124	1753	25541645	4681	

Notes:

../NR Not Reported/Not Received

- The sum of male and female may not tally with the total figure as some States/UTs have not reported genderwise information separately.

Source: Monthly Health Condition Reports from Directorate of Health Services of States/UTs.

3.1.1.10 State/UT wise Cases and Deaths Due to Tetanus Neonatal in India 2007

(Revised based on information received from states/UTs after the release of NHP 2007)

S. No.	State/UT	Male		Female		Total		Reference Period up to
		Cases	Deaths	Cases	Deaths	Cases	Deaths	
1		2	3	4	5	6	7	8
1	Andhra Pradesh	49	2	82	3	131	5	Dec.,07
2	Arunachal Pradesh	..	..	..	..	..	..	NR
3	Assam	0	0	0	0	0	0	Dec.,07
4	Bihar	..	..	..	..	..	..	NR
5	Chhattisgarh	126	0	80	0	206	0	Dec.,07
6	Goa	0	0	0	0	0	0	Dec.,07
7	Gujarat	31	2	0	0	31	2	Dec.,07
8	Haryana	8	1	0	0	8	1	Dec.,07
9	Himachal Pr.	0	0	0	0	0	0	Dec.,07
10	Jammu Div.	0	0	0	0	0	0	Dec.,07
	Kashmir Div.	0	0	0	0	0	0	Dec.,07
11	Jharkhand	78	1	68	0	146	1	Dec.,07
12	Karnataka	2	0	0	0	2	0	Dec.,07
13	Kerala	0	0	0	0	0	0	Dec.,07
14	Madhya Pradesh	81	20	53	12	134	32	Dec.,07
15	Maharashtra	64	0	76	1	140	1	Dec.,07
16	Manipur	0	0	0	0	0	0	Dec.,07
17	Meghalaya	0	0	0	0	0	0	Dec.,07
18	Mizoram	0	0	0	0	0	0	Dec.,07
19	Nagaland	0	0	4	0	16	0	Dec.,07
20	Orissa	7	0	5	1	12	1	Dec.,07
21	Punjab	5	3	2	0	7	3	Dec.,07
22	Rajasthan	15	3	5	1	20	4	Dec.,07
23	Sikkim	0	0	0	0	0	0	Dec.,07
24	Tamil Nadu	..	..	..	..	0	0	Dec.,07
25	Tripura	1	0	1	1	2	1	Dec.,07
26	Uttarakhand	8	1	5	1	13	2	Dec.,07
27	Uttar Pradesh	61	29	22	4	83	33	Dec.,07
28	West Bengal	47	3	38	7	85	10	Dec.,07
29	A & N Islands	0	0	0	0	0	0	Dec.,07
30	Chandigarh	..	..	..	..	0	0	Dec.,07
31	D & N Haveli	0	0	0	0	0	0	Dec.,07
32	Daman & Diu	0	0	0	0	0	0	Dec.,07
33	Delhi	26	2	14	2	40	4	Dec.,07
34	Lakshadweep	0	0	0	0	0	0	Dec.,07
35	Puducherry	0	0	0	0	0	0	Dec.,07
TOTAL		609	67	455	33	1076	100	

Notes:

../NR Not Reported/Not Received

The sum of male and female may not tally with the total figure as some States/UTs have not reported genderwise information separately.

Source: Monthly Health Condition Reports from Directorate of Health Services of States/UTs.

3.1.1.10 State/UT wise Cases and Deaths Due to Tetanus Neonatal in India 2008(Provisional)

S. No.	State/UT	Male		Female		Total		Reference Period up to
		Cases	Deaths	Cases	Deaths	Cases	Deaths	
1		2	3	4	5	6	7	8
1	Andhra Pradesh	14	4	26	1	40	5	Dec.,08
2	Arunachal Pradesh	..	..	..	..	..	..	NR
3	Assam	0	0	0	0	0	0	Apr.,08
4	Bihar	..	..	..	..	..	..	NR
5	Chhattisgarh	0	0	0	0	0	0	Dec.,08
6	Goa	0	0	0	0	0	0	Sept.,08
7	Gujarat	6	1	0	0	6	1	Dec.,08
8	Haryana	1	0	0	0	1	0	Dec.,08
9	Himachal Pr.	1	1	0	0	1	1	Dec.,08
10	Jammu Div.	0	0	0	0	0	0	Dec.,08
	Kashmir Div.	0	0	0	0	0	0	Dec.,08
11	Jharkhand	68	1	26	1	94	2	Dec.,08
12	Karnataka	11	1	3	0	14	1	Dec.,08
13	Kerala	0	0	0	0	0	0	Dec.,08
14	Madhya Pradesh	63	3	47	2	110	5	Dec.,08
15	Maharashtra	75	1	38	0	113	1	Dec.,08
16	Manipur	0	0	0	0	0	0	Sept.,08
17	Meghalaya	0	0	0	0	0	0	Dec.,08
18	Mizoram	0	0	0	0	0	0	Dec.,08
19	Nagaland	56	0	145	0	201	0	Dec.,08
20	Orissa	30	1	21	0	51	1	Dec.,08
21	Punjab	1	1	1	1	2	2	Dec.,08
22	Rajasthan	17	4	13	5	30	9	Dec.,08
23	Sikkim	0	0	0	0	0	0	Dec.,08
24	Tamil Nadu	0	0	0	0	0	0	Dec.,08
25	Tripura	3	0	7	5	10	5	Dec.,08
26	Uttarakhand	0	0	0	0	0	0	Dec.,08
27	Uttar Pradesh	37	12	13	4	50	16	Dec.,08
28	West Bengal	14	3	28	2	42	5	Dec.,08
29	A & N Islands	0	0	0	0	0	0	Dec.,08
30	Chandigarh	..	..	..	..	..	..	NR
31	D & N Haveli	0	0	0	0	0	0	Dec.,08
32	Daman & Diu	0	0	0	0	0	0	Nov.,08
33	Delhi	32	1	14	1	46	2	Dec.,08
34	Lakshadweep	0	0	0	0	0	0	Nov.,08
35	Puducherry	0	0	0	0	0	0	Dec.,08 except Mar.
TOTAL		429	34	382	22	811	56	

Notes:

../NR Not Reported/Not Received

- The sum of male and female may not tally with the total figure as some States/UTs have not reported genderwise information separately.

Source: Monthly Health Condition Reports from Directorate of Health Services of States/UTs.

3.1.1.11 State/UT wise Cases and Deaths Due to Tetanus Other than Neonatal in India 2007 (Revised based on information received from states/UTs after the release of NHP 2007)

S. No.	State/UT	Male		Female		Total		Reference Period up to
		Cases	Deaths	Cases	Deaths	Cases	Deaths	
	1	2	3	4	5	6	7	8
1	Andhra Pradesh	2430	23	2185	11	4615	34	Dec.,07
2	Arunachal Pradesh	..	..	..	..	..	..	NR
3	Assam	0	0	0	0	0	0	Dec.,07
4	Bihar	..	..	..	..	..	..	NR
5	Chhattisgarh	14	0	15	0	29	0	Dec.,07
6	Goa	0	0	0	0	0	0	Dec.,07
7	Gujarat	47	0	36	1	83	1	Dec.,07
8	Haryana	10	0	2	1	12	1	Dec.,07
9	Himachal Pr.	0	0	0	0	0	0	Dec.,07
10	Jammu Div.	0	0	0	0	0	0	Dec.,07
	Kashmir Div.	0	0	0	0	0	0	Dec.,07
11	Jharkhand	89	1	74	0	163	1	Dec.,07
12	Karnataka	19	9	7	3	26	12	Dec.,07
13	Kerala	2	0	2	0	4	0	Dec.,07
14	Madhya Pradesh	169	18	106	10	275	28	Dec.,07
15	Maharashtra	356	6	363	2	719	8	Dec.,07
16	Manipur	1	0	1	1	2	1	Dec.,07
17	Meghalaya	1	0	0	0	1	0	Dec.,07
18	Mizoram	0	0	0	0	0	0	Dec.,07
19	Nagaland	3	0	1	0	15	0	Dec.,07
20	Orissa	147	3	29	3	176	6	Dec.,07
21	Punjab	15	4	12	3	27	7	Dec.,07
22	Rajasthan	280	18	142	12	422	30	Dec.,07
23	Sikkim	0	0	0	0	0	0	Dec.,07
24	Tamil Nadu	..	..	..	..	0	0	Dec.,07
25	Tripura	13	3	8	1	21	4	Dec.,07
26	Uttarakhand	0	0	1	0	1	0	Dec.,07
27	Uttar Pradesh	214	48	114	32	328	80	Dec.,07
28	West Bengal	324	61	206	46	530	107	Dec.,07
29	A & N Islands	0	0	1	0	1	0	Dec.,07
30	Chandigarh	..	..	..	..	9	3	Dec.,07
31	D & N Haveli	2	0	2	0	4	0	Dec.,07
32	Daman & Diu	0	0	0	0	0	0	Dec.,07
33	Delhi	17	1	9	1	26	2	Dec.,07
34	Lakshadweep	0	0	0	0	0	0	Dec.,07
35	Puducherry	2	0	0	0	2	0	Dec.,07
TOTAL		4155	195	3316	127	7491	325	

Notes:

../NR Not Reported/Not Received

- The sum of male and female may not tally with the total figure as some States/UTs have not reported genderwise information separately.

Source: Monthly Health Condition Reports from Directorate of Health Services of States/UTs.

3.1.1.11 State/UT wise Cases and Deaths Due to Tetanus Other than Neonatal in India 2008 (Provisional)

S. No.	State/UT	Male		Female		Total		Reference Period up to
		Cases	Deaths	Cases	Deaths	Cases	Deaths	
1		2	3	4	5	6	7	8
1	Andhra Pradesh	111	26	109	13	220	39	Dec.,08
2	Arunachal Pradesh	..	..	..	..	..	..	NR
3	Assam	0	0	0	0	0	0	Apr.,08
4	Bihar	..	..	..	..	..	..	NR
5	Chhattisgarh	0	0	0	0	0	0	Dec.,08
6	Goa	0	0	0	0	0	0	Sept.,08
7	Gujarat	15	2	15	2	30	4	Dec.,08
8	Haryana	6	0	3	0	9	0	Dec.,08
9	Himachal Pr.	3	0	1	0	4	0	Dec.,08
10	Jammu Div.	0	0	0	0	0	0	Dec.,08
	Kashmir Div.	0	0	0	0	0	0	Dec.,08
11	Jharkhand	267	0	293	0	560	0	Dec.,08
12	Karnataka	41	10	11	2	52	12	Dec.,08
13	Kerala	7	1	2	0	9	1	Dec.,08
14	Madhya Pradesh	325	6	231	5	556	11	Dec.,08
15	Maharashtra	234	5	133	2	367	7	Dec.,08
16	Manipur	0	0	0	0	0	0	Sept.,08
17	Meghalaya	0	0	1	0	1	0	Dec.,08
18	Mizoram	2	1	0	0	2	1	Dec.,08
19	Nagaland	3	0	6	0	9	0	Dec.,08
20	Orissa	67	12	28	2	95	14	Dec.,08
21	Punjab	20	5	10	2	30	7	Dec.,08
22	Rajasthan	151	17	101	12	252	29	Dec.,08
23	Sikkim	0	0	0	0	0	0	Dec.,08
24	Tamil Nadu	11	0	3	1	14	1	Dec.,08
25	Tripura	11	3	4	0	15	3	Dec.,08
26	Uttarakhand	1	0	1	0	2	0	Dec.,08
27	Uttar Pradesh	128	25	99	26	227	51	Dec.,08
28	West Bengal	256	41	162	28	418	69	Dec.,08
29	A & N Islands	0	0	1	0	1	0	Dec.,08
30	Chandigarh	..	..	..	..	..	..	NR
31	D & N Haveli	0	0	0	0	0	0	Dec.,08
32	Daman & Diu	0	0	0	0	0	0	Nov.,08
33	Delhi	17	2	12	2	29	4	Dec.,08
34	Lakshadweep	0	0	0	0	0	0	Nov.,08
35	Puducherry	1	0	0	0	1	0	Dec.,08 except Mar.
	TOTAL	1677	156	1226	97	2903	253	

Notes:

../NR Not Reported/Not Received

- The sum of male and female may not tally with the total figure as some States/UTs have not reported genderwise information separately.

Source: Monthly Health Condition Reports from Directorate of Health Services of States/UTs.

3.1.1.12 State/UT wise Cases and Deaths Due to Diphtheria in India 2007

(Revised based on information received from state/UT after the release of NHP 2007)

S. No.	State/UT	Male		Female		Total		Reference Period up to
		Cases	Deaths	Cases	Deaths	Cases	Deaths	
	1	2	3	4	5	6	7	8
1	Andhra Pradesh	804	6	967	4	1771	10	Dec.,07
2	Arunachal Pradesh	..	..	..	..	..	..	NR
3	Assam	0	0	0	0	0	0	Dec.,07
4	Bihar	..	..	..	..	..	..	NR
5	Chhattisgarh	135	0	98	0	233	0	Dec.,07
6	Goa	1	0	0	0	1	0	Dec.,07
7	Gujarat	146	10	22	1	168	11	Dec.,07
8	Haryana	5	0	5	0	10	0	Dec.,07
9	Himachal Pr.	0	0	0	0	0	0	Dec.,07
10	Jammu Div.	0	0	0	0	0	0	Dec.,07
	Kashmir Div.	0	0	0	0	0	0	Dec.,07
11	Jharkhand	18	0	15	0	33	0	Dec.,07
12	Karnataka	0	0	2	0	2	0	Dec.,07
13	Kerala	2	1	1	0	3	1	Dec.,07
14	Madhya Pradesh	0	0	0	0	0	0	Dec.,07
15	Maharashtra	147	0	106	0	253	0	Dec.,07
16	Manipur	0	0	0	0	0	0	Dec.,07
17	Meghalaya	0	0	0	0	0	0	Dec.,07
18	Mizoram	0	0	0	0	0	0	Dec.,07
19	Nagaland	19	0	0	0	56	0	Dec.,07
20	Orissa	2	0	1	0	3	0	Dec.,07
21	Punjab	0	0	0	0	0	0	Dec.,07
22	Rajasthan	125	10	75	3	200	13	Dec.,07
23	Sikkim	0	0	0	0	0	0	Dec.,07
24	Tamil Nadu	..	..	..	..	0	0	Dec.,07
25	Tripura	0	0	0	0	0	0	Dec.,07
26	Uttarakhand	1	0	0	0	1	0	Dec.,07
27	Uttar Pradesh	238	1	145	0	383	1	Dec.,07
28	West Bengal	303	12	370	21	673	33	Dec.,07
29	A & N Islands	0	0	0	0	0	0	Dec.,07
30	Chandigarh	..	..	..	..	0	0	Dec.,07
31	D & N Haveli	0	0	0	0	0	0	Dec.,07
32	Daman & Diu	0	0	0	0	0	0	Dec.,07
33	Delhi	16	0	6	0	22	0	Dec.,07
34	Lakshadweep	0	0	0	0	0	0	Dec.,07
35	Puducherry	0	0	0	0	0	0	Dec.,07
TOTAL		1962	40	1813	29	3812	69	

Notes:

../NR Not Reported/Not Received

- The sum of male and female may not tally with the total figure as some States/UTs have not reported genderwise information separately.

Source: Monthly Health Condition Reports from Directorate of Health Services of States/UTs.

3.1.1.12 State/UT wise Cases and Deaths Due to Diphtheria in India 2008(Provisional)

S. No.	State/UT	Male		Female		Total		Reference Period up to
		Cases	Deaths	Cases	Deaths	Cases	Deaths	
1		2	3	4	5	6	7	8
1	Andhra Pradesh	324	0	494	3	818	3	Dec.,08
2	Arunachal Pradesh	..	..	..	..	..	..	NR
3	Assam	0	0	0	0	0	0	Apr.,08
4	Bihar	..	..	..	..	..	..	NR
5	Chhattisgarh	106	0	91	0	197	0	Dec.,08
6	Goa	11	0	2	0	13	0	Sept.,08
7	Gujarat	32	0	26	1	58	1	Dec.,08
8	Haryana	2	0	0	0	2	0	Dec.,08
9	Himachal Pr.	0	0	0	0	0	0	Dec.,08
10	Jammu Div.	0	0	0	0	0	0	Dec.,08
	Kashmir Div.	7	0	3	0	10	0	Dec.,08
11	Jharkhand	132	0	63	0	195	0	Dec.,08
12	Karnataka	1060	0	1079	0	2139	0	Dec.,08
13	Kerala	6	1	11	3	17	4	Dec.,08
14	Madhya Pradesh	0	0	0	0	0	0	Dec.,08
15	Maharashtra	184	0	192	0	376	0	Dec.,08
16	Manipur	0	0	0	0	0	0	Sept.,08
17	Meghalaya	63	0	55	0	118	0	Dec.,08
18	Mizoram	26	0	20	0	46	0	Dec.,08
19	Nagaland	319	0	232	0	551	0	Dec.,08
20	Orissa	0	0	1	0	1	0	Dec.,08
21	Punjab	1	1	0	0	1	1	Dec.,08
22	Rajasthan	379	0	344	0	723	0	Dec.,08
23	Sikkim	0	0	0	0	0	0	Dec.,08
24	Tamil Nadu	4	0	4	0	8	0	Dec.,08
25	Tripura	0	0	0	0	0	0	Dec.,08
26	Uttarakhand	25	0	19	0	44	0	Dec.,08
27	Uttar Pradesh	21	0	20	0	41	0	Dec.,08
28	West Bengal	266	15	261	9	527	24	Dec.,08
29	A & N Islands	0	0	0	0	0	0	Dec.,08
30	Chandigarh	..	..	..	..	..	..	NR
31	D & N Haveli	0	0	0	0	0	0	Dec.,08
32	Daman & Diu	0	0	0	0	0	0	Nov.,08
33	Delhi	116	21	80	11	196	32	Dec.,08
34	Lakshadweep	0	0	0	0	0	0	Nov.,08
35	Puducherry	0	0	0	0	0	0	Dec.,08 except Mar.
TOTAL		3084	38	2997	27	6081	65	

Notes:

../NR Not Reported/Not Received

- The sum of male and female may not tally with the total figure as some States/UTs have not reported genderwise information separately.

Source: Monthly Health Condition Reports from Directorate of Health Services of States/UTs.

3.1.1.13 State/UT wise Cases and Deaths Due to Whooping Cough in India 2007

(Revised based on information received from state/UT after the release of NHP 2007)

S. No.	State/UT	Male		Female		Total		Reference Period up to
		Cases	Deaths	Cases	Deaths	Cases	Deaths	
1		2	3	4	5	6	7	8
1	Andhra Pradesh	3246	0	2842	0	6088	0	Dec.,07
2	Arunachal Pradesh	..	..	..	..	..	..	NR
3	Assam	0	0	0	0	0	0	Dec.,07
4	Bihar	..	..	..	..	..	..	NR
5	Chhattisgarh	1029	0	966	0	1995	0	Dec.,07
6	Goa	16	0	14	0	30	0	Dec.,07
7	Gujarat	25	0	0	0	25	0	Dec.,07
8	Haryana	396	0	335	0	731	0	Dec.,07
9	Himachal Pr.	0	0	0	0	0	0	Dec.,07
10	Jammu Div.	1002	0	514	0	1516	0	Dec.,07
	Kashmir Div.	157	0	113	0	270	0	Dec.,07
11	Jharkhand	897	0	509	0	1406	0	Dec.,07
12	Karnataka	2026	0	1535	0	3561	0	Dec.,07
13	Kerala	77	0	70	0	147	0	Dec.,07
14	Madhya Pradesh	9371	0	3062	0	12433	0	Dec.,07
15	Maharashtra	0	0	0	0	0	0	Dec.,07
16	Manipur	353	0	364	0	717	0	Dec.,07
17	Meghalaya	523	0	546	0	1069	0	Dec.,07
18	Mizoram	7	0	6	0	13	0	Dec.,07
19	Nagaland	256	0	60	0	569	0	Dec.,07
20	Orissa	579	0	387	0	966	0	Dec.,07
21	Punjab	0	0	0	0	0	0	Dec.,07
22	Rajasthan	32	0	36	0	68	0	Dec.,07
23	Sikkim	0	0	0	0	0	0	Dec.,07
24	Tamil Nadu	..	..	..	..	0	0	Dec.,07
25	Tripura	182	0	112	0	294	0	Dec.,07
26	Uttarakhand	268	0	366	0	634	0	Dec.,07
27	Uttar Pradesh	6375	3	4812	2	11187	5	Dec.,07
28	West Bengal	1610	7	1265	3	2875	10	Dec.,07
29	A & N Islands	42	0	32	0	74	0	Dec.,07
30	Chandigarh	..	..	..	..	0	0	Dec.,07
31	D & N Haveli	0	0	0	0	0	0	Dec.,07
32	Daman & Diu	0	0	0	0	0	0	Dec.,07
33	Delhi	1	0	5	0	6	0	Dec.,07
34	Lakshadweep	0	0	0	0	0	0	Dec.,07
35	Puducherry	0	0	0	0	0	0	Dec.,07
TOTAL		28470	10	17951	5	46674	15	

Notes:

../NR Not Reported/Not Received

- The sum of male and female may not tally with the total figure as some States/UTs have not reported genderwise information separately.

Source: Monthly Health Condition Reports from Directorate of Health Services of States/UTs.

3.1.1.13 State/UT wise Cases and Deaths Due to Whooping Cough in India 2008(Provisional)

S. No.	State/UT	Male		Female		Total		Reference Period up to
		Cases	Deaths	Cases	Deaths	Cases	Deaths	
1		2	3	4	5	6	7	8
1	Andhra Pradesh	1276	0	1364	0	2640	0	Dec.,08
2	Arunachal Pradesh	..	..	..	..	..	..	NR
3	Assam	0	0	0	0	0	0	Apr.,08
4	Bihar	..	..	..	..	..	..	NR
5	Chhattisgarh	2316	0	2180	0	4496	0	Dec.,08
6	Goa	8	0	9	0	17	0	Sept.,08
7	Gujarat	0	0	0	0	0	0	Dec.,08
8	Haryana	491	0	663	0	1154	0	Dec.,08
9	Himachal Pr.	0	0	0	0	0	0	Dec.,08
10	Jammu Div.	349	0	171	0	520	0	Dec.,08
	Kashmir Div.	186	0	128	0	314	0	Dec.,08
11	Jharkhand	3961	0	3471	0	7432	0	Dec.,08
12	Karnataka	722	0	487	0	1209	0	Dec.,08
13	Kerala	53	0	64	0	117	0	Dec.,08
14	Madhya Pradesh	5879	0	4547	0	10426	0	Dec.,08
15	Maharashtra	0	0	0	0	0	0	Dec.,08
16	Manipur	326	0	370	0	696	0	Sept.,08
17	Meghalaya	2488	0	2845	0	5333	0	Dec.,08
18	Mizoram	9	0	5	0	14	0	Dec.,08
19	Nagaland	963	0	843	0	1806	0	Dec.,08
20	Orissa	1052	0	695	0	1747	0	Dec.,08
21	Punjab	0	0	0	0	0	0	Dec.,08
22	Rajasthan	465	0	401	0	866	0	Dec.,08
23	Sikkim	0	0	0	0	0	0	Dec.,08
24	Tamil Nadu	6	0	8	0	14	0	Dec.,08
25	Tripura	64	0	48	0	112	0	Dec.,08
26	Uttarakhand	7	0	5	0	12	0	Dec.,08
27	Uttar Pradesh	1260	0	964	0	2224	0	Dec.,08
28	West Bengal	561	8	380	4	941	12	Dec.,08
29	A & N Islands	89	0	72	0	161	0	Dec.,08
30	Chandigarh	..	..	..	..	..	..	NR
31	D & N Haveli	0	0	0	0	0	0	Dec.,08
32	Daman & Diu	0	0	0	0	0	0	Nov.,08
33	Delhi	939	3	990	2	1929	5	Dec.,08
34	Lakshadweep	0	0	0	0	0	0	Nov.,08
35	Puducherry	0	0	0	0	0	0	Dec.,08 except Mar.
TOTAL		23470	11	20710	6	44180	17	

Notes:

../NR Not Reported/Not Received

- The sum of male and female may not tally with the total figure as some States/UTs have not reported genderwise information separately.

Source: Monthly Health Condition Reports from Directorate of Health Services of States/UTs.

3.1.1.14 State/UT wise Cases and Deaths due to Measles in India 2007

(Revised based on information received from state/UT after the release of NHP 2007)

S. No.	State/UT	Male		Female		Total		Reference Period up to
		Cases	Deaths	Cases	Deaths	Cases	Deaths	
	1	2	3	4	5	6	7	8
1	Andhra Pradesh	831	0	689	0	1520	0	Dec.,07
2	Arunachal Pradesh	..	..	..	..	..	..	NR
3	Assam	945	39	582	11	1527	50	Dec.,07
4	Bihar	..	..	..	..	..	..	NR
5	Chhattisgarh	123	0	70	0	193	0	Dec.,07
6	Goa	17	0	17	0	34	0	Dec.,07
7	Gujarat	461	0	88	0	549	0	Dec.,07
8	Haryana	10	0	7	0	17	0	Dec.,07
9	Himachal Pr.	322	2	262	1	584	3	Dec.,07
10	Jammu Div.	212	0	180	0	392	0	Dec.,07
	Kashmir Div.	696	0	538	0	1234	0	Dec.,07
11	Jharkhand	576	0	540	0	1116	0	Dec.,07
12	Karnataka	1376	0	1290	0	2666	0	Dec.,07
13	Kerala	1377	1	1297	1	2674	2	Dec.,07
14	Madhya Pradesh	921	10	415	5	1336	15	Dec.,07
15	Maharashtra	3260	0	2506	0	5766	0	Dec.,07
16	Manipur	439	1	392	0	831	1	Dec.,07
17	Meghalaya	175	0	167	0	342	0	Dec.,07
18	Mizoram	32	0	30	0	62	0	Dec.,07
19	Nagaland	229	0	31	0	445	0	Dec.,07
20	Orissa	465	2	366	2	831	4	Dec.,07
21	Punjab	34	0	17	0	51	0	Dec.,07
22	Rajasthan	197	0	110	0	307	0	Dec.,07
23	Sikkim	102	0	82	0	184	0	Dec.,07
24	Tamil Nadu	..	..	..	..	259	0	Dec.,07
25	Tripura	180	1	119	0	299	1	Dec.,07
26	Uttarakhand	32	0	22	0	54	0	Dec.,07
27	Uttar Pradesh	3791	0	3318	2	7109	2	Dec.,07
28	West Bengal	5479	11	4452	7	9931	18	Dec.,07
29	A & N Islands	160	0	134	0	294	0	Dec.,07
30	Chandigarh	..	..	..	..	26	0	Dec.,07
31	D & N Haveli	40	0	44	0	84	0	Dec.,07
32	Daman & Diu	0	0	0	0	0	0	Dec.,07
33	Delhi	159	0	58	0	217	0	Dec.,07
34	Lakshadweep	0	0	0	0	0	0	Dec.,07
35	Puducherry	96	0	114	0	210	0	Dec.,07
TOTAL		22737	67	17937	29	41144	96	

Notes:

../NR Not Reported/Not Received

- The sum of male and female may not tally with the total figure as some States/UTs have not reported genderwise information separately.

Source: Monthly Health Condition Reports from Directorate of Health Services of States/UTs.

3.1.1.14 State/UT wise Cases and Deaths Due to Measles in India 2008 (Provisional)

S. No.	State/UT	Male		Female		Total		Reference Period up to
		Cases	Deaths	Cases	Deaths	Cases	Deaths	
1		2	3	4	5	6	7	8
1	Andhra Pradesh	625	1	540	1	1165	2	Dec.,08
2	Arunachal Pradesh	..	..	..	..	..	..	NR
3	Assam	519	58	320	20	839	78	Apr.,08
4	Bihar	..	..	..	..	..	..	NR
5	Chhattisgarh	51	0	42	0	93	0	Dec.,08
6	Goa	24	0	28	0	52	0	Sept.,08
7	Gujarat	226	0	205	0	431	0	Dec.,08
8	Haryana	157	0	141	0	298	0	Dec.,08
9	Himachal Pr.	185	0	170	0	355	0	Dec.,08
10	Jammu Div.	147	0	134	0	281	0	Dec.,08
	Kashmir Div.	428	0	296	0	724	0	Dec.,08
11	Jharkhand	1024	0	928	0	1952	0	Dec.,08
12	Karnataka	710	0	643	0	1353	0	Dec.,08
13	Kerala	1800	0	1622	0	3422	0	Dec.,08
14	Madhya Pradesh	1722	1	550	2	2272	3	Dec.,08
15	Maharashtra	2519	0	1870	0	4389	0	Dec.,08
16	Manipur	279	0	231	0	510	0	Sept.,08
17	Meghalaya	265	1	279	1	544	2	Dec.,08
18	Mizoram	195	0	113	0	308	0	Dec.,08
19	Nagaland	471	0	547	0	1018	0	Dec.,08
20	Orissa	4179	16	3488	17	7667	33	Dec.,08
21	Punjab	49	0	40	0	89	0	Dec.,08
22	Rajasthan	329	0	220	0	549	0	Dec.,08 except May & Oct.
23	Sikkim	328	0	233	0	561	0	Dec.,08
24	Tamil Nadu	250	1	241	0	491	1	Dec.,08
25	Tripura	171	0	133	0	304	0	Dec.,08
26	Uttarakhand	386	0	3496	0	3882	0	Dec.,08
27	Uttar Pradesh	746	0	549	2	1295	2	Dec.,08
28	West Bengal	5447	28	4473	27	9920	55	Dec.,08
29	A & N Islands	27	0	31	0	58	0	Dec.,08
30	Chandigarh	..	..	..	..	..	..	NR
31	D & N Haveli	17	0	9	0	26	0	Dec.,08
32	Daman & Diu	0	0	0	0	0	0	Nov.,08
33	Delhi	1813	9	1466	3	3279	12	Dec.,08
34	Lakshadweep	0	0	0	0	0	0	Nov.,08
35	Puducherry	28	0	26	0	54	0	Dec.,08 except Mar.
TOTAL		25117	115	23064	73	48181	188	

Notes:

../NR Not Reported/Not Received

- The sum of male and female may not tally with the total figure as some States/UTs have not reported genderwise information separately.

Source: Monthly Health Condition Reports from Directorate of Health Services of States/UTs.

3.1.1.15 State/UT wise Cases and Deaths due to Viral Hepatitis (All Causes) in India 2007

(Revised based on information received from state/UT after the release of NHP 2007)

S. No.	State/UT	Male		Female		Total		Reference Period up to
		Cases	Deaths	Cases	Deaths	Cases	Deaths	
1		2	3	4	5	6	7	8
1	Andhra Pradesh	5932	32	4450	15	10382	47	Dec.,07
2	Arunachal Pradesh	..	..	..	..	..	..	NR
3	Assam	3557	0	1794	0	5351	0	Dec.,07
4	Bihar	..	..	..	..	..	..	NR
5	Chhattisgarh	2214	0	2001	0	4215	0	Dec.,07
6	Goa	26	0	15	0	41	0	Dec.,07
7	Gujarat	2133	2	1353	5	3486	7	Dec.,07
8	Haryana	1288	2	827	0	2115	2	Dec.,07
9	Himachal Pr.	2010	2	1657	2	3667	4	Dec.,07
10	Jammu Div.	3374	0	2643	0	6017	0	Dec.,07
	Kashmir Div.	705	0	482	0	1187	0	Dec.,07
11	Jharkhand	411	1	302	0	713	1	Dec.,07
12	Karnataka	6736	26	4569	4	11305	30	Dec.,07
13	Kerala	4120	12	2648	2	6768	14	Dec.,07
14	Madhya Pradesh	4124	13	3096	5	7220	18	Dec.,07
15	Maharashtra	12528	41	3561	18	16089	59	Dec.,07
16	Manipur	203	2	132	0	335	2	Dec.,07
17	Meghalaya	30	0	41	0	71	0	Dec.,07
18	Mizoram	189	6	159	2	348	8	Dec.,07
19	Nagaland	7	0	2	0	106	1	Dec.,07
20	Orissa	1512	17	858	1	2370	18	Dec.,07
21	Punjab	3512	13	2399	2	5911	15	Dec.,07
22	Rajasthan	832	14	460	2	1292	16	Dec.,07
23	Sikkim	107	1	82	6	189	7	Dec.,07
24	Tamil Nadu	..	..	..	..	1968	41	Dec.,07
25	Tripura	1370	3	880	0	2250	3	Dec.,07
26	Uttarakhand	1518	10	1284	8	2802	18	Dec.,07
27	Uttar Pradesh	1927	16	1277	4	3204	20	Dec.,07
28	West Bengal	2674	76	1892	28	4566	104	Dec.,07
29	A & N Islands	209	3	132	0	341	3	Dec.,07
30	Chandigarh	..	..	..	..	516	34	Dec.,07
31	D & N Haveli	42	0	23	0	65	0	Dec.,07
32	Daman & Diu	17	0	11	0	28	0	Dec.,07
33	Delhi	3105	48	1528	11	4633	59	Dec.,07
34	Lakshadweep	55	0	47	0	102	0	Dec.,07
35	Puducherry	265	12	137	1	402	13	Dec.,07
TOTAL		66732	352	40742	116	110055	544	

Notes:

../NR Not Reported/Not Received

- The sum of male and female may not tally with the total figure as some States/UTs have not reported genderwise information separately.

Source: Monthly Health Condition Reports from Directorate of Health Services of States/UTs.

3.1.1.15 State/UT wise Cases and Deaths Due to Viral Hepatitis (All Causes) in India 2008 (Provisional)

S. No.	State/UT	Male		Female		Total		Reference Period up to
		Cases	Deaths	Cases	Deaths	Cases	Deaths	
	1	2	3	4	5	6	7	8
1	Andhra Pradesh	4754	50	3441	21	8195	71	Dec.,08
2	Arunachal Pradesh	..	..	..	..	..	..	NR
3	Assam	1537	0	638	0	2175	0	Apr.,08
4	Bihar	..	..	..	..	..	..	NR
5	Chhattisgarh	949	0	775	0	1724	0	Dec.,08
6	Goa	63	0	25	0	88	0	Sept.,08
7	Gujarat	1702	3	1238	0	2940	3	Dec.,08
8	Haryana	1239	4	633	1	1872	5	Dec.,08
9	Himachal Pr.	979	4	804	3	1783	7	Dec.,08
10	Jammu Div.	3307	0	1955	0	5262	0	Dec.,08
	Kashmir Div.	411	0	327	0	738	0	Dec.,08
11	Jharkhand	232	1	163	2	395	3	Dec.,08
12	Karnataka	4747	14	4581	11	9328	25	Dec.,08
13	Kerala	6033	18	3997	6	10030	24	Dec.,08
14	Madhya Pradesh	4533	26	3796	16	8329	42	Dec.,08
15	Maharashtra	4194	26	3013	8	7207	34	Dec.,08
16	Manipur	202	0	154	0	356	0	Sept.,08
17	Meghalaya	148	0	127	0	275	0	Dec.,08
18	Mizoram	287	9	202	2	489	11	Dec.,08
19	Nagaland	57	0	70	0	127	0	Dec.,08
20	Orissa	1165	15	647	6	1812	21	Dec.,08
21	Punjab	4025	5	2855	5	6880	10	Dec.,08
22	Rajasthan	1219	4	781	2	2000	6	Dec.,08
23	Sikkim	77	0	76	2	153	2	Dec.,08
24	Tamil Nadu	1087	7	852	6	1939	13	Dec.,08
25	Tripura	723	4	423	1	1146	5	Dec.,08
26	Uttarakhand	1539	6	1119	9	2658	15	Dec.,08
27	Uttar Pradesh	716	8	420	4	1136	12	Dec.,08
28	West Bengal	2614	90	1592	32	4206	122	Dec.,08
29	A & N Islands	142	1	87	0	229	1	Dec.,08
30	Chandigarh	..	..	..	..	..	..	NR
31	D & N Haveli	232	1	221	1	453	2	Dec.,08
32	Daman & Diu	47	0	29	0	76	0	Nov.,08
33	Delhi	3637	45	2123	9	5760	54	Dec.,08
34	Lakshadweep	60	0	52	0	112	0	Nov.,08
35	Puducherry	350	20	217	2	567	22	Dec.,08 except Mar.
TOTAL		53007	361	37433	149	90440	510	

Notes:

../NR Not Reported/Not Received

- The sum of male and female may not tally with the total figure as some States/UTs have not reported genderwise information separately.

Source: Monthly Health Condition Reports from Directorate of Health Services of States/UTs.

3.1.1.16 State/UT wise Cases and Deaths Due to Rabies in India 2007

(Revised based on information received from states/UTs after the release of NHP 2007)

S. No.	State/UT	Male	Female	Total	Reference Period up to
		Cases/Deaths	Cases/Deaths	Cases/Deaths	
1	2	3	4	5	
1	Andhra Pradesh	26	14	40	Dec.,07
2	Arunachal Pradesh	..	..	..	NR
3	Assam	0	0	0	Dec.,07
4	Bihar	..	..	..	NR
5	Chhattisgarh	5	1	6	Dec.,07
6	Goa	0	0	0	Dec.,07
7	Gujarat	0	0	0	Dec.,07
8	Haryana	0	0	0	Dec.,07
9	Himachal Pr.	1	0	1	Dec.,07
10	Jammu Div.	0	0	0	Dec.,07
	Kashmir Div.	0	0	0	Dec.,07
11	Jharkhand	0	0	0	Dec.,07
12	Karnataka	7	8	15	Dec.,07
13	Kerala	9	4	13	Dec.,07
14	Madhya Pradesh	11	3	14	Dec.,07
15	Maharashtra	28	13	41	Dec.,07
16	Manipur	0	0	0	Dec.,07
17	Meghalaya	0	0	0	Dec.,07
18	Mizoram	0	0	0	Dec.,07
19	Nagaland	0	0	0	Dec.,07
20	Orissa	1	1	2	Dec.,07
21	Punjab	0	0	0	Dec.,07
22	Rajasthan	7	1	8	Dec.,07
23	Sikkim	0	0	0	Dec.,07
24	Tamil Nadu	..	..	1	Dec.,07
25	Tripura	2	2	4	Dec.,07
26	Uttarakhand	0	0	0	Dec.,07
27	Uttar Pradesh	0	0	0	Dec.,07
28	West Bengal	64	32	96	Dec.,07
29	A & N Islands	0	0	0	Dec.,07
30	Chandigarh	..	..	0	Dec.,07
31	D & N Haveli	0	0	0	Dec.,07
32	Daman & Diu	0	0	0	Dec.,07
33	Delhi	0	0	0	Dec.,07
34	Lakshadweep	0	0	0	Dec.,07
35	Puducherry	3	0	3	Dec.,07
TOTAL		164	79	244	

Notes:

.. / NR Not Reported/Not Received

- The sum of male and female may not tally with the total figure as some States/UTs have not reported genderwise information separately.

Source: Monthly Health Condition Reports from Directorate of Health Services of States/UTs.

3.1.1.16 State/UT wise Cases and Deaths Due to Rabies in India 2008 (Provisional)

S. No.	State/UT	Male	Female	Total	Reference Period up to
		Cases/Deaths	Cases/Deaths	Cases/Deaths	
1		2	3	4	5
1	Andhra Pradesh	18	10	28	Dec.,08
2	Arunachal Pradesh	..	..	..	NR
3	Assam	0	0	0	Apr.,08
4	Bihar	..	..	..	NR
5	Chhattisgarh	0	1	1	Dec.,08
6	Goa	0	0	0	Sept.,08
7	Gujarat	8	2	10	Dec.,08
8	Haryana	0	0	0	Dec.,08
9	Himachal Pr.	0	1	1	Dec.,08
10	Jammu Div.	0	0	0	Dec.,08
	Kashmir Div.	0	0	0	Dec.,08
11	Jharkhand	0	0	0	Dec.,08
12	Karnataka	8	9	17	Dec.,08
13	Kerala	14	2	16	Dec.,08
14	Madhya Pradesh	11	2	13	Dec.,08
15	Maharashtra	19	13	32	Dec.,08
16	Manipur	0	0	0	Sept.,08
17	Meghalaya	0	0	0	Dec.,08
18	Mizoram	0	0	0	Dec.,08
19	Nagaland	0	0	0	Dec.,08
20	Orissa	1	0	1	Dec.,08
21	Punjab	0	0	0	Dec.,08
22	Rajasthan	6	2	8	Dec.,08
23	Sikkim	0	0	0	Dec.,08
24	Tamil Nadu	4	3	7	Dec.,08
25	Tripura	4	0	4	Dec.,08
26	Uttarakhand	1	0	1	Dec.,08
27	Uttar Pradesh	0	0	0	Dec.,08
28	West Bengal	72	30	102	Dec.,08
29	A & N Islands	0	0	0	Dec.,08
30	Chandigarh	..	..	..	NR
31	D & N Haveli	0	0	0	Dec.,08
32	Daman & Diu	0	0	0	Nov.,08
33	Delhi	16	5	21	Dec.,08
34	Lakshadweep	0	0	0	Nov.,08
35	Puducherry	0	0	0	Dec.,08 except Mar.
TOTAL		182	80	262	

Notes:

../NR Not Reported/Not Received

- The sum of male and female may not tally with the total figure as some States/UTs have not reported genderwise information separately.

Source: Monthly Health Condition Reports from Directorate of Health Services of States/UTs.

3.1.1.17 State/UT wise Cases and Deaths Due to Polio in India 2007 - 2008

S. No.	State/UT	2007		2008	
		Cases	Deaths	Cases	Deaths
1		2	3	4	5
1	Andhra Pradesh	5	0	1	0
2	Arunachal Pradesh	NA	NA	NA	NA
3	Assam	0	0	1	0
4	Bihar	503	14	233	9
5	Chhattisgarh	NA	NA	NA	NA
6	Goa	NA	NA	NA	NA
7	Gujarat	1	0	0	0
8	Haryana	6	1	2	0
9	Himachal Pradesh	NA	NA	NA	NA
10	Jammu & Kashmir	NA	NA	NA	NA
11	Jharkhand	NA	NA	NA	NA
12	Karnataka	1	0	0	0
13	Kerala	NA	NA	NA	NA
14	Madhya Pradesh	0	0	1	0
15	Maharashtra	2	1	2	0
16	Manipur	NA	NA	NA	NA
17	Meghalaya	NA	NA	NA	NA
18	Mizoram	NA	NA	NA	NA
19	Nagaland	NA	NA	NA	NA
20	Orissa	1	0	2	0
21	Punjab	1	0	2	0
22	Rajasthan	3	0	2	0
23	Sikkim	NA	NA	NA	NA
24	Tamil Nadu	NA	NA	NA	NA
25	Tripura	NA	NA	NA	NA
26	Uttarakhand	6	0	1	0
27	Uttar Pradesh	341	18	305	21
28	West Bengal	2	0	2	0
29	A & N Islands	NA	NA	NA	NA
30	Chandigarh	NA	NA	NA	NA
31	D & N Haveli	NA	NA	NA	NA
32	Daman & Diu	NA	NA	NA	NA
33	Delhi	2	1	5	0
34	Lakshadweep	NA	NA	NA	NA
35	Puducherry	NA	NA	NA	NA
	TOTAL	874	35	559	30

Note:

NA Not Available

Source: National Polio Surveillance unit of India (website <http://www.npsuindia.org>)

3.1.1.17 State/UT wise Classification of AFP cases and Key surveillance indicators, 2008

S. No.	State/UT	2008									
		AFP						Surveillance Indicators			
		AFP Cases	Case Classification				Annualized Rates		Specimen		
			Confirmed Polio ¹	Compatible	Discarded (non- polio AFP)	Pending Total 90 Days	AFP rate	Non-polio AFP rate	% with 2 spec. w/in 14 days	% with any specimen	
	1	2	3	4	5	6	7	8	9	10	11
1	Andhra Pradesh	756	1	2	702	51	35	2.62	2.43	83	98
2	Andaman & Nicobar	3	0	0	3	0	0	2.42	2.42	100	100
3	Arunachal Pradesh	49	0	0	48	1	0	9.57	9.38	82	98
4	Assam	475	1	4	454	16	13	3.91	3.74	87	97
5	Bihar	11629	233	133	10614	649	508	29.60	27.01	85	97
6	Chandigarh	15	0	0	14	1	0	3.28	3.06	87	100
7	Chhattisgarh	495	0	0	433	62	53	5.25	4.59	71	96
8	D & N Haveli	1	0	0	1	0	0	0.87	0.87	100	100
9	Daman & Diu	1	0	0	1	0	0	1.03	1.03	0	0
10	Delhi	262	5	0	227	30	26	3.46	3.00	77	96
11	Goa	23	0	0	19	4	4	4.74	3.92	74	91
12	Gujarat	703	0	1	673	29	23	3.42	3.28	85	95
13	Haryana	566	2	2	519	43	29	5.57	5.11	80	98
14	Himachal Pradesh	90	0	0	85	5	5	3.36	3.17	87	98
15	Jammu & Kashmir	140	0	0	139	1	0	2.93	2.91	99	100
16	Jharkhand	1535	0	8	1458	69	54	12.10	11.49	84	96
17	Karnataka	751	0	1	706	44	36	4.01	3.77	83	97
18	Kerala	289	0	0	273	16	10	2.85	2.69	75	97
19	Lakshadweep	0	0	0	0	0	0	0.00	0.00	0	0
20	Madhya Pradesh	2281	1	7	2135	138	113	7.89	7.38	83	97
21	Maharashtra	1909	2	3	1789	115	89	5.04	4.72	84	97
22	Manipur	24	0	0	24	0	0	2.39	2.39	88	92
23	Meghalaya	38	0	0	38	0	0	3.51	3.51	89	100
24	Mizoram	7	0	0	7	0	0	1.74	1.74	86	100
25	Nagaland	18	0	0	18	0	0	1.64	1.64	100	100
26	Orissa	1222	2	4	1129	87	66	7.56	6.99	78	96
27	Puducherry	18	0	0	17	1	1	5.50	5.20	89	100
28	Punjab	389	2	3	359	25	18	4.00	3.69	79	97
29	Rajasthan	1351	2	3	1212	134	105	5.07	4.55	74	96
30	Sikkim	5	0	0	5	0	0	2.08	2.08	80	100
31	Tamil Nadu	556	0	0	538	18	14	3.05	2.95	88	99
32	Tripura	60	0	0	58	2	2	4.37	4.22	95	100
33	Uttarakhand	372	1	2	352	17	13	9.79	9.26	86	97
34	Uttar Pradesh	17603	305	98	16145	1055	826	22.65	20.78	85	97
35	West Bengal	1853	2	2	1791	58	36	6.07	5.87	87	97
TOTAL		45489	559	273	41986	2671	2079	10.48	9.68	84	97

Notes:

NA AFP cases > 15 years of age of missing age information are excluded

¹ Included 13 index cases (type 1 - 1 in Bihar, 2 in Uttar pradesh: type 3 - 7 in Bihar, 3 in Uttar pradesh) with contact specimen positive for wild poliovirus in 2008.

Source: National Polio Surveillance unit of India (website <http://www.npsuindia.org>)

3.1.1.18 State/UT wise Cases and Deaths Due to Pneumonia in India 2007

(Revised based on information received from state/UT after the release of NHP 2007)

S. No.	State/UT	Male		Female		Total		Reference Period up to
		Cases	Deaths	Cases	Deaths	Cases	Deaths	
	1	2	3	4	5	6	7	8
1	Andhra Pradesh	38121	130	37396	83	75517	213	Dec.,07
2	Arunachal Pradesh	..	..	..	..	..	..	NR
3	Assam	6403	46	4829	31	11232	77	Dec.,07
4	Bihar	..	..	..	..	..	..	NR
5	Chhattisgarh	15282	18	5899	11	21181	29	Dec.,07
6	Goa	40	1	37	0	77	1	Dec.,07
7	Gujarat	3252	84	2631	56	5883	140	Dec.,07
8	Haryana	4599	29	3743	13	8342	42	Dec.,07
9	Himachal Pr.	16023	51	15042	28	31065	79	Dec.,07
10	Jammu Div.	43748	0	29155	0	72903	0	Dec.,07
	Kashmir Div.	7268	0	5384	0	12652	0	Dec.,07
11	Jharkhand	4119	3	2955	2	7074	5	Dec.,07
12	Karnataka	19184	91	17968	43	37152	134	Dec.,07
13	Kerala	8324	51	7335	37	15659	88	Dec.,07
14	Madhya Pradesh	25137	26	23057	19	48194	45	Dec.,07
15	Maharashtra	20738	61	19404	54	40142	115	Dec.,07
16	Manipur	963	19	810	6	1773	25	Dec.,07
17	Meghalaya	1952	27	1628	17	3580	44	Dec.,07
18	Mizoram	2256	65	2059	42	4315	107	Dec.,07
19	Nagaland	299	0	141	0	844	6	Dec.,07
20	Orissa	9931	83	7761	49	17692	132	Dec.,07
21	Punjab	4471	41	3566	24	8037	65	Dec.,07
22	Rajasthan	40148	64	30933	50	71081	114	Dec.,07
23	Sikkim	913	3	462	3	1375	6	Dec.,07
24	Tamil Nadu	..	..	..	..	7380	52	Dec.,07
25	Tripura	2384	71	1919	54	4303	125	Dec.,07
26	Uttarakhand	4235	4	6302	8	10537	12	Dec.,07
27	Uttar Pradesh	63618	206	51343	168	114961	374	Dec.,07
28	West Bengal	39400	530	35807	391	75207	921	Dec.,07
29	A & N Islands	620	6	653	3	1273	9	Dec.,07
30	Chandigarh	..	..	..	..	3377	53	Dec.,07
31	D & N Haveli	43	0	32	0	75	0	Dec.,07
32	Daman & Diu	7	1	6	0	13	1	Dec.,07
33	Delhi	19188	258	12589	160	31777	418	Dec.,07
34	Lakshadweep	12	0	11	1	23	1	Dec.,07
35	Puducherry	1216	15	802	8	2018	23	Dec.,07
	TOTAL	403894	1984	331659	1361	746714	3456	

Notes:

../NR Not Reported/Not Received

- The sum of male and female may not tally with the total figure as some States/UTs have not reported genderwise information separately.

Source: Monthly Health Condition Reports from Directorate of Health Services of States/UTs.

3.1.1.18 State/UT wise Cases and Deaths Due to Pneumonia in India 2008 (Provisional)

S. No.	State/UT	Male		Female		Total		Reference Period up to
		Cases	Deaths	Cases	Deaths	Cases	Deaths	
	1	2	3	4	5	6	7	8
1	Andhra Pradesh	35917	143	32199	105	68116	248	Dec.,08
2	Arunachal Pradesh	..	..	..	..	..	..	NR
3	Assam	2083	82	1443	49	3526	131	Apr.,08
4	Bihar	..	..	..	..	..	..	NR
5	Chhattisgarh	4011	4	3613	0	7624	4	Dec.,08
6	Goa	153	2	74	0	227	2	Sept.,08
7	Gujarat	4349	67	3723	35	8072	102	Dec.,08
8	Haryana	3488	26	2896	11	6384	37	Dec.,08
9	Himachal Pr.	18479	49	18385	31	36864	80	Dec.,08
10	Jammu Div.	35486	1	30269	6	65755	7	Dec.,08
	Kashmir Div.	3369	0	2753	0	6122	0	Dec.,08
11	Jharkhand	2823	0	2278	2	5101	2	Dec.,08
12	Karnataka	14577	119	12813	70	27390	189	Dec.,08
13	Kerala	7603	58	6843	23	14446	81	Dec.,08
14	Madhya Pradesh	30473	41	25638	20	56111	61	Dec.,08
15	Maharashtra	21193	54	19392	38	40585	92	Dec.,08
16	Manipur	484	1	427	1	911	2	Sept.,08
17	Meghalaya	2589	14	2308	25	4897	39	Dec.,08
18	Mizoram	2665	69	2309	52	4974	121	Dec.,08
19	Nagaland	1242	0	1215	0	2457	0	Dec.,08
20	Orissa	13087	127	9677	81	22764	208	Dec.,08
21	Punjab	3403	24	2578	19	5981	43	Dec.,08
22	Rajasthan	52599	145	39902	84	92501	229	Dec.,08
23	Sikkim	477	5	434	2	911	7	Dec.,08
24	Tamil Nadu	20678	21	20575	16	41253	37	Dec.,08
25	Tripura	2008	77	1903	70	3911	147	Dec.,08
26	Uttarakhand	5326	5	5010	3	10336	8	Dec.,08
27	Uttar Pradesh	44326	241	34891	104	79217	345	Dec.,08
28	West Bengal	38946	618	34398	474	73344	1092	Dec.,08
29	A & N Islands	656	3	693	6	1349	9	Dec.,08
30	Chandigarh	..	..	..	..	..	..	NR
31	D & N Haveli	88	1	66	1	154	2	Dec.,08
32	Daman & Diu	15	0	9	1	24	1	Nov.,08
33	Delhi	17399	263	10112	153	27511	416	Dec.,08
34	Lakshadweep	22	0	17	0	39	0	Nov.,08
35	Puducherry	1014	12	583	11	1597	23	Dec.,08 except Mar.
TOTAL		391028	2272	329426	1493	720454	3765	

Notes:

../NR Not Reported/Not Received

- The sum of male and female may not tally with the total figure as some States/UTs have not reported genderwise information separately.

Source: Monthly Health Condition Reports from Directorate of Health Services of States/UTs.

3.1.1.19 State/UT wise Cases and Deaths Due to Meningococcal Meningitis in India 2007

(Revised based on information received from states/UTs after the release of NHP 2007)

S. No.	State/UT	Male		Female		Total		Reference Period up to
		Cases	Deaths	Cases	Deaths	Cases	Deaths	
	1	2	3	4	5	6	7	8
1	Andhra Pradesh	283	8	462	9	745	17	Dec.,07
2	Arunachal Pradesh	..	..	..	..	..	..	NR
3	Assam	0	0	0	0	0	0	Dec.,07
4	Bihar	..	..	..	..	..	..	NR
5	Chhattisgarh	27	0	13	0	40	0	Dec.,07
6	Goa	0	0	0	0	0	0	Dec.,07
7	Gujarat	41	15	22	10	63	25	Dec.,07
8	Haryana	1	0	3	0	4	0	Dec.,07
9	Himachal Pr.	0	0	0	0	0	0	Dec.,07
10	Jammu Div.	0	0	0	0	0	0	Dec.,07
	Kashmir Div.	0	0	0	0	0	0	Dec.,07
11	Jharkhand	29	0	6	0	35	0	Dec.,07
12	Karnataka	377	5	278	2	655	7	Dec.,07
13	Kerala	11	0	12	2	23	2	Dec.,07
14	Madhya Pradesh	523	3	385	2	908	5	Dec.,07
15	Maharashtra	128	8	77	1	205	9	Dec.,07
16	Manipur	16	0	3	0	19	0	Dec.,07
17	Meghalaya	3	1	1	0	4	1	Dec.,07
18	Mizoram	28	8	23	7	51	15	Dec.,07
19	Nagaland	0	0	0	0	4	0	Dec.,07
20	Orissa	23	1	21	1	44	2	Dec.,07
21	Punjab	40	6	25	7	65	13	Dec.,07
22	Rajasthan	31	1	15	0	46	1	Dec.,07
23	Sikkim	3	1	0	0	3	1	Dec.,07
24	Tamil Nadu	..	..	..	..	31	0	Dec.,07
25	Tripura	10	1	5	0	15	1	Dec.,07
26	Uttarakhand	31	2	34	3	65	5	Dec.,07
27	Uttar Pradesh	53	5	58	3	111	8	Dec.,07
28	West Bengal	807	121	517	46	1324	167	Dec.,07
29	A & N Islands	13	1	4	2	17	3	Dec.,07
30	Chandigarh	..	..	..	..	21	2	Dec.,07
31	D & N Haveli	26	0	21	0	47	0	Dec.,07
32	Daman & Diu	0	0	0	0	0	0	Dec.,07
33	Delhi	309	15	52	4	361	19	Dec.,07
34	Lakshadweep	0	0	0	0	0	0	Dec.,07
35	Puducherry	120	3	51	1	171	4	Dec.,07
TOTAL		2933	205	2088	100	5077	307	

Notes:

../NR Not Reported/Not Received

- The sum of male and female may not tally with the total figure as some States/UTs have not reported genderwise information separately.

Source: Monthly Health Condition Reports from Directorate of Health Services of States/UTs.

3.1.1.19 State/UT wise Cases and Deaths Due to Meningococcal Meningitis in India 2008 (Provisional)

S. No.	State/UT	Male		Female		Total		Reference Period up to
		Cases	Deaths	Cases	Deaths	Cases	Deaths	
1		2	3	4	5	6	7	8
1	Andhra Pradesh	329	7	280	2	609	9	Dec.,08
2	Arunachal Pradesh	..	..	..	..	..	..	NR
3	Assam	0	0	0	0	0	0	Apr.,08
4	Bihar	..	..	..	..	..	..	NR
5	Chhattisgarh	9	0	4	0	13	0	Dec.,08
6	Goa	1	0	0	0	1	0	Sept.,08
7	Gujarat	1	0	4	1	5	1	Dec.,08
8	Haryana	16	1	6	0	22	1	Dec.,08
9	Himachal Pr.	0	0	0	0	0	0	Dec.,08
10	Jammu Div.	0	0	0	0	0	0	Dec.,08
	Kashmir Div.	0	0	0	0	0	0	Dec.,08
11	Jharkhand	83	0	7	0	90	0	Dec.,08
12	Karnataka	694	9	524	4	1218	13	Dec.,08
13	Kerala	139	0	91	0	230	0	Dec.,08
14	Madhya Pradesh	197	8	113	4	310	12	Dec.,08
15	Maharashtra	83	3	118	0	201	3	Dec.,08
16	Manipur	1	0	1	0	2	0	Sept.,08
17	Meghalaya	230	29	159	17	389	46	Dec.,08
18	Mizoram	47	11	20	8	67	19	Dec.,08
19	Nagaland	0	0	0	0	0	0	Dec.,08
20	Orissa	73	0	69	1	142	1	Dec.,08
21	Punjab	64	3	40	4	104	7	Dec.,08
22	Rajasthan	2	1	3	0	5	1	Dec.,08
23	Sikkim	3	1	3	0	6	1	Dec.,08
24	Tamil Nadu	40	0	29	0	69	0	Dec.,08
25	Tripura	7	1	2	0	9	1	Dec.,08
26	Uttarakhand	45	6	31	4	76	10	Dec.,08
27	Uttar Pradesh	24	2	21	3	45	5	Dec.,08
28	West Bengal	1155	250	755	119	1910	369	Dec.,08
29	A & N Islands	6	2	3	1	9	3	Dec.,08
30	Chandigarh	..	..	..	..	..	..	NR
31	D & N Haveli	3	1	3	1	6	2	Dec.,08
32	Daman & Diu	3	2	9	0	12	2	Nov.,08
33	Delhi	249	16	47	3	296	19	Dec.,08
34	Lakshadweep	0	0	0	0	0	0	Nov.,08
35	Puducherry	45	6	33	3	78	9	Dec.,08 except Mar.
TOTAL		3549	359	2375	175	5924	534	

Notes:

../NR Not Reported/Not Received

- The sum of male and female may not tally with the total figure as some States/UTs have not reported genderwise information separately.

Source: Monthly Health Condition Reports from Directorate of Health Services of States/UTs.

3.1.1.20 State/UT wise Cases and Deaths Due to Syphilis in India 2007

(Revised based on information received from states/UTs after the release of NHP 2007)

S. No.	State/UT	Male		Female		Total		Reference Period up to
		Cases	Deaths	Cases	Deaths	Cases	Deaths	
1		2	3	4	5	6	7	8
1	Andhra Pradesh	17672	5	14031	1	31703	6	Dec.,07
2	Arunachal Pradesh	..	..	..	..	..	..	NR
3	Assam	0	0	0	0	0	0	Dec.,07
4	Bihar	..	..	..	..	..	..	NR
5	Chhattisgarh	1033	0	931	0	1964	0	Dec.,07
6	Goa	0	0	0	0	0	0	Dec.,07
7	Gujarat	564	0	921	0	1485	0	Dec.,07
8	Haryana	135	0	110	0	245	0	Dec.,07
9	Himachal Pr.	67	0	98	0	165	0	Dec.,07
10	Jammu Div.	11	0	4	0	15	0	Dec.,07
	Kashmir Div.	0	0	0	0	0	0	Dec.,07
11	Jharkhand	191	0	54	0	245	0	Dec.,07
12	Karnataka	2749	0	2587	0	5336	0	Dec.,07
13	Kerala	19	0	17	0	36	0	Dec.,07
14	Madhya Pradesh	1223	0	890	0	2113	0	Dec.,07
15	Maharashtra	463	0	3603	0	4066	0	Dec.,07
16	Manipur	39	0	10	0	49	0	Dec.,07
17	Meghalaya	0	0	0	0	0	0	Dec.,07
18	Mizoram	52	0	55	0	107	0	Dec.,07
19	Nagaland	11	0	12	0	45	0	Dec.,07
20	Orissa	92	1	44	1	136	2	Dec.,07
21	Punjab	46	0	78	0	124	0	Dec.,07
22	Rajasthan	131	0	117	0	248	0	Dec.,07
23	Sikkim	0	0	0	0	0	0	Dec.,07
24	Tamil Nadu	..	..	..	..	977	0	Dec.,07
25	Tripura	122	0	66	0	188	0	Dec.,07
26	Uttarakhand	19	0	1	0	20	0	Dec.,07
27	Uttar Pradesh	281	0	187	0	468	0	Dec.,07
28	West Bengal	323	0	280	0	603	0	Dec.,07
29	A & N Islands	0	0	0	0	0	0	Dec.,07
30	Chandigarh	..	..	..	..	16	0	Dec.,07
31	D & N Haveli	46	0	87	0	133	0	Dec.,07
32	Daman & Diu	0	0	0	0	0	0	Dec.,07
33	Delhi	61	0	39	0	100	0	Dec.,07
34	Lakshadweep	0	0	0	0	0	0	Dec.,07
35	Puducherry	3	0	3	0	6	0	Dec.,07
TOTAL		25353	6	24225	2	50593	8	

Notes:

../NR Not Reported/Not Received

- The sum of male and female may not tally with the total figure as some States/UTs have not reported genderwise information separately.

Source: Monthly Health Condition Reports from Directorate of Health Services of States/UTs.

3.1.1.20 State/UT wise Cases and Deaths Due to Syphilis in India 2008 (Provisional)

S. No.	State/UT	Male		Female		Total		Reference Period up to
		Cases	Deaths	Cases	Deaths	Cases	Deaths	
	1	2	3	4	5	6	7	8
1	Andhra Pradesh	19977	0	18558	1	38535	1	Dec.,08
2	Arunachal Pradesh	..	..	..	..	..	..	NR
3	Assam	0	0	0	0	0	0	Apr.,08
4	Bihar	..	..	..	..	..	..	NR
5	Chhattisgarh	1211	0	1599	0	2810	0	Dec.,08
6	Goa	0	0	0	0	0	0	Sept.,08
7	Gujarat	748	0	866	0	1614	0	Dec.,08
8	Haryana	80	0	143	0	223	0	Dec.,08
9	Himachal Pr.	51	0	333	0	384	0	Dec.,08
10	Jammu Div.	0	0	0	0	0	0	Dec.,08
	Kashmir Div.	0	0	0	0	0	0	Dec.,08
11	Jharkhand	310	0	125	0	435	0	Dec.,08
12	Karnataka	1623	0	1327	0	2950	0	Dec.,08
13	Kerala	5	0	10	0	15	0	Dec.,08
14	Madhya Pradesh	2491	0	2354	0	4845	0	Dec.,08
15	Maharashtra	973	0	2304	0	3277	0	Dec.,08
16	Manipur	4	0	0	0	4	0	Sept.,08
17	Meghalaya	18	0	25	0	43	0	Dec.,08
18	Mizoram	93	1	72	0	165	1	Dec.,08
19	Nagaland	23	0	16	0	39	0	Dec.,08
20	Orissa	168	0	121	0	289	0	Dec.,08
21	Punjab	41	2	21	0	62	2	Dec.,08
22	Rajasthan	386	1	643	0	1029	1	Dec.,08
23	Sikkim	0	0	0	0	0	0	Dec.,08
24	Tamil Nadu	427	0	445	0	872	0	Dec.,08
25	Tripura	386	0	361	0	747	0	Dec.,08
26	Uttarakhand	136	1	90	0	226	1	Dec.,08
27	Uttar Pradesh	199	0	166	0	365	0	Dec.,08
28	West Bengal	173	0	145	0	318	0	Dec.,08
29	A & N Islands	5	0	6	0	11	0	Dec.,08
30	Chandigarh	..	..	..	..	..	..	NR
31	D & N Haveli	12	0	17	0	29	0	Dec.,08
32	Daman & Diu	0	0	0	0	0	0	Nov.,08
33	Delhi	26	0	72	0	98	0	Dec.,08
34	Lakshadweep	0	0	0	0	0	0	Nov.,08
35	Puducherry	8	0	7	0	15	0	Dec.,08 except Mar.
TOTAL		29574	5	29826	1	59400	6	

Notes:

../NR Not Reported/Not Received

- The sum of male and female may not tally with the total figure as some States/UTs have not reported genderwise information separately.

Source: Monthly Health Condition Reports from Directorate of Health Services of States/UTs.

3.1.1.21 State/UT wise Cases and Deaths Due to Gonococcal Infection in India 2007

(Revised based on information received from states/UTs after the release of NHP 2007)

S. No.	State/UT	Male		Female		Total		Reference Period up to
		Cases	Deaths	Cases	Deaths	Cases	Deaths	
1		2	3	4	5	6	7	8
1	Andhra Pradesh	28512	0	56535	0	85047	0	Dec.,07
2	Arunachal Pradesh	..	..	..	..	..	..	NR
3	Assam	2484	0	831	0	3315	0	Dec.,07
4	Bihar	..	..	..	..	..	..	NR
5	Chhattisgarh	1702	0	2647	0	4349	0	Dec.,07
6	Goa	0	0	0	0	0	0	Dec.,07
7	Gujarat	273	0	613	0	886	0	Dec.,07
8	Haryana	322	0	925	0	1247	0	Dec.,07
9	Himachal Pr.	373	0	1105	0	1478	0	Dec.,07
10	Jammu Div.	336	0	2583	0	2919	0	Dec.,07
	Kashmir Div.	6	0	3972	0	3978	0	Dec.,07
11	Jharkhand	354	0	517	0	871	0	Dec.,07
12	Karnataka	3036	1	5335	0	8371	1	Dec.,07
13	Kerala	44	0	66	0	110	0	Dec.,07
14	Madhya Pradesh	3098	0	3064	0	6162	0	Dec.,07
15	Maharashtra	3485	0	264	0	3749	0	Dec.,07
16	Manipur	231	0	481	0	712	0	Dec.,07
17	Meghalaya	1	0	36	0	37	0	Dec.,07
18	Mizoram	111	0	50	0	161	0	Dec.,07
19	Nagaland	96	0	58	0	256	0	Dec.,07
20	Orissa	535	2	799	2	1334	4	Dec.,07
21	Punjab	36	0	110	0	146	0	Dec.,07
22	Rajasthan	225	0	997	0	1222	0	Dec.,07
23	Sikkim	9	0	27	0	36	0	Dec.,07
24	Tamil Nadu	..	..	..	..	2146	7	Dec.,07
25	Tripura	106	0	86	0	192	0	Dec.,07
26	Uttarakhand	65	0	810	0	875	0	Dec.,07
27	Uttar Pradesh	6722	0	19755	0	26477	0	Dec.,07
28	West Bengal	470	0	381	0	851	0	Dec.,07
29	A & N Islands	4	0	13	0	17	0	Dec.,07
30	Chandigarh	..	..	..	..	0	0	Dec.,07
31	D & N Haveli	0	0	0	0	0	0	Dec.,07
32	Daman & Diu	0	0	0	0	0	0	Dec.,07
33	Delhi	61	1	140	1	201	2	Dec.,07
34	Lakshadweep	0	0	0	0	0	0	Dec.,07
35	Puducherry	0	0	77	0	77	0	Dec.,07
TOTAL		52697	4	102277	3	157222	14	

Notes:

../- NR Not Reported/Not Received

- The sum of male and female may not tally with the total figure as some States/UTs have not reported genderwise information separately

Source: Monthly Health Condition Reports from Directorate of Health Services of States/UTs.

3.1.1.21 State/UT wise Cases and Deaths Due to Gonococcal Infection in India 2008 (Provisional)

S. No.	State/UT	Male		Female		Total		Reference Period up to
		Cases	Deaths	Cases	Deaths	Cases	Deaths	
	1	2	3	4	5	6	7	8
1	Andhra Pradesh	24352	0	54018	0	78370	0	Dec.,08
2	Arunachal Pradesh	..	..	..	..	..	..	NR
3	Assam	0	0	0	0	0	0	Apr.,08
4	Bihar	..	..	..	..	..	..	NR
5	Chhattisgarh	1072	1	1947	0	3019	1	Dec.,08
6	Goa	12	0	27	0	39	0	Sept.,08
7	Gujarat	212	0	589	0	801	0	Dec.,08
8	Haryana	190	0	791	0	981	0	Dec.,08
9	Himachal Pr.	59	0	1120	0	1179	0	Dec.,08
10	Jammu Div.	225	0	423	0	648	0	Dec.,08
	Kashmir Div.	0	0	0	0	0	0	Dec.,08
11	Jharkhand	277	0	610	0	887	0	Dec.,08
12	Karnataka	2954	0	6692	0	9646	0	Dec.,08
13	Kerala	54	0	100	0	154	0	Dec.,08
14	Madhya Pradesh	9231	0	8561	0	17792	0	Dec.,08
15	Maharashtra	1054	0	656	0	1710	0	Dec.,08
16	Manipur	16	0	51	0	67	0	Sept.,08
17	Meghalaya	958	0	143	0	1101	0	Dec.,08
18	Mizoram	63	0	60	0	123	0	Dec.,08
19	Nagaland	18	0	22	0	40	0	Dec.,08
20	Orissa	956	0	920	0	1876	0	Dec.,08
21	Punjab	16	0	78	0	94	0	Dec.,08
22	Rajasthan	846	0	2041	0	2887	0	Dec.,08
23	Sikkim	1	0	4	0	5	0	Dec.,08
24	Tamil Nadu	677	0	1070	0	1747	0	Dec.,08
25	Tripura	78	0	51	0	129	0	Dec.,08
26	Uttarakhand	0	0	538	0	538	0	Dec.,08
27	Uttar Pradesh	2171	0	4323	0	6494	0	Dec.,08
28	West Bengal	598	0	578	0	1176	0	Dec.,08
29	A & N Islands	0	0	2	0	2	0	Dec.,08
30	Chandigarh	..	..	..	..	..	..	NR
31	D & N Haveli	256	0	998	0	1254	0	Dec.,08
32	Daman & Diu	0	0	0	0	0	0	Nov.,08
33	Delhi	443	0	422	0	865	0	Dec.,08
34	Lakshadweep	0	0	0	0	0	0	Nov.,08
35	Puducherry	4	0	31	0	35	0	Dec.,08 except Mar.
	TOTAL	46793	1	86866	0	133659	1	

Notes:

../- NR Not Reported/Not Received

- The sum of male and female may not tally with the total figure as some States/UTs have not reported genderwise information separately.

Source: Monthly Health Condition Reports from Directorate of Health Services of States/UTs.

3.1.1.22 State/UT wise Performance of RNTCP-TB Case Detection, Deaths and Treatment Outcome During 2007 and TB Case Detection 2008*

S. No.	State/UT	Population (in lakh) covered by RNTCP ¹	2007			2008				
			January to December			January to December				
			TB Cases Detected and Registered for Treatment (DOTS)	TB Deaths among reported Cases	Treatment (DOTS) success rate of new smear positive patients	No. of TB suspects examined	No of Smear positive patients diagnosed ²	% of +ve TB Cases among suspects	TB patients declared and registered for treatment ³ (DOTS)	New smear positive TB patients registered for treatment (DOTS)
1	2	3	4	5	6	7	8	9	10	11
1	Andaman & Nicobar	4	777	34	85%	3887	373	10%	748	269
2	Andhra Pradesh	822	111299	5772	88%	510805	75093	15%	114624	49759
3	Arunachal Pradesh	12	2729	92	87%	10767	1149	11%	2450	819
4	Assam	299	36756	1572	87%	148014	21900	15%	38454	16466
5	Bihar	938	79362	2612	86%	327206	44592	14%	84404	33505
6	Chandigarh	11	2413	56	89%	13937	1815	13%	2492	837
7	Chhatisgarh	236	27514	1012	87%	108439	12700	12%	27280	10470
8	D & N Haveli	3	390	8	87%	1923	300	16%	443	152
9	Daman & Diu	2	337	11	86%	2594	172	7%	224	57
10	Delhi	171	49205	1241	87%	154825	24860	16%	49505	14000
11	Goa	16	2102	103	80%	11986	1076	9%	1996	641
12	Gujarat	564	80399	4323	87%	378332	61645	16%	79365	35375
13	Haryana	238	35719	1568	85%	152022	23171	15%	35348	13063
14	Himachal Pradesh	66	13606	607	89%	61927	8259	13%	13618	5091
15	Jammu & Kashmir	124	12515	494	89%	72914	7435	10%	12521	5643
16	Jharkhand	300	36797	1300	89%	137407	21110	15%	38395	16821
17	Karnataka	574	68070	4871	79%	419401	41530	10%	66159	25537
18	Kerala	342	24339	1230	84%	263152	14424	5%	24935	11045
19	Lakshadweep	1	15	0	100%	235	5	2%	11	5
20	Madhya Pradesh	693	80928	3121	86%	298291	47390	16%	80929	29689
21	Maharashtra	1069	142400	7668	86%	596831	76398	13%	139641	52509
22	Manipur	26	4886	155	84%	14196	1329	9%	4293	976
23	Meghalaya	25	4855	186	85%	15158	2198	14%	4639	1474
24	Mizoram	10	2158	73	93%	8811	1025	12%	2827	807
25	Nagaland	22	3100	87	90%	10372	1456	15%	2984	1149
26	Orissa	399	49536	2529	87%	211688	28987	14%	51031	22505
27	Puducherry	11	1383	91	85%	13332	1703	13%	1333	635
28	Punjab	266	35512	1585	86%	164595	22864	14%	37076	14707
29	Rajasthan	646	111696	4069	89%	366138	71581	19%	112192	41700
30	Sikkim	6	1538	68	85%	7666	764	10%	1641	483
31	Tamil Nadu	664	86089	4140	85%	566948	45268	8%	84610	33245
32	Tripura	35	2577	130	91%	22673	1901	8%	2846	1584
33	Uttar Pradesh	1909	247037	8456	87%	1134609	171858	15%	278044	119884
34	Uttarakhand	95	13408	346	86%	65463	9034	14%	13331	5152
35	West Bengal	879	107226	5214	86%	540300	66374	12%	107213	49999
Total		11477	1478673	64824	87%	6816844	911739	13%	1517602	616053

Notes:

* 4th quarter 2008 data is provisional.

¹ Projected population based on census population of 2008 is used for calculation of case-detection rate, 1 lakh=100,000 population.

² Smear positive patients diagnosed include new smear positive cases and smear positive retreatment cases.

³ Total patients registered for treatment includes new sputum smear positive cases, new smear negative cases, new extra-pulmonary cases, smear positive retreatment cases and 'Others'

● Detailed state/district wise annual and quarterly performance reports available at www.tbcindia.org

Source: Revised National TB Control Programme, MOHFW/GOI.

3.1.1.23 State/UT wise Observed HIV Prevalence Levels in India 2002 - 2007 (Provisional)

S. No.	State/UT	Number of sites in 2007	HIV Prevalence Levels (Percentage)					
			2002	2003	2004	2005	2006	2007
	1	2	3	4	5	6	7	8
1	Andhra Pradesh	ANC 26	1.25	1.25	1.63	1.75	1.26	1.00
		STD 11	21.65	21.47	16.40	22.80	24.40	17.20
2	Arunachal Pradesh	ANC 6	0.00	0.00	0.20	0.46	0.00	0.00
		STD 7	0.17	0.45	0.00	0.00	0.42	0.00
3	Assam	ANC 16	0.00	0.00	0.00	0.00	0.00	0.00
		STD 9	0.49	1.20	0.80	0.89	0.50	0.50
4	Bihar	ANC 23	0.25	0.00	0.00	0.00	0.50	0.25
		STD 24	1.60	0.40	1.20	0.00	0.40	0.40
5	Chattisgarh	ANC 17	0.25	0.58	0.00	0.25	0.00	0.25
		STD 5	0.82	2.13	2.80	2.77	2.58	3.33
6	Delhi	ANC 5	0.25	0.13	0.38	0.25	0.00	0.25
		STD 5	3.24	6.52	7.98	9.15	2.00	5.20
7	Goa	ANC 2	1.38	0.50	1.13	0.00	0.50	0.18
		STD 2	12.73	14.62	16.02	14.01	8.60	5.60
8	Gujarat	ANC 25	0.38	0.25	0.13	0.25	0.50	0.25
		STD 10	5.08	4.47	3.60	2.00	3.31	2.40
9	Haryana	ANC 12	0.38	0.26	0.00	0.13	0.13	0.00
		STD 9	1.48	1.20	0.93	1.30	0.81	0.00
10	Himachal Pradesh	ANC 9	0.00	0.00	0.13	0.13	0.00	0.00
		STD 5	0.40	0.40	0.00	0.40	0.60	0.00
11	Jammu & Kashmir	ANC 15	0.08	0.00	0.08	0.00	0.00	0.00
		STD 6	0.93	2.60	0.16	0.00	0.00	0.20
12	Jharkhand	ANC 15	0.00	0.00	0.00	0.13	0.00	0.00
		STD 11	0.15	0.13	0.13	0.00	0.40	0.40
13	Karnataka	ANC 27	1.63	1.25	1.25	1.00	1.00	0.50
		STD 7	13.55	10.40	12.00	13.60	7.57	8.40
14	Kerala	ANC 6	0.25	0.00	0.33	0.25	0.13	0.38
		STD 5	4.20	1.88	2.78	2.82	1.23	1.60
15	Madhya Pradesh	ANC 36	0.00	0.00	0.25	0.25	0.00	0.00
		STD 13	1.19	1.81	1.80	0.47	0.47	1.72
16	Maharashtra	ANC 40	1.00	0.75	0.75	1.00	0.75	0.50
		STD 10	7.82	12.00	10.80	12.80	10.00	11.62
17	Manipur	ANC 10	1.00	1.00	1.38	1.00	1.25	0.75
		STD 2	9.60	13.00	7.20	12.20	4.80	4.08
18	Meghalaya	ANC 1	0.00	0.35	0.00	0.00	0.00	0.00
		STD 3	0.28	0.26	0.00	0.00	1.18	2.21
19	Mizoram	ANC 8	1.51	0.97	1.50	0.88	1.00	0.75
		STD 3	2.61	3.80	1.00	3.00	3.07	7.13
20	Nagaland	ANC 11	1.26	1.13	0.95	1.50	0.93	0.60
		STD 1	2.43	0.98	1.72	3.48	0.00	3.42
21	Orissa	ANC 31	0.13	0.00	0.50	0.25	0.50	0.00
		STD 7	0.80	2.40	2.80	4.00	2.80	1.60
22	Punjab	ANC 8	0.38	0.00	0.25	0.13	0.00	0.00
		STD 3	1.61	1.60	1.16	1.07	0.27	1.60

Contd...

3.1.1.23 State/UT wise Observed HIV Prevalence Levels in India 2002 - 2007 (Provisional) (Concl.)

S. No.	State/UT	Number of sites in 2007	HIV Prevalence Levels					
			2002	2003	2004	2005	2006	2007
	1	2	3	4	5	6	7	8
23	Rajasthan	ANC 26	0.50	0.00	0.00	0.13	0.00	0.00
		STD 15	4.80	6.08	2.92	5.60	1.60	2.00
24	Sikkim	ANC 3	0.18	0.21	0.00	0.25	0.10	0.09
		STD 1	0.00	0.00	0.00	0.86	0.00	0.00
25	Tamil Nadu	ANC 34	0.88	0.50	0.67	0.50	0.25	0.25
		STD 11	14.80	9.64	8.40	9.20	8.00	8.00
26	Tripura	ANC 2	0.00	0.00	0.25	0.00	0.42	0.25
		STD 7	1.40	2.80	0.73	1.26	0.45	0.40
27	Uttar Pradesh	ANC 47	0.00	0.00	0.25	0.00	0.00	0.00
		STD 28	0.40	0.55	0.80	0.40	0.62	0.48
28	Uttarakhand	ANC 9	0.00	0.00	0.00	0.00	0.00	0.00
		STD 7	0.00	0.00	0.37	0.00	0.00	0.00
29	West Bengal	ANC 3	0.25	0.50	0.50	0.84	0.00	0.00
		STD 11	0.47	1.61	0.88	2.16	1.01	0.80
30	A & N Islands	ANC 3	0.00	0.50	0.00	0.00	0.17	0.25
		STD 2	2.60	1.80	1.60	0.40	0.80	1.33
31	Chandigarh	ANC 1	0.25	0.50	0.50	0.00	0.25	0.25
		STD 2	1.53	0.80	1.80	1.00	1.66	0.42
32	D & N Haveli	ANC 1	0.00	0.13	0.00	0.25	0.00	0.50
		STD 0	NA	NA	NA	NA	NA	NA
33	Daman & Diu	ANC 2	0.25	0.33	0.38	0.13	0.00	0.13
		STD 0	NA	NA	NA	NA	NA	NA
34	Lakshdweep	ANC 2	0.00	0.00	0.00	0.00	0.00	0.00
		STD 1	0.00	0.00	0.00	0.00	0.00	0.00
35	Puducherry	ANC 2	0.25	0.13	0.25	0.25	0.25	0.00
		STD 3	2.22	2.45	5.74	4.22	4.03	3.22

Notes:

- * NA : Not Available
- * HIV Prevalence values in States with more than 3 sites are median values, while in States/UTs with 3 or less than 3 sites, the values are mean values.
- * Sites with 75% coverage of desired sample size (STD: 250 & ANC:400) are included for analysis.

Source: National AIDS Control Organisation (Latest).

3.1.1.24 State/UT wise Patients on Ever Started ART in India till October 2008

S. No.	State/UT	No of ART	No of Patient
1		2	3
	India	179	263423
1	Andhra Pradesh*	25	61239
2	Arunachal Pradesh	1	36
3	Assam	3	749
4	Bihar	4	3623
5	Chattisgarh	1	1565
6	Goa	1	947
7	Gujarat	6	11251
8	Haryana	1	1551
9	Himachal Pradesh	1	669
10	Jammu & Kashmir	2	622
11	Jharkhand	2	1135
12	Karnataka*	27	28310
13	Kerala	5	4407
14	Madhya Pradesh	3	3676
15	Maharashtra*	28	59513
16	Manipur*	6	5997
17	Meghalaya	1	41
18	Mizoram	1	331
19	Nagaland*	4	1176
20	Orissa	1	1544
21	Punjab	3	3570
22	Rajasthan	4	6649
23	Sikkim	1	41
24	Tamil Nadu*	25	40038
25	Tripura	1	61
26	Uttar Pradesh	6	9921
27	Uttarakhand	1	440
28	West Bengal	4	4656
29	A & N Islands	-	-
30	Chandigarh	1	2462
31	Dadra & Nagar Haveli	-	-
32	Daman & Diu	-	-
33	Delhi*	9	6557
34	Lakshadweep	-	-
35	Puducherry	1	646

Notes :

Data As on 31st October 2008

* GFATM States

Source: National AIDS Control Organization.

3.1.1.25 State/UT Leprosy Case Detection, Treatment and Discharge in India 2007-08

S. No.	State/ UT	Estimated Population March 2008	Total New Cases Detected	Cases Discharged as Cured	Cases on record under treatment	Prevalence Rate/10,000 Population
1		2	3	4	5	6
1	Andhra Pradesh	82893403	10047	9568	5817	0.70
2	Arunachal Pradesh	1282012	45	57	52	0.41
3	Assam	30036654	1268	1157	1137	0.38
4	Bihar	98516843	19041	18937	10262	1.04
5	Chattisgarh	23336171	7808	5675	5465	2.34
6	Goa	1480349	156	158	112	0.76
7	Gujarat	58239804	7228	6808	4752	0.82
8	Haryana	25009748	379	534	319	0.13
9	Himachal Pradesh	6800819	246	235	201	0.30
10	Jharkhand	31101898	6799	7575	3460	1.11
11	Jammu & Kashmir	12010899	209	308	201	0.17
12	Karnataka	58890750	4522	4397	3059	0.52
13	Kerala	33899428	778	763	775	0.23
14	Madhya Pradesh	70224912	6058	5256	4799	0.68
15	Maharashtra	111443362	12397	11180	7870	0.71
16	Manipur	2864639	54	38	43	0.15
17	Meghalaya	2763735	14	39	13	0.05
18	Mizoram	1063535	26	21	18	0.17
19	Nagaland	2792619	54	41	70	0.25
20	Orissa	40682830	5685	5036	3283	0.81
21	Punjab	27520060	964	916	897	0.33
22	Rajasthan	67082964	1201	1217	1278	0.19
23	Sikkim	657992	27	16	26	0.40
24	Tamil Nadu	66868808	5511	5380	3665	0.55
25	Tripura	3531942	85	89	65	0.18
26	Uttar Pradesh	194704448	31028	30878	18254	0.94
27	Uttarakhand	9581049	763	828	535	0.56
28	West Bengal	89899615	13551	12916	9358	1.04
29	A & N Islands	420315	18	17	24	0.57
30	Chandigarh	1137712	190	221	140	1.23
31	Dadra & Nagar Haveli	303029	150	154	57	1.88
32	Daman & Diu	213946	2	2	1	0.05
33	Delhi	17906774	1331	2777	1195	0.67
34	Lakshadweep	67669	0	2	1	0.15
35	Puducherry	1108681	50	65	24	0.22
Total		1176339414	137685	133261	87228	0.74

Note:

- All detected cases are initiated treatment with MDT

Source: National Leprosy Eradication Programme

3.1.2 Non Communicable Diseases

3.1.2.1 Number of Estimated Cases of Coronary Heart Disease in India 2000 & 2005 (Latest)

S. No.	Age in years	2000			2005		
		Rural	Urban	Total	Rural	Urban	Total
	1	2	3	4	5	6	7
1	20-29	1799691	2711501	4511192	2012363	4138045	6150408
2	30-39	2854247	2635019	5489266	3383816	3869904	7253720
3	40-49	3342472	2776974	6119446	4217201	4116830	8334032
4	50-59	3590885	2288412	5879296	4544974	3171320	7716294
5	60-69	3153512	1888199	5041711	3849544	2582790	6432334
	Total	14740808	12300104	27040912	18007899	17878889	35886789

Source: Centre for Chronic Disease Control, NCMH Background Papers- Burden of Disease in India, 2005 (Latest)

3.1.2.2 Number of Estimated Cases of Diabetes in India 2000 & 2005 (Latest)

S. No.	Age in years	2000			2005		
		Rural	Urban	Total	Rural	Urban	Total
	1	2	3	4	5	6	7
1	20-29	549102	1003310	1552412	609128	1209725	1818853
2	30-39	1425108	2567970	3993077	1518041	3126311	4644352
3	40-49	2232090	3882005	6114095	2488845	4968478	7457323
4	50-59	2628455	4188171	6816626	2966586	5394860	8361446
5	60-69	2053095	2783100	4836195	2237319	3445602	5682920
6	70+	1100412	1401300	2501712	1267086	1807951	3075038
	Total	9988262	15825855	25814117	11087005	19952927	31039932

Source: Centre for Chronic Disease Control, NCMH Background Papers- Burden of Disease in India, 2005 (Latest)

3.1.2.3 Burden of Stroke (Latest)

S. No.		1998	2004
	1	2	3
1	NO. OF CASES OF STROKE	7,92,628	9,30,985
2	NO. OF DEATHS	5,93,362	6,39,455
3	NO. OF YLL	48,18,740	52,89,357
4	NO. OF DALY	58,02,295	63,68,970

Source: Assessment of Burden of Non - Communicable Disease, Indian Council of Medical Research 2006.

3.1.2.4 Meta Analysis of Epidemiological Studies on Hypertension (Latest)

S. No.	Investigator	Sample Size	Age group	PR/1000
	1	2	3	4
I	URBAN			
1	Gupta R et al (1995)	2212	20-80	109.09
2	Chadha SL et al (1998)	13134	25-69	115.90
3	Thakur k et al (1999)	1727	30-80	131.10
4	Ahlawat SK et al (2002)	937	35+	449.00
5	Misra A et al (2001)	532	18+	116.00
6	Mohan V et al (2001)	1175	20-75	140.00
7	Swami HM et al (2002)	362	65+	580.00
8	Beegom R et al (1995)	1497	25-64	184.00
	Weighted prevalence rate			164.20
II	RURAL			
9	Reddy NK et al (2002)	3307	20+	280.00
10	Gupta R et al (1995)	1982	20+	273.00
11	Chadha SL et al (1998)	1732	25-69	35.80
	Weighted prevalence rate			157.44

Note:

- Prevalence rate of hypertension in india (Urban + Rural) among adults (20 Year+) = 159.46 per thousand.

Source: Assessment of Burden of Non - Communicable Disease, Indian Council of Medical Research 2006.

3.1.2.5 State/UT wise Prevalence of Tobacco Smoking and Chewing in India by sex (age 15 Years and above) (Latest)

S. No.	State/UT	Smoking				Chewing			
		Men		Women		Men		Women	
		%	95%CI	%	95%CI	%	95%CI	%	95%CI
1		2	3	4	5	6	7	8	9
North		11.5-14.9							
1	New Delhi	23.9	22.0-25.9	1.8	1.4-2.2	13.1	6.7-9.8	2.5	1.9-3.2
2	Haryana	40.4	37.7-43.1	3.5	2.8-4.3	8.1	6.7-9.1	0.9	0.6-1.3
3	Himachal Pradesh	38.6	36.6-40.6	2.4	1.8-3.1	7.8	5.8-9.1	0.5	0.3-0.8
4	Jammu & Kashmir	44.3	42.0-46.6	8.3	7.1-9.7	7.3	8.0-10.8	0.9	0.6-1.3
5	Punjab	13.9	12.2-15.8	0.3	0.2-0.5	9.3	17.7-20.4	0.2	0.1-0.4
6	Rajasthan	37.8	35.7-39.9	4.1	3.2-5.2	19.0	38.7-42.0	3.8	2.9-4.9
Central									
8	Madhya Pradesh	29.4	27.6-31.1	0.9	0.6-1.2	40.3	34.6-38.0	14.4	12.7-16.2
9	Uttar Pradesh	33.8	32.5-35.2	3.0	2.6-3.5	36.3	50.1-53.5	10.9	10.1-11.8
East									
10	Bihar	26.3	24.8-27.9	6.2	5.5-7.0	51.8	46.7-51.4	6.7	6.0-7.6
11	Orissa	25.2	23.2-27.2	0.9	0.7-1.2	49.0	20.9-25.6	34.3	31.9-36.9
12	West Bengal	39.4	37.4-41.5	2.5	2.0-3.2	23.2	44.7-51.0	15.1	13.5-17.0
North-East									
13	Assam	31.5	28.4-34.9	2.6	2.0-3.4	47.8	47.9-55.3	24.3	22.1-26.6
14	Arunachal Pradesh	25.6	23.1-28.2	5.6	4.2-7.3	51.6	31.1-37.3	33.1	29.6-36.7
15	Manipur	35.0	32.0-38.1	12.0	10.0-14.2	34.1	13.8-20.5	19.2	15.5-23.5
16	Meghalaya	55.2	50.6-59.7	6.7	4.2-10.6	16.9	56.5-63.8	27.6	23.8-31.7
17	Mizoram	59.4	57.0-61.8	22.0	19.6-24.6	60.2	41.3-48.8	60.7	57.2-64.0
18	Nagaland	38.0	34.3-41.8	2.4	1.3-4.5	45.0	36.5-42.7	16.5	13.7-19.7
19	Sikkim	19.4	17.1-22.0	8.2	6.9-9.7	39.5	8.9-13.1	18.6	16.2-21.2
20	Tripura	48.5	44.9-52.2	9.7	6.7-13.9	10.8	6.0-9.9	5.2	3.3-8.1
West									
21	Goa	17.8	16.1-19.6	2.0	1.2-3.2	7.7	22.8-26.4	8.0	6.3-10.2
22	Gujrat	25.3	23.5-27.2	1.4	1.0-1.8	24.6	32.3-36.0	8.0	7.0-9.2
23	Maharashtra	13.3	12.1-14.6	0.2	0.1-0.4	34.1	9.4-12.0	18.0	16.1-20.0
South									
24	Andhra Pradesh	35.4	33.4-37.5	4.2	3.5-4.9	10.7	12.1-15.6	4.9	-
25	Karnataka	25.7	24.1-27.4	0.3	0.2-0.4	13.8	12.7-15.7	14.1	12.7-15.7
26	Kerala	28.2	26.5-30.0	0.4	0.3-0.7	9.4	9.1-11.2	10.1	9.1-11.2
27	Tamil Nadu	27.0	25.4-28.8	0.3	0.2-0.6	12.9	9.3-12.2	10.7	9.3-12.2

- CI: confidence interval

Source: Rani et al. 2003

Notes:

1. Male tobacco use prevalence in 1995-1996 was 51.3% and in 1998-1999 it was 46.5% according to the National Sample Survey 52nd Round and National Family Health Survey 2. The Prevalence of tobacco use among females was 10.3% and 13.8% in the two successive surveys.
2. The National Household Surveys of Drug and Alcohol Abuse conducted in 25 states (excluding Jammu & Kashmir) in 2002 reports that 55.8% of males 12-60 Years of age currently use tobacco.
3. Geographic area is a determinant of the type of tobacco use and prevalence of usage; overall tobacco use increases towards the centre, the Andhra Pradesh and Kerala. north and east. Chewing follows this pattern. Smoking has an increasing gradient towards the north, northwest and in the two states Andhra Pradesh and Kerala.

Source: Report on Tobacco Control in India, edited by K Srinath Realy Prakash C. Gupta, MOHFW/GOI

3.1.2.6 State/UT wise Estimated Prevalence of Blindness in India 2004 (Latest)

S. No.	State/ UT	Estimated prevalence per 1000 population				
		0-14 years	15-49 years	50+ years	Male	Female
1		2	3	4	5	6
	India	0.1	0.6	77.3	10.2	12.2
1	Andhra Pradesh	0.1	0.7	89.2	12.4	14.3
2	Arunachal Pradesh	0.2	1.2	209.1	19.3	23.8
3	Assam	0.3	1.4	236.9	26.1	31.5
4	Bihar	0.1	0.4	55.6	6.6	8.1
5	Chattisgarh	0.1	0.8	111.2	13.7	16.6
6	Goa	0.1	0.7	98.7	13.6	15.0
7	Gujarat	0.1	0.5	72.1	9.2	11.0
8	Haryana	0.2	0.9	133.8	15.8	20.0
9	Himachal Pradesh	0.1	0.4	43.7	6.3	6.8
10	Jammu & Kashmir	0.1	0.9	130.4	14.2	16.1
11	Jharkhand	0.1	0.7	100.6	11.9	14.7
12	Karnataka	0.2	0.8	107.9	15.5	18.0
13	Kerala	0.1	0.2	27.8	5.0	5.5
14	Madhya Pradesh	0.1	0.6	80.1	9.9	12.0
15	Maharashtra	0.1	0.4	57.0	8.2	9.8
16	Manipur	0.1	0.7	105.1	12.3	13.7
17	Meghalaya	0.05	0.4	73.4	6.6	7.3
18	Mizoram	0.1	0.4	70.3	6.8	7.8
19	Nagaland	0.1	0.5	91.1	9.0	10.8
20	Orissa	0.1	0.6	84.6	12.2	14.2
21	Punjab	0.1	0.5	63.5	8.5	10.6
22	Rajasthan	0.1	0.8	109.5	13.1	16.1
23	Sikkim	0.05	0.3	60.2	5.6	6.7
24	Tamilnadu	0.1	0.3	38.3	6.8	7.9
25	Tripura	0.1	0.4	56.6	6.8	7.7
26	Uttar Pradesh	0.1	0.5	66.3	7.9	9.9
27	Uttaranchal	0.04	0.3	39.5	4.7	5.9
28	West Bengal	0.1	0.5	76.2	10.1	12.3
29	A & N Islands	0.1	0.5	117.9	9.1	11.8
30	Chandigarh	0.1	0.4	94.1	8.2	11.0
31	D & N Haveli	0.1	0.5	89.6	8.5	9.4
32	Daman & Diu	0.1	0.5	80.8	9.6	10.5
33	Delhi	0.1	0.5	102.5	9.5	11.9
34	Lakshadweep	0.04	0.3	43.2	5.0	5.5
35	Puducherry	0.1	0.4	51.3	7.0	7.6

Note:

- Estimates are based on various surveys conducted by the National Programme for Control of Blindness (NPCB)

Source: Centre for Chronic Disease Control, NCMH Background Papers- Burden of Disease in India, 2005 (Latest)

3.1.2.7 State/UT wise Estimated Incidences of Blindness in India 2004 (Latest)

S. No.	State/ UT	Estimated number of new cases per year				
		0-14 years	15-49 years	50+ years	Male	Female
	1	2	3	4	5	6
	India	6396	57565	2068087	1002063	1129985
1	Andhra Pradesh	453	4075	146404	70938	79994
2	Arunachal Pradesh	8	72	2574	1247	1407
3	Assam	165	1486	53399	25874	29177
4	Bihar	438	3946	141750	68683	77451
5	Chattisgarh	175	1571	56450	27352	30844
6	Goa	11	95	3430	1662	1874
7	Gujarat	306	2757	99058	47997	54125
8	Haryana	126	1134	40740	19740	22260
9	Himachal Pradesh	44	393	14104	6834	7706
10	Jammu & Kashmir	64	579	20789	10073	11359
11	Jharkhand	206	1857	66705	32321	36447
12	Karnataka	328	2953	106104	51411	57975
13	Kerala	200	1802	64728	31363	35367
14	Madhya Pradesh	339	3050	109577	53094	59872
15	Maharashtra	569	5121	183993	89151	100533
16	Manipur	17	151	5428	2630	2966
17	Meghalaya	16	146	5248	2543	2867
18	Mizoram	6	57	2058	997	11125
19	Nagaland	11	102	3655	1771	1997
20	Orissa	223	2003	71957	34866	39316
21	Punjab	147	1325	47600	23064	26008
22	Rajasthan	345	3103	111480	54016	6912
23	Sikkim	4	34	1207	558	659
24	Tamilnadu	383	3443	123689	59932	67582
25	Tripura	25	227	8152	3950	4454
26	Uttar Pradesh	1118	10060	361416	175119	197475
27	Uttarakhand	56	503	18069	8755	9873
28	West Bengal	498	4486	161177	78096	88066
29	A & N Islands	3	23	832	403	455
30	Chandigarh	6	53	1921	931	1049
31	D & N Haveli	1	11	411	199	225
32	Daman & Diu	1	8	301	146	164
33	Delhi	96	866	31129	15083	17009
34	Lakshadweep	0	4	153	74	84
35	Puducherry	7	67	2398	1162	1310

Note:

- Estimates are based on the National Programme for Control of Blindness (NPCB).

Source: Centre for Chronic Disease Control, NCMH Background Papers- Burden of Disease in India, 2005 (Latest)

3.1.2.8 Estimated Incidence of Common Cancers with Truncated rate and Cumulative risk at (0-74 years) in india 2007 (Latest)

S. No.	Site of Cancer	Incident Cases (%)	CIR/10 ⁵		ASR/10 ⁵		Ratio at Risk
			All Ages	35-64 years	All Ages	35-64 years	0-74 years
1		2	3	4	5	6	7
Males							
1	Oral Cavity	47947(11.1)	7.5	18.4	10.8	22.2	1:79
2	Lung	41019(09.5)	6.8	13.8	10.9	18.3	1:72
3	Pharynx	26834(06.2)	4.1	9.0	6.3	11.5	1:128
4	Oesophagus	29512(06.8)	4.5	10.2	7.1	13.1	1:116
5	Stomach	25482(05.9)	4.1	9.0	6.3	11.4	1:128
All India		432702(100.0)	71.9	140.0	105.8	174.7	1:8.5
Females							
6	Cervix	90708*(19.1)	12.9	35.6	17.0	40.5	1:52
7	Breast	82011*(17.3)	21.2	56.8	27.2	63.9	1:33
8	Ovary	30335(06.4)	5.4	12.9	6.8	14.8	1:133
9	Oral Cavity	24391(05.1)	4.0	9.4	5.6	11.3	1:148
10	Oesophagus	20127(04.2)	3.3	7.5	4.8	9.1	1:168
All India		475136(100.0)	83.8	196.8	110.0	227.0	1:8.5

Note:

- CIR: Crude Incidence Rate
- ASR: Age Standardized rate
- Oral Cavity includes lip, tongue, gum, floor of the mouth, cheek & palate (C00-C06)
- Pharynx includes oro-, naso- & hypo pharynx (C10-C14)
- Using the incidence rate of Barshi PBCR for Rural areas

Source: Two - Year Report of the Population Based Cancer Registeries (2001-04): Two - Year Report of the Population Based Cancer Registeries under Northern Eastern Regional Cancer Registry (2003-04) of NCRP Bangalore.

3.1.2.9 State/UT wise Cases and Deaths Due to Snake Bite in India 2007

(Revised based on information received from states/UTs after the release of NHP 2007)

S. No.	State/UT	Male		Female		Total		Reference Period up to
		Cases	Deaths	Cases	Deaths	Cases	Deaths	
1		2	3	4	5	6	7	8
1	Andhra Pradesh	10177	135	8044	64	18221	199	Dec., 07
2	Arunachal Pradesh	..	..	..	..	..	..	NR
3	Assam	79	11	56	6	135	17	May,07
4	Bihar	..	..	..	..	..	..	NR
5	Chhattisgarh	1574	17	1295	19	2869	36	Dec., 07
6	Goa	301	0	184	0	485	0	Dec., 07
7	Gujarat	714	10	565	8	1376	20	Dec., 07
8	Haryana	..	..	..	..	..	..	NR
9	Himachal Pradesh	496	3	435	4	931	7	Dec., 07
10	Jammu Div.	853	1	526	1	1379	2	Dec., 07
	Kashmir Div.	4	0	2	0	6	0	Dec., 07
11	Jharkhand	138	7	181	4	319	11	July,07
12	Karnataka	3946	97	2377	69	6323	166	Dec., 07
13	Kerala	..	..	..	..	3042	19	Oct.,07 except Aug.
14	Madhya Pradesh	620	33	460	14	1080	47	Dec., 07
15	Maharashtra	5959	100	4162	66	10121	166	Dec.,07 except Jan. to Mar.
16	Manipur	0	0	0	0	15	1	Dec., 07
17	Meghalaya	0	0	0	0	0	0	Sept.,07 except Aug.
18	Mizoram	35	3	17	4	52	7	Dec., 07
19	Nagaland	..	..	..	..	217	0	Dec., 07
20	Orissa	591	18	464	17	3088	94	Dec., 07
21	Punjab	412	10	122	1	534	11	Dec., 07
22	Rajasthan	2440	50	1815	32	4255	82	Dec.,07 except May
23	Sikkim	35	0	22	0	57	0	Dec., 07
24	Tamil Nadu	..	..	..	..	..	..	NR
25	Tripura	58	0	41	0	99	0	Dec., 07
26	Uttarakhand	185	9	208	8	393	17	Dec., 07
27	Uttar Pradesh	513	29	443	22	956	51	Nov.,07 except May & June
28	West Bengal	10621	179	6999	161	17620	340	Dec., 07
29	A & N Islands	56	0	31	1	87	1	Dec., 07
30	Chandigarh	..	..	..	..	..	..	NR
31	D & N Haveli	313	0	385	4	698	4	Dec.,07
32	Daman & Diu	20	0	14	0	34	0	Dec.,07 except July
33	Delhi	78	10	21	3	99	13	Dec.,07
34	Lakshadweep	..	..	..	..	..	..	NR
35	Puducherry	1403	14	822	6	2225	20	Dec., 07
	TOTAL	41621	736	29691	514	76716	1331	

Notes:

.. / NR Not Reported/Not Received

● The sum of male and female may not tally with the total figure as some States/UTs have not reported genderwise information separately.

Source: Monthly Health Condition Reports from Directorate of Health Services of States/UTs.

3.1.2.9 State/UT wise Cases and Deaths Due to Snake Bite in India 2008 (Provisional)

S. No.	State/UT	Male		Female		Total		Reference Period up to
		Cases	Deaths	Cases	Deaths	Cases	Deaths	
1		2	3	4	5	6	7	8
1	Andhra Pradesh	17202	82	12699	42	29901	124	Dec.,08
2	Arunachal Pradesh	..	..	..	..	..	..	NR
3	Assam	..	..	..	..	..	..	NR
4	Bihar	..	..	..	..	..	..	NR
5	Chhattisgarh	449	20	361	11	810	31	Dec.,08
6	Goa	266	0	157	0	423	0	Sept.,08
7	Gujarat	1281	44	1055	60	2336	104	Dec.,08
8	Haryana	766	13	344	3	1110	16	Dec.,08
9	Himachal Pr.	540	14	686	11	1226	25	Dec.,08
10	Jammu Div.	769	4	467	2	1236	6	Dec.,08
	Kashmir Div.	0	0	0	0	0	0	Dec.,08
11	Jharkhand	97	1	70	0	167	1	Dec.,08
12	Karnataka	..	..	..	..	7693	164	Dec.,08
13	Kerala	..	..	..	..	4646	23	Dec.,08
14	Madhya Pradesh	987	43	707	31	1694	74	Dec.,08
15	Maharashtra	7542	176	5431	125	12973	301	Dec.,08
16	Manipur	12	1	7	0	19	1	Oct.,08
17	Meghalaya	0	0	20	0	20	0	Dec.,08
18	Mizoram	65	0	22	1	87	1	Dec.,08
19	Nagaland	197	0	132	0	329	0	Dec.,08
20	Orissa	366	1	223	1	589	2	Apr.,08
21	Punjab	361	8	146	7	507	15	Dec.,08
22	Rajasthan	2673	43	1867	26	4540	69	Nov.,08 except May
23	Sikkim	34	0	20	0	54	0	Dec.,08
24	Tamil Nadu	2795	45	2089	18	4884	63	Dec.,08
25	Tripura	33	0	28	0	61	0	July,08
26	Uttarakhand	502	1	426	1	928	2	Dec.,08
27	Uttar Pradesh	..	..	..	..	..	..	NR
28	West Bengal	11561	171	8434	142	19995	313	Dec.,08
29	A & N Islands	72	0	36	0	108	0	Dec.,08
30	Chandigarh	..	..	..	..	..	..	NR
31	D & N Haveli	383	1	498	0	881	1	Dec.,08
32	Daman & Diu	14	1	15	0	29	1	Sept.,08 except Aug.
33	Delhi	57	4	19	1	76	5	Nov.,08
34	Lakshadweep	..	..	..	..	..	..	NR
35	Puducherry	1522	14	863	8	2385	22	Dec.,08
TOTAL		50546	687	36822	490	99707	1364	

Notes:

../- NR Not Reported/Not Received

- The sum of male and female may not tally with the total figure as some States/UTs have not reported genderwise information separately

Source: Monthly Health Condition Reports from Directorate of Health Services of States/UTs.

3.1.3 Incidence of Deaths Due to Accidents in India 2001-2007 (Latest)

S. No.	Causes	No. of Deaths						
		2001	2002	2003	2004	2005	2006	2007
	1	2	3	4	5	6	7	8
1	A. Natural Causes	36651	16723	14954	18937	22415	21502	25153
2	B. Un-Natural Causes	234368	243399	244671	258326	271760	293202	315641
	1. Air-Crash	30	37	51	23	6	2	11
	2. Collapse of Structures	3119	2216	2376	2169	2718	2399	2623
	3. Drowning	20739	19853	20960	21190	23571	25571	27064
	4. Electrocution	5641	5361	6336	6224	6987	7619	8076
	5. Explosions	575	636	722	601	643	824	669
	6. Falls	7446	7826	8800	8448	9132	9821	10497
	7. Factory/Machine accidents	641	674	712	715	671	869	836
	8. Fire	22449	21004	19278	18445	19093	19222	20772
	9. Fire Arms	2688	2597	1993	2283	2254	2161	2046
	10. Sudden Deaths	15065	15230	16749	17413	18519	19450	21311
	11. Killed by Animals	770	760	798	788	847	864	1007
	12. Mines or quarry disaster	499	625	550	456	456	409	435
	13. Poisoning	24077	21886	21172	22035	20800	23434	25447
	14. Stampede	30	44	83	31	346	18	75
	15. Suffocation	892	1481	1144	1218	1549	1696	1313
	16. Traffic accidents	99516	101958	102951	111794	118265	131652	140560
	17. Other Causes	14266	25801	27591	30409	31389	32478	35992
	18. Causes Not Known	15925	15410	12405	14084	14514	14713	16907
	Total (Natural+Unnatural)	271019	260122	259625	277263	294175	314704	340794

Source: Accident Deaths and suicides in India report, National Crime Records Bureau, Ministry of Home Affairs (Latest).

3.1.4 Major Outbreaks Investigated by NICD during the year 2008 in India

S. No.	Outbreak	Areas affected	Period	Diagnosis
1.	Deaths following measles vaccination	Thiruvallur District, Tamil Nadu	24 - 26 April 2008.	AEFI
2.	Outbreak of rash and fever	Karnal, Haryana	July, 2008	Measles outbreak
3.	Encephalitis among children	Dinajpur (West Bengal)	July, 2008	Encephalitis
4.	Meningococemia / Meningococcal meningitis cases	Maghalaya	July, 2008	Meningococemia / Meningococcal meningitis
5.	JE outbreak	Gorakhpur, UP	21-25 July 2008.	JE
6.	Deaths reported from high grade fever of 4-7 days with mild abdominal discomfort and bodyache.	Kanpur Dehat	21 - 23 August 2008	Malaria (P. vivax)
7.	Acute encephalitis	Gorakhpur, Uttar Pradesh	August 2008.	Acute encephalitis syndrome
8.	Suspected leptospirosis	Surat, Gujarat	27 – 30 August 2008	Leptospirosis
9.	Outbreak of fever , acute respiratory distress and pain abdomen	Dehradun, Uttarakhand	12 - 14 August 2008.	Scrub Typhus
10.	Review of health situation arisen out of flood in Bihar State	Patna, Bihar	5 - 7 September 2008.	Floods
11.	Deaths in children due to encephalitis	Gorakhpur, UP	26th August – 2nd September, 2008	AES / JE
12.	Oversee public health intervention in flood affected areas – multiple teams constituted by Director, EMR	Bihar	September – October, 2008	Floods
13.	Suspected deaths following measles vaccination	Aurangabad District, Maharashtra	September - October 2008.	AEFI
14.	Deaths of children following measles vaccination	Barpeta district of Assam	25 - 27 October 2008.	AEFI
15.	Respiratory infections & deaths among children.	District Murshidabad, West Bengal	Oct-08	Respiratory Syncytial Virus
16.	Unusual deaths of poultry	Kamrup District, Assam	28th November 2008	Avian Influenza in poultry
17.	Unusual deaths of poultry - multiple teams constituted by Director, EMR	Various districts of Assam, West Bengal and Sikkim	28th November 2008 to date.	Avian Influenza in poultry

Source: National Institute of Communicable Diseases (NICD), Directorate General of Health Services, GOI.

3.2 Reproductive and Child Health

3.2.1 State/UT wise Ante Natal Care in India

S. No.	State/UT	Ante natal care indicators five year preceeding the NFHS survey (2005-06)		
		Mothers who had at least 3 antenatal care visits for their last birth (%)	Mothers who consumed IFA for 90 days or more when they were pregnant with their last child (%)	Mothers who received two or more TT injections during the pragnancy (%)
	1	2	3	4
	India	52.0	23.1	76.3
1	Andhra Pradesh	85.4	41.2	85.3
2	Arunachal Pradesh	35.5	11.2	40.1
3	Assam	39.3	16.2	65.4
4	Bihar	17.0	9.7	73.2
5	Chattisgarh	54.2	20.7	74.6
6	Goa	94.9	68.6	86.8
7	Gujarat	67.5	37.0	80.4
8	Haryana	59.2	26.7	83.4
9	Himachal Pradesh	62.6	37.9	72.1
10	Jammu & Kashmir	73.5	27.6	81.0
11	Jharkhand	35.9	14.2	67.6
12	Karnataka	79.5	39.3	78.6
13	Kerala	93.6	75.1	88.7
14	Madhya Pradesh	40.7	12.4	70.6
15	Maharashtra	75.1	31.4	85.1
16	Manipur	68.6	13.1	79.2
17	Meghalaya	54.0	16.7	51.8
18	Mizoram	59.3	24.7	51.4
19	Nagaland	32.7	3.5	50.7
20	Orissa	61.8	33.8	83.3
21	Punjab	74.8	27.9	83.8
22	Rajasthan	41.2	13.1	65.2
23	Sikkim	70.1	38.7	81.1
24	Tamil Nadu	95.9	41.6	95.9
25	Tripura	60.0	18.0	74.9
26	Uttar Pradesh	26.6	8.8	64.5
27	Uttarakhand	44.9	26.4	68.5
28	West Bengal	62.0	25.7	90.9
29	A&N Island	..	..	..
30	Chandigarh	..	..	..
31	D & N Haveli	..	..	..
32	Daman & Diu	..	..	..
33	Delhi	75.1	39.5	90.3
34	Lakshadweep	..	..	..
35	Puducherry	..	..	..

Note:

.. Survey not conducted

Source: National Family Health Survey-III (2005-06), MOHFW/GOI.

3.2.2 State/UT wise Percentage of Deliveries Attended by Trained Personnel in India

S. No.	State/UT	Maternity care (for births in the preceding 5 years of the survey)	
		Births assisted by a doctor/nurse/LHV/ANM/other health personnel (%)	Institutional births (%)
1		2	3
	India	46.6	38.7
1	Andhra Pradesh	74.9	64.4
2	Arunachal Pradesh	30.2	28.5
3	Assam	31.0	22.4
4	Bihar	29.3	19.9
5	Chattisgarh	41.6	14.3
6	Goa	94.0	92.3
7	Gujarat	63.0	52.7
8	Haryana	48.9	35.7
9	Himachal Pradesh	47.8	43.0
10	Jammu & Kashmir	56.5	50.2
11	Jharkhand	27.8	18.3
12	Karnataka	69.7	64.7
13	Kerala	99.4	99.3
14	Madhya Pradesh	32.7	26.2
15	Maharashtra	68.7	64.6
16	Manipur	59.0	45.9
17	Meghalaya	31.1	29.0
18	Mizoram	65.4	59.8
19	Nagaland	24.7	11.6
20	Orissa	44.0	35.6
21	Punjab	68.2	51.3
22	Rajasthan	41.0	29.6
23	Sikkim	53.7	47.2
24	Tamil Nadu	90.6	87.8
25	Tripura	48.8	46.9
26	Uttar Pradesh	27.2	20.6
27	Uttarakhand	38.5	32.6
28	West Bengal	47.6	42.0
29	A&N Island	..	..
30	Chandigarh	..	..
31	D & N Haveli	..	..
32	Daman & Diu	..	..
33	Delhi	64.1	58.9
34	Lakshadweep	..	..
35	Puducherry	..	..

Notes:

- The same table in NHP 2007 was for the births in the last 3 years but inadvertently printed for the births in the last 5 years
- .. Survey not conducted

Source: National Family Health Survey-III (2005-06), MOHFW/GOI

3.2.3 State/UT wise Percentage of Couples using Contraceptives in India

S. No.	State/UT	Family Planning (currently married women, age 15–49)						
		Any method (%)	Any modern method (%)	Female sterilization (%)	Male sterilization (%)	IUD (%)	Pill (%)	Condom (%)
	1	2	3	4	5	6	7	8
	India	56.3	48.5	37.3	1.0	1.7	3.1	5.2
1	Andhra Pradesh	67.6	67.0	62.9	2.9	0.5	0.3	0.5
2	Arunachal Pradesh	43.2	37.3	22.5	0.1	3.4	8.1	2.8
3	Assam	56.5	27.0	13.0	0.2	1.3	10.3	2.3
4	Bihar	34.1	28.8	23.8	0.6	0.6	1.3	2.3
5	Chattisgarh	53.2	49.1	40.7	3.3	0.8	1.4	2.9
6	Goa	48.2	37.2	25.8	0.1	2.2	1.5	7.5
7	Gujarat	66.6	56.5	42.9	0.6	4.4	2.6	5.8
8	Haryana	63.4	58.3	38.2	0.7	4.7	2.8	11.8
9	Himachal Pradesh	72.6	71.0	49.0	6.3	1.4	2.7	11.5
10	Jammu & Kashmir	52.6	44.9	26.3	2.6	2.7	4.7	8.0
11	Jharkhand	35.7	31.1	23.4	0.4	0.6	3.8	2.7
12	Karnataka	63.6	62.5	57.4	0.2	2.5	0.8	1.7
13	Kerala	68.6	57.9	48.7	1.0	2.3	0.4	5.5
14	Madhya Pradesh	55.9	52.8	44.3	1.3	0.7	1.7	4.8
15	Maharashtra	66.9	64.9	51.1	2.1	3.0	2.4	6.2
16	Manipur	48.7	23.6	8.2	0.5	5.3	5.3	4.1
17	Meghalaya	24.3	18.5	9.5	0.1	1.5	4.9	2.4
18	Mizoram	59.9	59.6	42.9	0.0	4.7	10.6	1.4
19	Nagaland	29.7	22.5	9.9	0.0	5.2	4.7	2.6
20	Orissa	50.7	44.7	33.1	1.0	0.5	7.0	3.0
21	Punjab	63.3	56.1	30.8	1.2	5.5	2.9	15.5
22	Rajasthan	47.2	44.4	34.2	0.8	1.6	2.0	5.7
23	Sikkim	57.6	48.7	21.2	4.5	3.0	12.8	4.1
24	Tamil Nadu	61.4	60.0	55.0	0.4	2.1	0.2	2.3
25	Tripura	65.7	44.9	17.6	0.5	0.9	21.8	3.2
26	Uttar Pradesh	43.6	29.3	17.3	0.2	1.4	1.7	8.6
27	Uttarakhand	59.3	55.5	32.1	1.8	1.5	4.2	15.7
28	West Bengal	71.2	49.9	32.2	0.7	0.6	11.7	4.3
29	A&N Island	..	..	..	..	..	..	..
30	Chandigarh	..	..	..	..	..	..	..
31	D & N Haveli	..	..	..	..	..	..	..
32	Daman & Diu	..	..	..	..	..	..	..
33	Delhi	66.9	56.5	23.0	0.8	5.0	4.5	22.9
34	Lakshadweep	..	..	..	..	..	..	..
35	Puducherry	..	..	..	..	..	..	..

Note:

.. Survey not conducted

Source: National Family Health Survey-III (2005-06), MOHFW/GOI.

3.2.4 State/UT wise Percentage of Children Immunized In India

S. No.	State/UT	Immunization of Child between 12-23 months old					No Immunisation
		Fully immunized (BCG, measles, and 3 doses each of polio/DPT) (%)	Received BCG (%)	Received 3 doses of polio vaccine (%)	Received 3 doses of DPT vaccine (%)	Received measles vaccine (%)	
1		2	3	4	5	6	7
	India	43.5	78.1	78.2	55.3	58.8	5.1
1	Andhra Pradesh	46.0	92.9	79.2	61.4	69.4	3.8
2	Arunachal Pradesh	28.4	57.7	55.8	39.3	38.3	24.1
3	Assam	31.4	62.4	59.0	44.9	37.4	15.2
4	Bihar	32.8	64.7	82.4	46.1	40.4	7.0
5	Chattisgarh	48.7	84.6	85.1	62.8	62.5	2.5
6	Goa	78.6	96.8	87.2	87.5	91.2	0.0
7	Gujarat	45.2	86.4	65.3	61.4	65.7	4.5
8	Haryana	65.3	84.9	82.8	74.2	75.5	7.8
9	Himachal Pradesh	74.2	97.2	88.6	85.1	86.3	1.9
10	Jammu & Kashmir	66.7	90.9	82.2	84.5	78.3	4.5
11	Jharkhand	34.2	72.7	79.3	40.3	47.6	4.4
12	Karnataka	55.0	87.8	73.8	74.0	72.0	6.9
13	Kerala	75.3	96.3	83.1	84.0	82.1	1.8
14	Madhya Pradesh	40.3	80.5	75.6	49.8	61.4	5.0
15	Maharashtra	58.8	95.3	73.4	76.1	84.7	2.8
16	Manipur	46.8	80.0	77.5	61.2	52.8	6.5
17	Meghalaya	32.9	65.9	56.6	47.3	43.8	16.5
18	Mizoram	46.4	86.4	63.5	66.8	69.5	7.0
19	Nagaland	21.0	46.3	46.2	28.7	27.3	18.4
20	Orissa	51.8	83.6	65.1	67.9	66.5	11.6
21	Punjab	60.1	88.0	75.9	70.5	78.0	6.6
22	Rajasthan	26.5	68.5	65.2	38.7	42.7	5.5
23	Sikkim	69.6	95.9	85.6	84.3	83.1	3.2
24	Tamil Nadu	80.9	99.5	87.8	95.7	92.5	0.0
25	Tripura	49.7	81.1	65.3	60.2	59.9	14.7
26	Uttar Pradesh	23.0	61.0	87.6	30.0	37.7	2.7
27	Uttarakhand	60.0	83.5	80.3	67.1	71.6	9.1
28	West Bengal	64.3	90.1	80.7	71.5	74.7	5.9
29	A&N Island	..	..	..	..	..	..
30	Chandigarh	..	..	..	..	..	..
31	D & N Haveli	..	..	..	..	..	..
32	Daman & Diu	..	..	..	..	..	..
33	Delhi	63.2	87.0	79.1	71.7	78.2	9.1
34	Lakshadweep	..	..	..	..	..	..
35	Puducherry	..	..	..	..	..	..

Note:

.. Survey not conducted

Source: National Family Health Survey-III (2005-06), MOHFW/GOI

3.2.5 State/UT wise Percentage of Children Breastfed in India and their Nutritional Status

S. No.	State/UT	Child Feeding Practices and Nutritional Status of Children					
		Children breastfed within one hour of birth (%)	Children age 0-5 months exclusively breastfed (%)	Children age 6-9 months receiving solid or semi-solid food and breastmilk (%)	Children under 5 years who are stunted (%)	Children under 5 years who are wasted (%)	Children under 5 years who are underweight (%)
	1	2	3	4	5	6	7
	India	24.5	46.3	55.8	48.0	19.8	42.5
1	Andhra Pradesh	24.6	62.7	63.7	42.2	12.2	32.5
2	Arunachal Pradesh	58.6	60.0	77.6	43.3	15.3	32.5
3	Assam	50.9	63.1	59.6	46.5	13.7	36.4
4	Bihar	3.7	27.9	57.3	55.6	27.1	55.9
5	Chattisgarh	25.0	82.0	54.5	52.9	19.5	47.1
6	Goa	59.4	17.7	69.8	25.6	14.1	25.0
7	Gujarat	27.8	47.8	57.1	51.7	18.7	44.6
8	Haryana	22.1	16.9	44.8	45.7	19.1	39.6
9	Himachal Pradesh	45.4	27.1	66.0	38.6	19.3	36.5
10	Jammu & Kashmir	31.6	42.3	58.3	35.0	14.8	25.6
11	Jharkhand	10.7	57.8	65.3	49.8	32.3	56.5
12	Karnataka	35.7	58.0	72.5	43.7	17.6	37.6
13	Kerala	56.5	56.2	93.6	24.5	15.9	22.9
14	Madhya Pradesh	15.9	21.6	51.9	50.0	35.0	60.0
15	Maharashtra	52.0	53.0	47.8	46.3	16.5	37.0
16	Manipur	57.8	61.7	78.1	35.6	9.0	22.1
17	Meghalaya	57.8	26.3	76.3	55.1	30.7	48.8
18	Mizoram	66.4	46.1	84.6	39.8	9.0	19.9
19	Nagaland	54.2	29.2	71.0	38.8	13.3	25.2
20	Orissa	54.8	50.2	67.5	45.0	19.5	40.7
21	Punjab	12.7	36.0	50.0	36.7	9.2	24.9
22	Rajasthan	14.1	33.2	38.7	43.7	20.4	39.9
23	Sikkim	42.9	37.2	89.6	38.3	9.7	19.7
24	Tamil Nadu	58.8	33.3	77.9	30.9	22.2	29.8
25	Tripura	34.6	36.1	59.8	35.7	24.6	39.6
26	Uttar Pradesh	7.3	51.3	45.5	56.8	14.8	42.4
27	Uttarakhand	33.5	31.2	51.6	44.4	18.8	38.0
28	West Bengal	23.5	58.6	55.9	44.6	16.9	38.7
29	A&N Island	..	..	..	..	..	..
30	Chandigarh	..	..	..	..	..	..
31	D & N Haveli	..	..	..	..	..	..
32	Daman & Diu	..	..	..	..	..	..
33	Delhi	21.0	34.5	59.8	42.2	15.4	26.1
34	Lakshadweep	..	..	..	..	..	..
35	Puducherry	..	..	..	..	..	..

Note:

.. Survey not conducted

Source: National Family Health Survey-III (2005-06), MOHFW/GOI.

3.2.6 State/UT wise Nutritional Status of Women and Men in India

S. No.	State/UT	Women whose Body Mass Index is below normal (%)	Men whose Body Mass Index is below normal (%)	Women who are overweight or obese (%)	Men who are overweight or obese (%)
1	2	3	4	5	
	India	35.6	34.2	12.6	9.3
1	Andhra Pradesh	33.5	30.8	15.6	13.6
2	Arunachal Pradesh	16.4	15.2	8.8	7.1
3	Assam	36.5	35.6	7.8	5.0
4	Bihar	45.1	35.3	4.6	6.3
5	Chattisgarh	43.4	38.5	5.6	4.9
6	Goa	27.9	24.6	20.2	15.4
7	Gujarat	36.3	36.1	16.7	11.3
8	Haryana	31.3	30.9	17.4	10.8
9	Himachal Pradesh	29.9	29.7	13.5	10.6
10	Jammu & Kashmir	24.6	28.0	16.7	6.2
11	Jharkhand	43.0	38.6	5.4	4.9
12	Karnataka	33.5	33.9	15.3	10.9
13	Kerala	18.0	21.5	28.1	17.8
14	Madhya Pradesh	41.7	41.6	7.6	4.3
15	Maharashtra	36.2	33.5	14.5	11.9
16	Manipur	14.8	16.3	13.3	9.2
17	Meghalaya	14.6	14.1	5.3	5.9
18	Mizoram	14.4	9.2	10.6	11.4
19	Nagaland	17.4	14.2	6.4	5.7
20	Orissa	41.4	35.7	6.6	6.0
21	Punjab	18.9	20.6	29.9	22.2
22	Rajasthan	36.7	40.5	8.9	6.2
23	Sikkim	11.2	12.2	15.4	11.9
24	Tamil Nadu	28.4	27.1	20.9	14.5
25	Tripura	36.9	41.7	7.1	4.8
26	Uttar Pradesh	36.0	38.3	9.2	7.3
27	Uttarakhand	30.0	28.4	12.8	7.9
28	West Bengal	39.1	35.2	11.4	5.5
29	A&N Island	..	..	..	..
30	Chandigarh	..	..	..	..
31	D & N Haveli	..	..	..	..
32	Daman & Diu	..	..	..	..
33	Delhi	14.8	15.7	26.4	16.8
34	Lakshadweep	..	..	..	..
35	Puducherry	..	..	..	..

Note:

.. Survey not conducted

Source: National Family Health Survey-III (2005-06), MOHFW/GOI

3.2.7 State/UT wise Percentage of Anaemia Children among and Adults in India

S. No.	State/UT	Children age 6-59 months who are anaemic (%)	Ever-married women age 15-49 who are anaemic (%)	Pregnant women age 15-49 who are anaemic (%)	Ever-married men age 15-49 who are anaemic (%)
1		2	3	4	5
	India	69.5	55.3	57.8	24.2
1	Andhra Pradesh	70.8	62.9	56.4	23.3
2	Arunachal Pradesh	56.9	50.6	49.2	28.0
3	Assam	69.6	69.5	72.0	39.6
4	Bihar	78.0	67.4	60.2	34.3
5	Chattisgarh	71.2	57.5	63.1	27.0
6	Goa	38.2	38.0	36.9	10.4
7	Gujarat	69.7	55.3	60.8	22.2
8	Haryana	72.3	56.1	69.7	19.2
9	Himachal Pradesh	54.7	43.3	37.0	18.9
10	Jammu & Kashmir	58.6	52.1	54.0	19.5
11	Jharkhand	70.3	69.5	68.4	36.5
12	Karnataka	70.4	51.5	59.5	19.1
13	Kerala	44.5	32.8	33.1	8.0
14	Madhya Pradesh	74.1	56.0	57.9	25.6
15	Maharashtra	63.4	48.4	57.8	16.8
16	Manipur	41.1	35.7	36.4	11.4
17	Meghalaya	64.4	47.2	56.1	36.7
18	Mizoram	44.2	38.6	49.3	19.4
19	Nagaland	..	..	..	..
20	Orissa	65.0	61.2	68.1	33.9
21	Punjab	66.4	38.0	41.6	13.6
22	Rajasthan	69.7	53.1	61.2	23.6
23	Sikkim	59.2	60.0	53.1	25.0
24	Tamil Nadu	64.2	53.2	53.3	16.5
25	Tripura	62.9	65.1	57.6	35.5
26	Uttar Pradesh	73.9	49.9	51.6	24.3
27	Uttarakhand	61.4	55.2	45.2	29.2
28	West Bengal	61.0	63.2	62.6	32.3
29	A&N Island	..	..	..	..
30	Chandigarh	..	..	..	..
31	D & N Haveli	..	..	..	..
32	Daman & Diu	..	..	..	..
33	Delhi	57.0	44.3	29.9	17.8
34	Lakshadweep	..	..	..	..
35	Puducherry	..	..	..	..

Note:

.. Survey not conducted

Source: National Family Health Survey-III (2005-06), MOHFW/GOI.

3.2.8 State/UT wise Incidence of Foeticide and Infanticide in india 2001 - 2007

S. No.	State/UT	Foeticide #							Infanticide \$						
		2001	2002	2003	2004	2005	2006	2007	2001	2002	2003	2004	2005	2006	2007
1		2	3	4	5	6	7	8	9	10	11	12	13	14	15
	India	55	84	57	86	86	125	96	133	115	103	102	108	126	134
1	Andhra Pradesh	0	0	0	0	1	5	0	1	1	3	1	1	0	1
2	Arunachal Pradesh	0	0	0	0	0	0	0	0	0	0	0	0	0	0
3	Assam	0	0	0	0	1	1	0	0	1	0	0	1	0	0
4	Bihar	0	1	0	1	0	0	0	0	0	0	0	1	1	1
5	Chhattisgarh	5	0	6	6	21	5	10	6	6	9	12	9	8	8
6	Goa	0	0	0	0	0	0	0	0	0	0	0	0	1	1
7	Gujarat	4	9	4	0	4	6	1	1	4	0	5	2	0	7
8	Haryana	3	6	2	15	8	9	4	0	6	5	2	0	10	1
9	Himachal Pradesh	0	6	0	2	1	5	1	0	0	1	0	0	0	0
10	Jammu & Kashmir	0	2	0	0	0	0	0	0	1	0	0	0	0	0
11	Jharkhand	0	0	1	1	0	1	0	3	1	0	0	0	1	1
12	Karnataka	1	7	0	4	7	13	7	17	3	0	8	5	9	3
13	Kerala	0	2	0	0	1	0	0	1	1	0	2	0	1	1
14	Madhya Pradesh	7	4	11	9	12	14	10	31	18	24	23	28	43	29
15	Maharashtra	17	10	5	15	4	10	1	26	24	11	6	3	4	2
16	Manipur	0	0	0	0	0	0	0	0	0	0	0	0	0	0
17	Meghalaya	0	0	0	0	0	0	0	0	0	0	0	1	0	0
18	Mizoram	0	0	0	0	0	0	0	0	0	0	0	0	0	0
19	Nagaland	0	0	0	0	0	0	0	0	0	0	0	0	1	1
20	Orissa	0	0	0	0	0	0	5	0	0	0	0	1	1	0
21	Punjab	7	10	11	8	12	22	35	3	0	8	7	9	2	3
22	Rajasthan	8	6	12	17	10	25	16	3	2	9	1	1	6	1
23	Sikkim	0	0	0	1	1	0	0	0	0	0	1	1	3	0
24	Tamilnadu	0	0	0	0	0	0	0	1	16	14	17	1	1	10
25	Tripura	0	0	0	0	0	0	0	0	0	0	0	0	0	0
26	Uttar Pradesh	1	1	3	2	0	2	1	39	30	19	17	44	34	61
27	Uttarakhand	0	0	0	0	0	0	0	0	0	0	0	0	0	0
28	West Bengal	0	0	0	0	0	0	1	0	0	0	0	0	0	3
29	A & N Islands	0	0	0	0	0	0	0	0	1	0	0	0	0	0
30	Chandigarh	0	0	0	0	0	0	0	0	0	0	0	0	0	0
31	D & N Haveli	0	0	0	1	0	0	0	0	0	0	0	0	0	0
32	Daman & Diu	0	0	0	0	0	0	0	0	0	0	0	0	0	0
33	Delhi	2	20	2	4	3	7	4	1	0	0	0	0	0	0
34	Lakshadweep	0	0	0	0	0	0	0	0	0	0	0	0	0	0
35	Puducherry	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Note:

SEC 315,316 IPC

\$ SEC 315 IPC

Source: National Crime Records Bureau, Min. of Home Affairs

3.2.9 Targets and Achievement of Maternity and Child Health Activities (Immunisation) in India 1991-92 to 2007-08

(Figures in Million Nos.)

Year	Target	Achievement	% Achievement	Target	Achievement	Percentage
	T.T. (Preg.Women)			D.P.T.		
1	2	3	4	5	6	7
1991-92	26.13	20.27	77.60	23.33	21.21	90.90
1992-93	27.01	21.45	79.40	24.29	22.00	90.60
1993-94	27.56	22.75	82.60	24.79	23.09	93.20
1994-95	27.53	23.07	83.80	24.77	23.40	94.50
1995-96	27.53	22.12	80.40	24.86	22.56	90.70
1996-97	28.11	22.98	81.80	25.40	23.25	91.50
1997-98	28.29	23.37	82.60	25.55	23.74	92.90
1998-99	27.75	23.28	83.90	25.12	23.55	93.70
1999-00	29.24	23.78	81.30	24.72	23.56	95.30
2000-01	28.81	24.73	85.80	24.35	24.58	100.90
2001-02	28.85	25.09	87.00	24.43	24.81	101.50
2002-03	29.76	24.22	81.40	25.20	24.53	97.40
2003-04	30.29	23.66	78.10	25.69	23.51	91.54
2004-05	30.25	23.88	78.94	25.69	24.10	93.83
2005-06	30.31	24.41	80.54	25.79	24.74	95.92
2006-07	30.50	24.44	80.12	26.03	25.28	97.10
2007-08*	30.10	23.96	79.59	25.77	24.19	93.87
	D.T.			POLIO		
1991-92	17.66	13.75	77.80	23.33	21.30	91.30
1992-93	18.16	14.13	77.80	24.29	22.12	91.00
1993-94	18.54	13.42	72.40	24.79	23.21	93.6
1994-95	21.45	14.56	67.90	24.77	23.58	95.2
1995-96	21.79	10.49	48.10	24.86	22.78	91.6
1996-97	22.17	13.77	62.10	25.40	23.55	92.7
1997-98	22.55	10.52	46.60	25.55	23.98	93.9
1998-99	23.59	12.69	53.80	25.12	23.93	95.3
1999-00	23.93	12.56	52.50	24.72	23.71	95.9
2000-01	24.32	17.58	72.40	24.35	24.87	102.1
2001-02	24.83	14.50	71.50	24.43	24.75	101.3
2002-03	23.04	15.95	69.20	25.20	24.57	97.5
2003-04	23.57	15.12	64.20	25.69	23.98	93.35
2004-05	26.42	16.81	63.60	25.69	24.22	94.28
2005-06	24.57	18.61	75.70	25.79	24.70	95.77
2006-07	27.26	19.00	69.70	26.03	25.27	97.07
2007-08*	27.67	15.24	55.10	25.77	23.83	92.48
	B.C.G. (Below 1 year)			MEASLES (Below 1 year)		
1991-92	23.33	21.67	92.9	23.33	19.83	85.0
1992-93	24.29	23.46	96.6	24.29	20.86	85.9
1993-94	24.79	24.09	97.2	24.79	21.95	88.5
1994-95	24.77	24.70	99.8	24.77	21.60	87.2
1995-96	24.86	24.13	97.1	24.86	20.54	82.6
1996-97	25.40	24.95	98.2	25.40	21.14	83.2
1997-98	25.55	25.42	99.5	25.55	21.92	85.8
1998-99	25.12	24.54	97.7	25.12	22.13	88.1
1999-00	24.72	25.12	101.6	24.72	22.20	89.8
2000-01	24.35	25.97	106.7	24.35	23.48	96.4
2001-02	24.43	26.03	106.5	24.43	23.45	96.0
2002-03	25.20	25.93	102.9	25.20	23.35	92.7
2003-04	25.69	25.80	100.46	25.69	21.99	85.6
2004-05	25.69	25.71	100.08	25.69	23.24	90.5
2005-06	25.79	26.77	103.79	25.79	24.04	93.2
2006-07	26.03	26.68	102.47	26.03	24.11	92.6
2007-08*	25.77	25.76	99.94	25.77	23.37	90.7

Note

* Provisional

Source: Monitoring & Evaluation Division, Ministry of Health & Family Welfare/GOI

3.3 Disability

3.3.1 State/UT wise Proportion of Disabled Population by Type of Disability in India 2001 (Census)

S. No.	State/UT	Visual Disability	Speech Disability	Hearing disability	Locomotor disability only	Mental Disability	Total
1	2	3	4	5	6	7	
	India	10634881	1640868	1261722	6105477	2263821	21906769
1	Andhra Pradesh	581587	138974	73373	415848	155199	1364981
2	Arunachal Pradesh	23079	2429	3072	3474	1261	33315
3	Assam	282056	56974	51825	91970	47475	530300
4	Bihar	1005605	130471	73970	512246	165319	1887611
5	Chattisgarh	160131	30438	34093	151611	43614	419887
6	Goa	4393	1868	1000	4910	3578	15749
7	Gujarat	494624	66534	70321	310765	103221	1045465
8	Haryana	201358	24920	27682	151485	49595	455040
9	Himachal Pradesh	64122	12762	15239	46512	17315	155950
10	Jammu & Kashmir	208713	16956	14157	37965	24879	302670
11	Jharkhand	186216	39683	28233	138323	55922	448377
12	Karnataka	440875	90717	49861	266559	92631	940643
13	Kerala	334622	67066	79713	237707	141686	860794
14	Madhya Pradesh	63614	75825	85354	495878	115257	1408528
15	Maharashtra	580930	113043	92390	56945	213274	1569582
16	Manipur	11713	2769	2994	6177	4723	28376
17	Meghalaya	13381	3431	3668	5127	3196	28803
18	Mizoram	6257	2006	2421	2476	2851	16011
19	Nagaland	9968	4398	5245	4258	2630	26499
20	Orissa	514104	68673	84115	250851	103592	1021335
21	Punjab	170853	22756	17348	149758	63808	424523
22	Rajasthan	753962	73147	75235	400577	109058	1411979
23	Sikkim	10790	3174	3432	2172	799	20367
24	Tamil Nadu	964063	124479	72636	353798	127521	1642497
25	Tripura	27505	5105	5699	13970	6661	58940
26	Uttar Pradesh	1852071	255951	128303	930580	286464	3453369
27	Uttarakhand	85668	16749	15990	56474	19888	194769
28	West Bengal	862073	170022	131579	412658	270842	1847174
29	A&N Island	3321	652	545	1870	669	7057
30	Chandigarh	8422	882	607	3828	1799	15538
31	D & N Haveli	2346	295	337	795	275	4048
32	Daman & Diu	1898	189	120	690	274	3171
33	Delhi	120712	15505	8741	64885	26043	235886
34	Lakshadweep	603	207	147	505	216	1678
35	Puducherry	10646	1818	2277	8830	2286	25857

Note:

- India and Manipur figures exclude those of the three sub-divisions viz. Mao Maram, Paomata and Purul of Senapati district of Manipur as census results of 2001 in these three sub-divisions were cancelled due to technical and administrative reasons.

Source: Registrar General of India

3.4 Mental Health

3.4.1 Mental Health Care Load in India July 2002 (Latest)

S. No.	State	Population @	Density/Sq. Km. \$	Estimated Case Load #	
				Mental Disorders	
				Major	Minor
1		2	3	4	5
1	Andhra Pradesh	75727541	275	757275	3766375
2	Arunachal Pradesh	1091117	13	10911	54555
3	Assam	26638407	340	266384	1331720
4	Bihar	82878796	880	828787	4143935
5	Chhattishgarh	20795956	154	207959	1049795
6	Goa	1343998	363	13439	77195
7	Gujarat	50596992	258	505969	2529845
8	Haryana	21082989	477	210829	1054145
10	Himachal Pradesh	6077248	109	60772	303860
11	Jharkhand	26909428	338	269094	1345470
12	Jammu & Kashmir	10069917	99	100699	503495
13	Karnatka	52733958	275	527339	2636695
14	Kerala	31838619	819	318386	1591930
15	Madhya Pradesh	60388118	196	603881	3019405
16	Maharashtra	96752247	314	967522	4837610
17	Manipur	2388634	107	23886	119430
18	Meghalya	2306069	103	23060	115300
19	Mizoram	891058	93	8910	44550
20	Nagaland	1988636	120	19886	99430
21	Orrisa	36706920	236	367069	1835345
22	Punjab	24289296	482	242892	1114460
23	Rajsthan	56473122	165	564731	2823655
24	Sikkim	540493	78	5404	27020
25	Tamil Nadu	62110839	478	621108	3105540
26	Tripura	3191168	304	31911	159555
27	Uttarakhand	8479562	159	84795	423975
28	Uttat pradesh	166052859	689	1660528	8302640
29	West Bengal	80221171	904	802211	4011055
30	A & N islands	356265	43	3562	18810
31	Chandigarh	900914	7903	9009	45045
32	Daman & Diu, Dadra & Nagar Haveli	158059, 220451	1411, 449	3785	18925
33	Delhi	13782976	9294	137829	689145
34	Lakshdweep	60595	1894	605	3025
35	Pudducherry	973829	2029	9738	48690
Total				10270165	51251625

Notes :

@ The population figures haven been taken from the Census of India-2001 as published in Provisional Population Totals (Registrar General Census Commissioner, India).

\$ Population density per sqare Kilometre together with geographical terrain is a useful input in planning deployment of mental health resources.

Case-load in respect to major mental disorders has been calculated at the rate of 1% of the population and that of minor mental disorders at the rate of 5 % of population .

Source: National Survey of Mental Health Resources carried out by the Directorate General of Helth Services, Minsitry of Health and Family Welfare, Government of India, during May and July 2002 and published in Mental Health An Indian Perspective 1946-2003 DteGHS/MOHFW/GOI

www.cbhiddghs.nic.in