

### **3. HEALTH STATUS INDICATORS**

<b>3.1</b>	<b>Morbidity</b>
<b>3.1.1</b>	<b>Communicable diseases</b>
3.1.1.1	States/UTs wise Cases and Deaths due to Malaria 2002-2006
3.1.1.2	States/UTs wise Estimated Population Exposed to the Risk & Cases of Lymphatic Filariasis in India 2005
3.1.1.3	States/UTs wise Cases and Deaths Due to Kala-Azar 2002-2006
3.1.1.4	States/UTs wise Cases and Deaths Due to Japanese Encephalitis 2002-2006
3.1.1.5	States/UTs wise Cases and Deaths Due to Dengue in India 2002-2006
3.1.1.6	States/UTs wise Cases and Deaths Due to Cholera in India 2006
3.1.1.7	States/UTs wise Cases and Deaths Due to Acute Diarrhoeal Disease in India 2006
3.1.1.8	States/UTs wise Cases and Deaths Due to Enteric Fever (Typhoid) in India 2006
3.1.1.9	States/UTs wise Cases and Deaths Due to Acute Respiratory Infection in India 2006
3.1.1.10	States/UTs wise Cases and Deaths Due to Tetanus Neonatal in India 2006
3.1.1.11	States/UTs wise Cases and Deaths Due to Tetanus other than Neonatal in India 2006
3.1.1.12	States/UTs wise Cases and Deaths Due to Diphtheria in India 2006
3.1.1.13	States/UTs wise Cases and Deaths Due to Whooping Cough in India 2006
3.1.1.14	States/UTs wise Cases and Deaths Due to Measles in India 2006
3.1.1.15	States/UTs wise Cases and Deaths Due to Viral Hepatitis (All Causes) in India 2006
3.1.1.16	States/UTs wise Cases and Deaths Due to Rabies in India 2006
3.1.1.17	States/UTs wise Cases and Deaths Due to Acute Poliomyelitis in India 2006
3.1.1.18	States/UTs wise Cases and Deaths Due to Pneumonia in India 2006
3.1.1.19	States/UTs wise Cases and Deaths Due to Meningococcal Meningitis in India 2006
3.1.1.20	States/UTs wise Cases and Deaths Due to Syphilis in India 2006
3.1.1.21	States/UTs wise Cases and Deaths Due to Gonococcal Infection in India 2006
3.1.1.22	States/UTs wise Cases and Deaths Due to Pulmonary Tuberculosis in India 2006
3.1.1.23	States/UTs wise Observed HIV Prevalence Levels in India 1998-2005


- 3.1.1.24 States/UTs wise Cases of AIDS in India 2006
- 3.1.1.25 States/UTs wise Performance of RNTCP Case Detection (2006, 1st – 3rd Qtr.), Smear Conversion (2005, 4th Qtr. -2006, 2nd Qtr.) and Treatment Outcomes (2005, 1st – 3rd Qtr.)
- 3.1.1.26 States/UTs wise Leprosy Case Detection, Treatment & Discharge in India 2004-05
- 3.1.1.27 State-wise Status of Chikungunya Fever in India, 2006
- 3.1.2 Non Communicable Diseases**
- 3.1.2.1 Number of Estimated Cases of Coronary Heart Disease in India 2000 & 2005
- 3.1.2.2 Number of Estimated Cases of Diabetes in India 2000 & 2005
- 3.1.2.3 States/UTs wise Estimated Prevalence of Blindness in India 2004
- 3.1.2.4 States/UTs wise Estimated Incidences of Blindness in India 2004
- 3.1.2.5 Estimated Incidence of Common Cancers in India, 2004
- 3.1.2.6 States/UTs wise Cases and Deaths Due to Snake Bites 2004-2006
- 3.1.3 Incidence of Deaths Due to Accidents in India 2001-2004**
- 3.2 Reproductive and Child Health**
- 3.2.1 States/UTs wise Ante Natal Care In India
- 3.2.2 States/UTs wise Percentage of Deliveries Attended by Trained Personnel in India
- 3.2.3 States/UTs wise Percentage of Couples using Contraceptives in India
- 3.2.4 States/UTs wise Percentage of Children Immunized In India
- 3.2.5 States/UTs wise Percentage of Children Breastfed in India and their Nutritional Status
- 3.2.6 States/UTs wise Percentage of Anaemia among Children and Adults in India
- 3.2.7 States/UTs wise Incidence of Foeticide and Infanticide in India 1999-2005
- 3.2.8 Targets and Achievement of Maternity and Child Health Activities in India 1991-92 to 2005-06
- 3.3 Disability**
- 3.3.1 States/UTs wise Proportion of Disabled Population by Type of Disability in India 2001 (Census)

### 3. Health Status Indicators

Health status includes a set of indicators used to provide important health and health-related data regarding incidence and prevalence of disease, health risks and performance of health systems. Health status provides a broad overview of morbidity patterns in communicable and non-communicable diseases. Besides it provides an overview of reproductive and child health as well as disability prevailing in the country.

Morbidity among **communicable diseases** include incidence, prevalence, deaths and performance of disease control programme for malaria, tuberculosis, AIDS, leprosy, dengue, cholera, filariasis, kala azar, Japanese fever, measles, whooping cough, viral hepatitis, diphtheria, ARI, tetanus and neonatal tetanus.


- Malaria cases has declined, however it is still one of the major disease burden affecting 1466404 cases and 1263 deaths due to Malaria in India during the year 2006.



Source: Directorate of National Vector Borne Disease Control Programme.


- A total of 111 crores of population was covered under the Revised National Tuberculosis Programme (RNTCP) in India during the year 2006.
- According to National AIDS Control Organization, 162257 AIDS cases were detected in the country till 31<sup>st</sup> December 2006.

- Cases and deaths due to Cholera 1991 were 7088 and 150 respectively that has been reduced to 1939 and 3 respectively in India during the year 2006.




Source: Weekly Reports of Directorate of Health Services of States/UTs.

- 10079263 cases of Acute Diarrhoeal Disease were reported & 3124 deaths occurred due to this disease in India during the year 2006.




Source: Monthly Health Condition Reports from Directorate of Health Services of States/Uts.

- Among the six major communicable diseases the maximum number of cases 25807722 were reported in Acute Respiratory Infection in India during the year 2006.



*Source: Monthly Health Condition Reports from Directorate of Health Services of States/Uts.*

- Among the six communicable diseases the maximum number of peoples 7073 died due to Pulmonary Tuberculosis in India during year 2006.



*Source: Monthly Health Condition Reports from Directorate of Health Services of States/Uts.*

Morbidity indicators for **non-communicable diseases** include incidence, prevalence, deaths and performance of disease control programme for Blindness, Cancers, Coronary Heart Disease and Diabetes. This accounts for the second largest share of the disease burden in India after Communicable diseases.

- The number of cases of coronary heart disease was estimated to be nearly 2.7 crore for the year 2000, which is expected to reach a figure of nearly 6.1 crore cases in the year 2015. This pattern is nearly same across age groups. More than half of this rise can be accredited to demographic changes but the contribution of increased prevalence of risk factors is also substantial.
- According to estimates for 2004 based on cancer registries across the country, cervical and breast cancers accounted for more than 47% of cancer incidence in the country.
- Estimated prevalence of blindness in 2004 was 11.2 (10.2 among male and 12.2 among female) per thousand population and is expected to remain more or less the same during the next two decades
- There were 277263 accidental deaths reported in the country in the year 2004.
- According to National Family Health Survey-III (2005-06) only 50.7% of Indian mothers received three or more anti-natal checkups, 40.7% of deliveries were conducted in medical institution while another 48.2% deliveries were assisted by medical professional.
- 43.5% of Indian children received all vaccinations as per National Family Health Survey-III (2005-06).

### 3.1 Morbidity

#### 3.1.1 Communicable diseases

##### 3.1.1.1 States/UTs wise Cases and Deaths due to Malaria 2002-2006

S. No.	State/UT	2002		2003		2004		2005		2006*	
		Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths
1	1	2	3	4	5	6	7	8	9	10	11
1	Andhra Pradesh	38053	0	35995	3	35427	2	39099	0	29520	0
2	Arunachal Pradesh	46431	0	34810	0	29849	0	31215	0	14349	113
3	Assam	89601	72	76570	53	58134	54	67885	113	118581	298
4	Bihar	3683	2	2652	1	1872	0	2733	1	2183	0
5	Chhattisgarh	235434	3	194419	4	194256	4	187950	3	110025	2
6	Goa	16818	15	11370	1	7839	7	3747	1	4524	7
7	Gujarat	82966	17	130744	65	222759	89	179023	54	85334	22
8	Haryana	936	0	4374	0	10064	0	33262	0	46625	0
9	Himachal Pradesh	176	0	133	0	126	0	129	0	107	0
10	Jammu & Kashmir	455	0	320	0	250	0	268	0	156	0
11	Jharkhand	126589	31	118902	13	143722	40	193144	21	169949	4
12	Karnataka	132584	33	100220	22	80961	27	83181	26	57424	25
13	Kerala	3360	8	2575	7	2790	12	2554	6	1600	6
14	Madhya Pradesh	108818	30	99708	22	132094	36	104317	44	88253	0
15	Maharashtra	45568	43	62947	85	68988	61	47608	104	48074	133
16	Manipur	1268	9	2589	17	2736	8	1844	3	2475	1
17	Meghalaya	17918	41	18366	38	18080	29	16816	41	24875	118
18	Mizoram	7859	35	7293	48	7830	72	10741	74	9724	114
19	Nagaland	3945	0	3370	0	2486	1	2987	0	3980	9
20	Orissa	473223	465	421323	333	416732	283	396573	255	333265	213
21	Punjab	250	0	379	1	1643	0	1883	0	1820	1
22	Rajasthan	68627	11	142738	66	105022	20	52286	22	42851	0
23	Sikkim	53	0	278	0	160	3	69	0	91	0
24	Tamil Nadu	34523	0	43604	0	41732	0	39678	0	19225	0
25	Tripura	13319	5	13807	13	17453	16	18008	20	22279	25
26	Uttarakhand	1659	0	2350	0	1255	0	1242	0	1084	0
27	Uttar Pradesh	90199	0	101411	0	87022	0	105303	0	89106	0
28	West Bengal	194421	152	233802	214	220871	184	185964	175	131134	172
29	A. & N. Islands	865	1	753	0	745	1	3954	0	2745	0
30	Chandigarh	157	0	84	0	199	0	432	0	447	0
31	D & N Haveli	493	0	468	0	787	0	1166	0	3632	0
32	Daman & Diu	173	0	141	0	118	0	104	0	130	0
33	Delhi	694	0	839	0	1316	0	1133	0	793	0
34	Lakshadweep	8	0	6	0	2	0	0	0	0	0
35	Puducherry	103	0	63	0	43	0	44	0	44	0
<b>Total</b>		<b>1841229</b>	<b>973</b>	<b>1869403</b>	<b>1006</b>	<b>1915363</b>	<b>949</b>	<b>1816342</b>	<b>963</b>	<b>1466404</b>	<b>1263</b>

Note:

\* Report on Nov updated upto 25.01.2007

Source: Directorate of National Vector Borne Disease Control Programme.

### 3.1.1.2 States/UTs wise Estimated Population Exposed to the Risk & Cases of Lymphatic Filariasis in India 2005

S. No.	State/UT*	Population at risk			Micro Filaria Carriers	Diseased Person
		Total 2	Rural 3	Urban 4		
1	Andhra Pradesh	60.21	45.57	14.64	0.49	4.19
2	Assam	11.69	10.50	1.19	0.00	0.00
3	Bihar	72.00	62.80	9.20	0.64	2.72
4	Goa	1.38	0.81	0.57	0.00	0.07
5	Gujarat	20.57	12.39	8.18	0.13	0.98
6	Jharkhand	13.27	10.14	3.13	0.34	9.47
7	Karnataka	35.33	26.40	8.93	0.33	0.61
8	Kerala	26.86	21.80	5.06	0.56	1.09
9	Madhya Pradesh	20.88	3.74	17.14	0.66	0.11
10	Maharashtra	30.45	27.00	3.45	0.63	39.49
11	Orissa	43.79	29.36	14.43	0.67	0.00
12	Tamil Nadu	112.30	95.12	17.18	0.00	5.46
13	Uttar Pradesh	22.62	1.41	21.21	0.50	11.55
14	West Bengal	0.23	0.19	0.04	2.97	0.00
15	A&N Islands	0.14	0.13	0.01	0.00	0.12
16	Daman & Diu	0.08	0.00	0.08	0.05	0.00
17	Lakshadweep	0.05	0.04	0.01	0.34	0.00
18	Puducherry	0.84	0.41	0.43	0.00	0.05
<b>Total</b>		<b>472.69</b>	<b>347.81</b>	<b>124.88</b>	<b>0.32</b>	<b>1.13</b>

Note:

\* States& UTs which are endemic to Filaria

Source: Directorate of National Vector Borne Disease Control Programme

### 3.1.1.3 States/UTs wise Cases and Deaths Due to Kala-Azar 2002-2006

S. No.	State/UT	2002		2003		2004		2005		2006*	
		Cases 2	Deaths 3	Cases 4	Deaths 5	Cases 6	Deaths 7	Cases 8	Deaths 9	Cases 10	Deaths 11
1	Bihar	9684	160	13960	187	17324	107	21797	124	29711	162
2	West Bengal	1592	5	1487	7	3015	23	2706	15	1750	10
3	Uttar Pradesh	32	1	34	1	34	2	73	2	83	0
4	Jharkhand	758	0	2607	5	4028	14	6578	12	7509	11
5	Delhi	74^	2^	126^	10^	78^	9^	62^	4^	25	4
6	Assam	0	0	0	0	0	0	1	0	0	0
7	Tamilnadu	0	0	0	0	0	0	0	0	0	0
8	Sikkim	0	0	0	0	0	0	0	0	0	0
9	Gujarat	0	0	0	0	0	0	0	0	2	0
<b>TOTAL</b>		<b>12140</b>	<b>168</b>	<b>18214</b>	<b>210</b>	<b>24479</b>	<b>155</b>	<b>31217</b>	<b>157</b>	<b>39080</b>	<b>187</b>

Notes:

\* upto 29.12.2006

^ All cases are imported.

Source: Directorate of National Vector Borne Disease Control Programme

### 3.1.1.4 States/UTs wise Cases and Deaths Due to Japanese Encephalitis 2002-2006

S. No.	State/UT	2002		2003		2004		2005		2006 <sup>\$</sup>	
		Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths
1	Andhra Pradesh	22	3	329*	183*	7**	3**	34	0	11	0
2	Assam	472	150	109	49	235	64	145	52	392	119
3	Bihar	8	1	6	2	85	28	192	64	21	3
4	Chandigarh	4	0	0	0	0	0	0	0	0	0
5	Delhi	1	0	12	5	17	0	6	0	1	0
6	Goa	11	0	0	0	0	0	4	0	0	0
7	Haryana	59	40	104	67	37	27	46	39	2	1
8	Karnataka	152	15	226	10	181	6	122	10	73	3
9	Kerala	0	0	17	2	9	1	1	0	3	3
10	Maharashtra	119	16	475	115	22	0	51***	0***	1	0
11	Manipur	2	1	1	0	0	0	1	0	0	0
12	Punjab	10	2	0	0	0	0	1	0	0	0
13	Tamilnadu	0	0	163	36	88	9	51	11	8	1
14	Uttar Pradesh	604	133	1124	237	1030	228	6061^	1500	2320#	528
15	West Bengal	301	105	2	1	3	1	12	6	0	0
<b>Total</b>		<b>1765</b>	<b>466</b>	<b>2568</b>	<b>707</b>	<b>1714</b>	<b>367</b>	<b>6727</b>	<b>1682</b>	<b>2832</b>	<b>658</b>

Notes:

\$ upto 31.12.2006

\* viral encephalitis

\*\* Lab Confirmed JE cases & deaths

\*\*\* In addition 66 cases and 30 deaths due to Chandipura encephalitis reported from Maharashtra state

^ Including 448 cases and 109 Deaths from Bihar and 31 cases and 4 Deaths from Nepal and 1 case & nil Death from Madhya Pradesh reported from BDR medical college, Gorakhpur

# Including 237 cases and 51 Deaths from Bihar and 10 cases and 1 Deaths from Nepal reported from BDR medical college, Gorakhpur

Source: Directorate of National Vector Borne Disease Control Programme

### 3.1.1.5 States/UTs wise Cases and Deaths Due to Dengue in India 2002-2006

S. No.	State/UT	2002		2003		2004		2005		2006*	
		Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths
1		2	3	4	5	6	7	8	9	10	11
1	Andhra Pradesh	61	3	95	5	230	1	99	2	190	17
2	Bihar	1	0	0	0	0	0	0	0	4	0
3	Chandigarh	15	0	0	0	0	0	2	0	168	0
4	Delhi	45	2	2882	35	606	3	1023	9	3366	65
5	Goa	0	0	12	2	3	0	1	0	0	0
6	Gujarat	40	0	249	9	117	4	454	11	543	3
7	Haryana	3	0	95	4	25	0	183	1	494	2
8	J&K									24	0
9	Karnataka	428	1	1226	7	291	2	587	17	98	7
10	Kerala	219	2	3546	68	686	8	1028	8	968	5
11	Maharashtra	370	18	772	45	856	22	349	56	723	25
12	Orissa	0	0	0	0	0	0	0	0	1	0
13	Sikkim	0	0	0	0	12	0	0	0	0	0
14	Punjab	27	2	848	13	52	0	251	2	1166	6
15	Rajasthan	325	5	685	11	207	5	370	5	1224	17
16	Tamil Nadu	392	0	1600	8	1027	0	1142	8	454	2
17	Puducherry	0	0	6	0	0	0	0	0	0	0
18	Uttar Pradesh	0	0	738	8	8	0	121	4	639	14
19	D & N Haveli	0	0	0	0	1	0	0	0	0	0
20	West Bengal	0	0	0	0	32	0	6375	34	1230	8
21	Madhya Pradesh									16	0
	<b>Total</b>	<b>1926</b>	<b>33</b>	<b>12754</b>	<b>215</b>	<b>4153</b>	<b>45</b>	<b>11985</b>	<b>157</b>	<b>11308</b>	<b>171</b>

Note:

\* Provisional upto 31.01.2007

Source: Directorate of National Vector Borne Disease Control Programme

### 3.1.1.6 States/UTs wise Cases and Deaths Due to Cholera in India 2006

S. No.	State/UT	Jan. to Mar.		Apr. to June		July to Sept.		Oct. to Dec.		Progressive Total (Provisional)					
										Cases					
		C	D	C	D	C	D	C	D	Male	Female	Total	Male	Female	Total
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	
1	Andhra Pradesh	9	0	6	0	4	0	1	0	9	11	20	0	0	0
2	Arunachal Pradesh	0	0	0	0	0	0	0	0	0	0	0	0	0	0
3	Assam	0	0	..	..	..	..	..	..	0	0	0	0	0	0
4	Bihar	..	..	..	..	..	..	..	..	..	..	..	..	..	..
5	Chhattisgarh	0	0	2	0	..	..	..	..	..	..	2	..	..	0
6	Goa	..	..	..	..	..	..	..	..	..	..	..	..	..	..
7	Gujarat	0	0	13	0	79	2	8	0	..	..	100	..	..	2
8	Haryana	0	0	3	0	6	0	0	0	6	3	9	0	0	0
9	Himachal Pradesh	0	0	0	0	1	0	0	0	0	1	1	0	0	0
10	Jammu Division	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Kashmir Division	0	0	0	0	0	0	0	0	0	0	0	0	0	0
11	Jharkhand	0	0	..	..	..	..	..	..	..	..	0	..	..	0
12	Karnataka	12	0	43	0	22	0	3	1	43	37	80	1	0	1
13	Kerala	8	0	3	0	0	0	1	0	8	4	12	0	0	0
14	Madhya Pradesh	0	0	0	0	0	0	0	0	0	0	0	0	0	0
15	Maharashtra	3	0	11	0	163	0	107	0	..	..	284	..	..	0
16	Manipur	0	0	0	0	0	0	0	0	0	0	0	0	0	0
17	Meghalaya	0	0	0	0	0	0	0	0	0	0	0	0	0	0
18	Mizoram	0	0	0	0	0	0	0	0	0	0	0	0	0	0
19	Nagaland	0	0	0	0	0	0	0	0	0	0	0	0	0	0
20	Orissa	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21	Punjab	0	0	1	0	23	0	0	0	15	9	24	0	0	0
22	Rajasthan	0	0	0	0	0	0	0	0	0	0	0	0	0	0
23	Sikkim	0	0	0	0	0	0	0	0	0	0	0	0	0	0
24	Tamil Nadu	129	0	54	0	21	0	9	0	130	83	213	0	0	0
25	Tripura	0	0	0	0	0	0	0	0	0	0	0	0	0	0
26	Uttar Pradesh	0	0	0	0	0	0	0	0	0	0	0	0	0	0
27	Uttarakhand	0	0	0	0	0	0	0	0	0	0	0	0	0	0
28	West Bengal	6	0	52	0	50	0	25	0	70	63	133	0	0	0
29	A& N Islands	0	0	0	0	0	0	0	0	0	0	0	0	0	0
30	Chandigarh	0	0	2	0	7	0	0	0	5	4	9	0	0	0
31	D & N Haveli	0	0	0	0	0	0	0	0	0	0	0	0	0	0
32	Daman & Diu	0	0	0	0	0	0	0	0	0	0	0	0	0	0
33	Delhi	43	0	461	0	439	0	109	0	626	426	1052	0	0	0
34	Lakshadweep	0	0	0	0	0	0	0	0	0	0	0	0	0	0
35	Pondicherry	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<b>Total</b>		<b>210</b>	<b>0</b>	<b>651</b>	<b>0</b>	<b>815</b>	<b>2</b>	<b>263</b>	<b>1</b>	<b>912</b>	<b>641</b>	<b>1939</b>	<b>1</b>	<b>0</b>	<b>3</b>

Notes:

- Data is provisional and not comparable due to ill defined coverage
- C : Cases D : Deaths
- .. Not Reported
- The sum of male and female may not tally with the total figure as some States/Uts have not reported genderwise information separately.

Source: Weekly Reports of Directorate of Health Services of States/UTs.

### 3.1.1.7 States/UTs wise Cases and Deaths Due to Acute Diarrhoeal Disease in India 2006

S. No.	State/UT	Male		Female		Total		Reference Period up to 8
		Cases 2	Deaths 3	Cases 4	Deaths 5	Cases 6	Deaths 7	
1	Andhra Pradesh	608306	88	607353	36	1215659	124	DEC., EXCEPT AUG.,06
2	Arunachal Pradesh	17087	16	14945	14	32032	30	DEC.,06
3	Assam	..	..	..	..	..	..	NR
4	Bihar	..	..	..	..	..	..	NR
5	Chhattisgarh	52551	5	42651	8	95202	13	DEC. EXCEPT JAN.& SEPT.,06
6	Goa	4017	0	3614	0	7631	0	DEC.,06
7	Gujarat	199406	2	182650	2	382056	4	DEC.,06
8	Haryana	145411	18	139931	24	285342	42	DEC.,06
9	Himachal Pradesh	166851	8	180204	20	347055	28	DEC.,06
10	Jammu Div.	101047	11	66628	5	304752	32	DEC.,06
	Kashmir Div.	118135	0	96430	0	214565	0	DEC.,06
11	Jharkhand	7534	1	7218	0	14752	1	DEC.,06
12	Karnataka	486511	466	452710	813	939221	1279	DEC.,06
13	Kerala	217217	2	258293	2	475510	4	DEC.,06
14	Madhya Pradesh	166571	53	152364	35	318935	88	JULY,06
15	Maharashtra	359411	53	336312	40	695723	93	DEC.,06
16	Manipur	7258	11	6356	6	13614	17	DEC.,06
17	Meghalaya	90978	18	87282	15	178260	33	DEC.,06
18	Mizoram	9188	11	8875	9	18063	20	DEC.,06
19	Nagaland	4662	0	4514	0	9176	0	JULY,06
20	Orissa	215088	27	158660	13	373748	40	DEC.,06
21	Punjab	91013	35	91438	29	182451	64	DEC.,06
22	Rajasthan	178512	17	139657	4	318169	21	DEC.,06
23	Sikkim	25646	4	25787	4	51433	8	DEC.,06
24	Tamil Nadu	..	..	..	..	116062	12	NOV.,06
25	Tripura	78982	25	71768	22	150750	47	NOV.,06
26	Uttarakhand	51131	4	43615	2	94746	6	DEC.,06
27	Uttar Pradesh	158397	30	126312	25	284709	55	DEC.,06
28	West Bengal	1356400	559	1266568	405	2622968	964	DEC.,06
29	A & N Islands	12779	1	9973	1	22752	2	DEC.,06
30	Chandigarh	..	..	..	..	..	..	NR
31	D & N Haveli	35880	1	38781	3	74661	4	DEC.,06
32	Daman & Diu	41	0	68	0	109	0	FEB.,APR.,NOV.&DEC.,06 Only
33	Delhi	56689	49	37709	36	94398	85	DEC.,06
34	Lakshadweep	3858	0	3458	0	7316	0	DEC.,06
35	Puducherry	72583	5	64860	3	137443	8	DEC.,06
<b>TOTAL</b>		<b>5099140</b>	<b>1520</b>	<b>4726984</b>	<b>1576</b>	<b>10079263</b>	<b>3124</b>	

Notes:

- Data is provisional and not comparable due to ill defined coverage
- .. Not Reported
- NR NOT RECEIVED
- The sum of male and female may not tally with the total figure as some States/Uts have not reported genderwise information separately.

Source: Monthly Health Condition Reports from Directorate of Health Services of States/Uts.

### 3.1.1.8 States/UTs wise Cases and Deaths Due to Enteric Fever (Typhoid) in India 2006

S. No.	State/UT	Male		Female		Total		Reference Period up to 8
		Cases 2	Deaths 3	Cases 4	Deaths 5	Cases 6	Deaths 7	
1	Andhra Pradesh	75027	6	60523	6	135550	12	DEC., EXCEPT AUG.,06
2	Arunachal Pradesh	4982	13	4116	10	9098	23	DEC., 06
3	Assam	..	..	..	..	..	..	NR
4	Bihar	..	..	..	..	..	..	NR
5	Chhattisgarh	13658	3	7816	3	21474	6	DEC. EXCEPT JAN.& SEPT.,06
6	Goa	39	0	29	0	68	0	DEC.,06
7	Gujarat	3783	0	3507	0	7290	0	DEC.,06
8	Haryana	3014	4	2674	0	5688	4	DEC.,06
9	Himachal Pr.	13001	5	13326	0	26327	5	DEC.,06
10	Jammu Div.	10237	0	7120	0	27284	0	DEC.,06
	Kashmir Div.	8055	0	7030	0	15085	0	DEC.,06
11	Jharkhand	2519	164	2188	120	4707	284	DEC.,06
12	Karnataka	51625	3	44522	2	96147	5	DEC.,06
13	Kerala	3367	1	2852	1	6219	2	DEC.,06
14	Madhya Pradesh	15623	16	13031	13	28654	29	JULY,06
15	Maharashtra	20351	6	19312	2	39663	8	DEC.,06
16	Manipur	1295	1	1126	1	2421	2	DEC.,06
17	Meghalaya	3342	0	3367	1	6709	1	DEC.,06
18	Mizoram	732	1	660	1	1392	2	DEC.,06
19	Nagaland	1218	0	1110	0	2328	0	JULY,06
20	Orissa	9182	9	6205	0	15387	9	DEC.,06
21	Punjab	8672	2	8336	1	17008	3	DEC.,06
22	Rajasthan	7809	72	6275	59	14084	131	DEC.,06
23	Sikkim	275	2	153	0	428	2	DEC.,06
24	Tamil Nadu	..	..	..	..	36973	0	NOV.,06
25	Tripura	9599	11	8948	8	18547	19	NOV.,06
26	Uttarakhand	7607	1	7413	1	15020	2	DEC.,06
27	Uttar Pradesh	25112	8	17536	5	42648	13	DEC.,06
28	West Bengal	60589	48	50246	22	110835	70	DEC.,06
29	A & N Islands	2568	0	487	0	3055	0	DEC.,06
30	Chandigarh	..	..	..	..	..	..	NR
31	D & N Haveli	342	0	304	0	646	0	DEC.,06
32	Daman & Diu	13	0	20	0	33	0	FEB.,APR., NOV.&DEC.,06 ONLY
33	Delhi	8429	10	5345	8	13774	18	DEC.,06
34	Lakshadweep	5	0	1	0	6	0	DEC.,06
35	Puducherry	1170	1	766	0	1936	1	DEC.,06
<b>TOTAL</b>		<b>373240</b>	<b>387</b>	<b>306344</b>	<b>264</b>	<b>726484</b>	<b>651</b>	

Notes:

- Data is provisional and not comparable due to ill defined coverage
- .. Not Reported

NR NOT RECEIVED

- The sum of male and female may not tally with the total figure as some States/Uts have not reported genderwise information separately.

Source: Monthly Health Condition Reports from Directorate of Health Services of States/Uts.

### 3.1.1.9 States/UTs wise Cases and Deaths Due to Acute Respiratory Infection in India 2006

S. No.	State/UT	Male		Female		Total		Reference Period up to 8
		Cases 2	Deaths 3	Cases 4	Deaths 5	Cases 6	Deaths 7	
1	Andhra Pradesh	1241658	287	1224085	147	2465743	434	DEC., EXCEPT AUG.,06
2	Arunachal Pradesh	23668	0	19758	1	43426	1	DEC., 06
3	Assam	..	..	..	..	..	..	NR
4	Bihar	..	..	..	..	..	..	NR
5	Chhattisgarh	73149	10	59127	15	132276	25	DEC. EXCEPT JAN.& SEPT.,06
6	Goa	12872	0	12687	0	25559	0	DEC.,06
7	Gujarat	427949	13	405390	4	833339	17	DEC.,06
8	Haryana	617547	126	651658	52	1269205	178	DEC.,06
9	Himachal Pr.	752442	96	792615	65	1545057	161	DEC.,06
10	Jammu Div.	28566	0	18776	0	89217	0	DEC.,06
	Kashmir Div.	159593	0	134259	0	293852	0	DEC.,06
11	Jharkhand	13638	1	9832	0	23470	1	DEC.,06
12	Karnataka	1289402	123	1254898	73	2544300	196	DEC.,06
13	Kerala	3545892	114	4351151	51	7897043	165	DEC.,06
14	Madhya Pradesh	265017	134	213261	46	478278	180	JULY,06
15	Maharashtra	326262	125	331170	67	657432	192	DEC.,06
16	Manipur	6706	0	5896	1	12602	1	DEC.,06
17	Meghalaya	145210	12	158887	13	304097	25	DEC.,06
18	Mizoram	20929	10	20089	16	41018	26	DEC.,06
19	Nagaland	5790	0	6002	0	11792	0	JULY,06
20	Orissa	446833	39	321612	30	768445	69	DEC.,06
21	Punjab	296124	45	304914	24	601038	66	DEC.,06
22	Rajasthan	724167	88	575605	38	1299772	126	DEC.,06
23	Sikkim	32232	4	33072	3	65304	7	DEC.,06
24	Tamil Nadu	..	..	..	..	380708	220	NOV.,06
25	Tripura	143047	47	136655	51	279702	98	NOV.,06
26	Uttarakhand	68255	8	62428	3	130683	11	DEC.,06
27	Uttar Pradesh	291635	53	211234	28	502869	81	DEC.,06
28	West Bengal	1053382	549	967601	345	2020983	894	DEC.,06
29	A & N Islands	17233	8	15172	5	32405	13	DEC.,06
30	Chandigarh	..	..	..	..	..	..	NR
31	D & N Haveli	57822	0	60639	0	118461	0	DEC.,06
32	Daman & Diu	0	0	0	0	0	0	FEB.,APR., NOV.&DEC.,06 ONLY
33	Delhi	184664	206	138728	70	323392	276	DEC.,06
34	Lakshadweep	17638	0	14455	0	32093	0	DEC.,06
35	Puducherry	295633	1	288528	0	584161	1	DEC.,06
<b>TOTAL</b>		<b>12584955</b>	<b>2099</b>	<b>12800184</b>	<b>1148</b>	<b>25807722</b>	<b>3467</b>	

Notes:

- Data is provisional and not comparable due to ill defined coverage
- .. Not Reported
- NR NOT RECEIVED
- The sum of male and female may not tally with the total figure as some States/Uts have not reported genderwise information separately.

Source: Monthly Health Condition Reports from Directorate of Health Services of States/Uts.

### 3.1.1.10 States/UTs wise Cases and Deaths Due to Tetanus Neonatal in India 2006

S. No.	State/UT	Male		Female		Total		Reference Period up to
		Cases	Deaths	Cases	Deaths	Cases	Deaths	
1	2	3	4	5	6	7	8	
1	Andhra Pradesh	17	1	5	0	22	1	DEC., EXCEPT AUG.,06
2	Arunachal Pradesh	0	0	0	0	0	0	DEC.,06
3	Assam	..	..	..	..	..	..	NR
4	Bihar	..	..	..	..	..	..	NR
5	Chhattisgarh	1	0	1	0	2	0	DEC. EXCEPT JAN.& SEPT.,06
6	Goa	0	0	0	0	0	0	DEC.,06
7	Gujarat	30	7	5	1	35	8	DEC.,06
8	Haryana	32	0	45	0	77	0	DEC.,06
9	Himachal Pr.	0	0	1	0	1	0	DEC.,06
10	Jammu Div.	0	0	0	0	0	0	DEC.,06
	Kashmir Div.	0	0	0	0	0	0	DEC.,06
11	Jharkhand	24	0	18	0	42	0	DEC.,06
12	Karnataka	0	0	0	0	0	0	DEC.,06
13	Kerala	3	0	0	0	3	0	DEC.,06
14	Madhya Pradesh	97	14	82	8	179	22	JULY,06
15	Maharashtra	5	4	3	0	8	4	DEC.,06
16	Manipur	0	0	0	0	0	0	DEC.,06
17	Meghalaya	0	0	0	0	0	0	DEC.,06
18	Mizoram	0	0	0	0	0	0	DEC.,06
19	Nagaland	7	0	13	0	20	0	JULY,06
20	Orissa	2	0	0	0	2	0	DEC.,06
21	Punjab	12	4	2	0	14	4	DEC.,06
22	Rajasthan	11	1	13	2	24	3	DEC.,06
23	Sikkim	0	0	0	0	0	0	DEC.,06
24	Tamil Nadu	..	..	..	..	0	0	NOV.,06
25	Tripura	2	0	0	0	2	0	NOV.,06
26	Uttarakhand	10	0	7	0	17	0	DEC.,06
27	Uttar Pradesh	24	6	11	4	35	10	DEC.,06
28	West Bengal	23	4	20	7	91	24	DEC.,06
29	A & N Islands	6	0	3	0	9	0	DEC.,06
30	Chandigarh	..	..	..	..	..	..	NR
31	D & N Haveli	0	0	0	0	0	0	DEC.,06
32	Daman & Diu	0	0	0	0	0	0	FEB.,APR., NOV.&DEC.,06 ONLY
33	Delhi	22	4	15	0	37	4	DEC.,06
34	Lakshadweep	0	0	0	0	0	0	DEC.,06
35	Puducherry	0	0	0	0	0	0	DEC.,06
<b>TOTAL</b>		<b>328</b>	<b>45</b>	<b>244</b>	<b>22</b>	<b>620</b>	<b>80</b>	

Notes:

- Data is provisional and not comparable due to ill defined coverage
- .. Not Reported
- NR NOT RECEIVED
- The sum of male and female may not tally with the total figure as some States/Uts have not reported genderwise information separately.

Source: Monthly Health Condition Reports from Directorate of Health Services of States/Uts.

### 3.1.1.11 States/UTs wise Cases and Deaths Due to Tetanus Other than Neonatal in India 2006

S. No.	State/UT	Male		Female		Total		Reference Period up to 8
		Cases	Deaths	Cases	Deaths	Cases	Deaths	
1	2	3	4	5	6	7		
1	Andhra Pradesh	75	13	36	8	111	21	DEC., EXCEPT AUG.,06
2	Arunachal Pradesh	7	0	4	0	11	0	DEC.,06
3	Assam	..	..	..	..	..	..	NR
4	Bihar	..	..	..	..	..	..	NR
5	Chhattisgarh	23	0	17	0	40	0	DEC. EXCEPT JAN.& SEPT.,06
6	Goa	0	0	0	0	0	0	DEC.,06
7	Gujarat	28	1	12	2	40	3	DEC.,06
8	Haryana	17	1	0	0	17	1	DEC.,06
9	Himachal Pr.	1	1	1	0	2	1	DEC.,06
10	Jammu Div.	0	0	0	0	0	0	DEC.,06
	Kashmir Div.	0	0	0	0	0	0	DEC.,06
11	Jharkhand	23	1	31	0	54	1	DEC.,06
12	Karnataka	12	5	6	1	18	6	DEC.,06
13	Kerala	3	1	1	0	4	1	DEC.,06
14	Madhya Pradesh	123	9	90	7	213	16	JULY,06
15	Maharashtra	127	15	88	7	215	22	DEC.,06
16	Manipur	4	4	1	1	5	5	DEC.,06
17	Meghalaya	1	0	0	0	1	0	DEC.,06
18	Mizoram	1	1	0	0	1	1	DEC.,06
19	Nagaland	31	0	30	0	61	0	JULY,06
20	Orissa	75	12	30	5	105	17	DEC.,06
21	Punjab	30	6	15	2	45	8	DEC.,06
22	Rajasthan	694	42	422	32	1116	74	DEC.,06
23	Sikkim	0	0	0	0	0	0	DEC.,06
24	Tamil Nadu	..	..	..	..	0	0	NOV.,06
25	Tripura	10	2	11	6	21	8	NOV.,06
26	Uttarakhand	0	0	0	0	0	0	DEC.,06
27	Uttar Pradesh	82	18	48	6	130	24	DEC.,06
28	West Bengal	296	90	245	58	541	148	DEC.,06
29	A & N Islands	0	0	0	0	0	0	DEC.,06
30	Chandigarh	..	..	..	..	..	..	NR
31	D & N Haveli	0	0	0	0	0	0	DEC.,06
32	Daman & Diu	0	0	0	0	0	0	FEB.,APR., NOV.&DEC.,06 ONLY
33	Delhi	23	5	20	3	43	8	DEC.,06
34	Lakshadweep	0	0	0	0	0	0	DEC.,06
35	Puducherry	8	0	1	0	9	0	DEC.,06
<b>TOTAL</b>		<b>1694</b>	<b>227</b>	<b>1109</b>	<b>138</b>	<b>2803</b>	<b>365</b>	

Notes:

- Data is provisional and not comparable due to ill defined coverage
- .. Not Reported
- NR NOT RECEIVED
- The sum of male and female may not tally with the total figure as some States/Uts have not reported genderwise information separately.

Source: Monthly Health Condition Reports from Directorate of Health Services of States/Uts.

### 3.1.1.12 States/UTs wise Cases and Deaths Due to Diphtheria in India 2006

S. No.	State/UT	Male		Female		Total		Reference Period up to 8
		Cases	Deaths	Cases	Deaths	Cases	Deaths	
1	2	3	4	5	6	7		
1	Andhra Pradesh	630	2	534	0	1164	2	DEC., EXCEPT AUG.,06
2	Arunachal Pradesh	53	0	32	0	85	0	DEC., 06
3	Assam	..	..	..	..	..	..	NR
4	Bihar	..	..	..	..	..	..	NR
5	Chhattisgarh	14	0	64	0	78	0	DEC. EXCEPT JAN.& SEPT.,06
6	Goa	0	0	0	0	0	0	DEC.,06
7	Gujarat	203	8	71	0	274	8	DEC.,06
8	Haryana	5	0	7	0	12	0	DEC.,06
9	Himachal Pr.	0	0	0	0	0	0	DEC.,06
10	Jammu Div.	0	0	0	0	0	0	DEC.,06
	Kashmir Div.	4	0	0	0	4	0	DEC.,06
11	Jharkhand	0	0	0	0	0	0	DEC.,06
12	Karnataka	0	0	0	0	0	0	DEC.,06
13	Kerala	1	0	1	0	2	0	DEC.,06
14	Madhya Pradesh	0	0	0	0	0	0	JULY,06
15	Maharashtra	94	10	85	5	179	15	DEC.,06
16	Manipur	0	0	0	0	0	0	DEC.,06
17	Meghalaya	0	0	0	0	0	0	DEC.,06
18	Mizoram	14	0	11	0	25	0	DEC.,06
19	Nagaland	39	0	35	0	74	0	JULY,06
20	Orissa	0	0	0	0	0	0	DEC.,06
21	Punjab	0	0	2	0	2	0	DEC.,06
22	Rajasthan	185	6	96	5	281	11	DEC.,06
23	Sikkim	0	0	0	0	0	0	DEC.,06
24	Tamil Nadu	..	..	..	..	0	0	NOV.,06
25	Tripura	0	0	0	0	0	0	NOV.,06
26	Uttarakhand	0	0	0	0	0	0	DEC.,06
27	Uttar Pradesh	86	0	39	0	125	0	DEC.,06
28	West Bengal	149	12	241	18	390	30	DEC.,06
29	A & N Islands	0	0	0	0	0	0	DEC.,06
30	Chandigarh	..	..	..	..	..	..	NR
31	D & N Haveli	0	0	0	0	0	0	DEC.,06
32	Daman & Diu	0	0	0	0	0	0	FEB.,APR., NOV.&DEC.,06 ONLY
33	Delhi	29	0	19	0	48	0	DEC.,06
34	Lakshadweep	0	0	0	0	0	0	DEC.,06
35	Puducherry	1	0	1	0	2	0	DEC.,06
<b>TOTAL</b>		<b>1507</b>	<b>38</b>	<b>1238</b>	<b>28</b>	<b>2745</b>	<b>66</b>	

Notes:

- Data is provisional and not comparable due to ill defined coverage
- .. Not Reported

NR NOT RECEIVED

- The sum of male and female may not tally with the total figure as some States/Uts have not reported genderwise information separately.

Source: Monthly Health Condition Reports from Directorate of Health Services of States/Uts.

### 3.1.1.13 States/UTs wise Cases and Deaths Due to Whooping Cough in India 2006

S. No.	State/UT	Male		Female		Total		Reference Period up to 8
		Cases	Deaths	Cases	Deaths	Cases	Deaths	
1	2	3	4	5	6	7		
1	Andhra Pradesh	2551	0	2414	0	4965	0	DEC., EXCEPT AUG.,06
2	Arunachal Pradesh	426	1	296	1	722	2	DEC.,06
3	Assam	..	..	..	..	..	..	NR
4	Bihar	..	..	..	..	..	..	NR
5	Chhattisgarh	528	0	218	0	746	0	DEC. EXCEPT JAN.& SEPT.,06
6	Goa	29	0	25	0	54	0	DEC.,06
7	Gujarat	28	0	2	0	30	0	DEC.,06
8	Haryana	51	0	64	0	115	0	DEC.,06
9	Himachal Pr.	0	0	0	0	0	0	DEC.,06
10	Jammu Div.	588	0	498	0	2315	0	DEC.,06
	Kashmir Div.	942	0	817	0	1759	0	DEC.,06
11	Jharkhand	551	0	252	0	803	0	DEC.,06
12	Karnataka	487	0	372	0	859	0	DEC.,06
13	Kerala	111	0	55	0	166	0	DEC.,06
14	Madhya Pradesh	..	..	..	..	..	..	NR
15	Maharashtra	52	0	62	0	114	0	DEC.,06
16	Manipur	93	0	111	0	204	0	DEC.,06
17	Meghalaya	10	0	7	0	17	0	DEC.,06
18	Mizoram	6	0	7	0	13	0	DEC.,06
19	Nagaland	611	0	827	0	1438	0	JULY,06
20	Orissa	260	0	117	0	377	0	DEC.,06
21	Punjab	3	0	2	0	5	0	DEC.,06
22	Rajasthan	466	0	306	0	772	0	DEC.,06
23	Sikkim	0	0	0	0	0	0	DEC.,06
24	Tamil Nadu	..	..	..	..	10	0	NOV.,06
25	Tripura	133	0	108	0	241	0	NOV.,06
26	Uttarakhand	148	0	80	0	228	0	DEC.,06
27	Uttar Pradesh	2363	0	1717	0	4080	0	DEC.,06
28	West Bengal	2044	9	1587	5	3631	14	DEC.,06
29	A & N Islands	137	0	94	1	231	1	DEC.,06
30	Chandigarh	..	..	..	..	..	..	NR
31	D & N Haveli	4	0	1	0	5	0	DEC.,06
32	Daman & Diu	0	0	0	0	0	0	FEB.,APR., NOV.&DEC.,06 ONLY
33	Delhi	20	0	14	0	34	0	DEC.,06
34	Lakshadweep	0	0	0	0	0	0	DEC.,06
35	Puducherry	0	0	1	0	1	0	DEC.,06
<b>TOTAL</b>		<b>12642</b>	<b>10</b>	<b>10054</b>	<b>7</b>	<b>23935</b>	<b>17</b>	

Notes:

- Data is provisional and not comparable due to ill defined coverage
- .. Not Reported
- NR NOT RECEIVED
- The sum of male and female may not tally with the total figure as some States/Uts have not reported genderwise information separately.

Source: Monthly Health Condition Reports from Directorate of Health Services of States/Uts.

### 3.1.1.14 States/UTs wise Cases and Deaths Due to Measles in India 2006

S. No.	State/UT	Male		Female		Total		Reference Period up to 8
		Cases 2	Deaths 3	Cases 4	Deaths 5	Cases 6	Deaths 7	
1	Andhra Pradesh	1183	0	858	1	2041	1	DEC., EXCEPT AUG.,06
2	Arunachal Pradesh	376	8	397	2	773	10	DEC., 06
3	Assam	..	..	..	..	..	..	NR
4	Bihar	..	..	..	..	..	..	NR
5	Chhattisgarh	160	0	82	0	242	0	DEC. EXCEPT JAN.& SEPT.,06
6	Goa	9	0	8	0	17	0	DEC.,06
7	Gujarat	147	0	40	0	187	0	DEC.,06
8	Haryana	195	0	153	0	348	0	DEC.,06
9	Himachal Pr.	491	0	409	0	900	0	DEC.,06
10	Jammu Div.	226	0	198	0	670	0	DEC.,06
	Kashmir Div.	1039	0	840	0	1879	0	DEC.,06
11	Jharkhand	427	0	476	0	903	0	DEC.,06
12	Karnataka	1731	0	1662	0	3393	0	DEC.,06
13	Kerala	1972	0	1332	0	3304	0	DEC.,06
14	Madhya Pradesh	252	0	174	0	426	0	JULY,06
15	Maharashtra	999	7	754	4	1753	11	DEC.,06
16	Manipur	151	1	139	0	290	1	DEC.,06
17	Meghalaya	631	1	639	0	1270	1	DEC.,06
18	Mizoram	104	0	85	0	189	0	DEC.,06
19	Nagaland	273	0	316	0	589	0	JULY,06
20	Orissa	164	1	85	1	249	2	DEC.,06
21	Punjab	124	0	130	0	254	0	DEC.,06
22	Rajasthan	661	2	437	2	1098	4	DEC.,06
23	Sikkim	269	0	273	0	542	0	DEC.,06
24	Tamil Nadu	..	..	..	..	274	3	NOV.,06
25	Tripura	241	0	214	0	455	0	NOV.,06
26	Uttarakhand	71	0	67	0	138	0	DEC.,06
27	Uttar Pradesh	303	1	172	1	475	2	DEC.,06
28	West Bengal	10281	35	8785	10	19066	45	DEC.,06
29	A & N Islands	10889	3	10064	3	20953	6	DEC.,06
30	Chandigarh	..	..	..	..	..	..	NR
31	D & N Haveli	10	0	8	0	18	0	DEC.,06
32	Daman & Diu	0	0	0	0	0	0	FEB.,APR., NOV.&DEC.,06 ONLY
33	Delhi	344	5	161	8	505	13	DEC.,06
34	Lakshadweep	0	0	0	0	0	0	DEC.,06
35	Puducherry	150	0	164	0	314	0	DEC.,06
<b>TOTAL</b>		<b>33873</b>	<b>64</b>	<b>29122</b>	<b>32</b>	<b>63515</b>	<b>99</b>	

Notes:

- Data is provisional and not comparable due to ill defined coverage
- .. Not Reported
- NR NOT RECEIVED
- The sum of male and female may not tally with the total figure as some States/Uts have not reported genderwise information separately.

Source: Monthly Health Condition Reports from Directorate of Health Services of States/Uts.

### 3.1.1.15 States/UTs wise Cases and Deaths Due to Viral Hepatitis (All Causes) in India 2006

S. No.	State/UT	Male		Female		Total		Reference Period up to 8
		Cases 2	Deaths 3	Cases 4	Deaths 5	Cases 6	Deaths 7	
1	Andhra Pradesh	9154	18	8692	10	17846	28	DEC., EXCEPT AUG.,06
2	Arunachal Pradesh	272	4	281	2	553	6	DEC.,06
3	Assam	..	..	..	..	..	..	NR
4	Bihar	..	..	..	..	..	..	NR
5	Chhattisgarh	885	2	606	0	1491	2	DEC. EXCEPT JAN.& SEPT.,06
6	Goa	10	0	5	0	15	0	DEC.,06
7	Gujarat	5874	10	3522	6	9396	16	DEC.,06
8	Haryana	2303	8	1680	3	3983	11	DEC.,06
9	Himachal Pr.	452	6	383	5	835	11	DEC.,06
10	Jammu Div.	1470	0	999	0	4393	0	DEC.,06
	Kashmir Div.	819	0	670	0	1489	0	DEC.,06
11	Jharkhand	30	0	21	0	51	0	DEC.,06
12	Karnataka	8674	19	6306	5	14980	24	DEC.,06
13	Kerala	4206	5	2812	1	7018	6	DEC.,06
14	Madhya Pradesh	1578	6	921	3	2499	9	JULY,06
15	Maharashtra	30608	75	12607	56	43215	131	DEC.,06
16	Manipur	192	0	154	0	346	0	DEC.,06
17	Meghalaya	156	2	138	0	294	2	DEC.,06
18	Mizoram	314	8	232	3	546	11	DEC.,06
19	Nagaland	67	0	45	0	112	0	JULY,06
20	Orissa	1641	22	1046	16	2687	38	DEC.,06
21	Punjab	2385	11	1444	6	3829	17	DEC.,06
22	Rajasthan	2470	49	1399	29	3869	78	DEC.,06
23	Sikkim	157	2	133	0	290	2	DEC.,06
24	Tamil Nadu	..	..	..	..	4523	0	NOV.,06
25	Tripura	1454	9	1066	5	2520	14	NOV.,06
26	Uttarakhand	1914	0	1467	0	3381	0	DEC.,06
27	Uttar Pradesh	2451	3	1265	3	3716	6	DEC.,06
28	West Bengal	4275	131	3158	74	7433	205	DEC.,06
29	A & N Islands	176	1	37	3	213	4	DEC.,06
30	Chandigarh	..	..	..	..	..	..	NR
31	D & N Haveli	86	3	40	0	126	3	DEC.,06
32	Daman & Diu	1	0	2	0	3	0	FEB.,APR., NOV.&DEC.,06 ONLY
33	Delhi	2339	29	1741	13	4080	42	DEC.,06
34	Lakshadweep	53	0	33	0	86	0	DEC.,06
35	Puducherry	385	5	230	2	615	7	DEC.,06
	<b>TOTAL</b>	<b>86851</b>	<b>428</b>	<b>53135</b>	<b>245</b>	<b>146433</b>	<b>673</b>	

Notes:

- Data is provisional and not comparable due to ill defined coverage
- .. Not Reported
- NR NOT RECEIVED
- The sum of male and female may not tally with the total figure as some States/Uts have not reported genderwise information separately.

Source: Monthly Health Condition Reports from Directorate of Health Services of States/Uts.

### 3.1.1.16 States/UTs wise Cases and Deaths Due to Rabies in India 2006

S. No.	State/UT	Male	Female	Total	Reference Period up to
		Cases/Deaths	Cases/Deaths	Cases/Deaths	
1	2	3	4	5	
1	Andhra Pradesh	36	9	45	DEC., EXCEPT AUG.,06
2	Arunachal Pradesh	0	0	0	DEC.,06
3	Assam	..	..	..	NR
4	Bihar	..	..	..	NR
5	Chhattisgarh	10	4	14	DEC. EXCEPT JAN.& SEPT.,06
6	Goa	0	0	0	DEC.,06
7	Gujarat	0	0	0	DEC.,06
8	Haryana	0	0	0	DEC.,06
9	Himachal Pr.	1	1	2	DEC.,06
10	Jammu Div.	0	0	0	DEC.,06
	Kashmir Div.	0	0	0	DEC.,06
11	Jharkhand	0	0	0	DEC.,06
12	Karnataka	6	3	9	DEC.,06
13	Kerala	9	8	17	DEC.,06
14	Madhya Pradesh	0	0	0	JULY,06
15	Maharashtra	35	13	48	DEC.,06
16	Manipur	4	1	5	DEC.,06
17	Meghalaya	0	1	1	DEC.,06
18	Mizoram	0	0	0	DEC.,06
19	Nagaland	0	0	0	JULY,06
20	Orissa	0	2	2	DEC.,06
21	Punjab	0	0	0	DEC.,06
22	Rajasthan	14	4	18	DEC.,06
23	Sikkim	0	0	0	DEC.,06
24	Tamil Nadu	..	..	18	NOV.,06
25	Tripura	4	3	7	NOV.,06
26	Uttarakhand	0	0	0	DEC.,06
27	Uttar Pradesh	0	0	0	DEC.,06
28	West Bengal	124	39	163	DEC.,06
29	A & N Islands	3	7	10	DEC.,06
30	Chandigarh	..	..	..	NR
31	D & N Haveli	0	1	1	DEC.,06
32	Daman & Diu	0	0	0	FEB.,APR., NOV.&DEC.,06 ONLY
33	Delhi	0	0	0	DEC.,06
34	Lakshadweep	0	0	0	DEC.,06
35	Puducherry	0	1	1	DEC.,06
<b>TOTAL</b>		<b>246</b>	<b>97</b>	<b>361</b>	

Notes:

- Data is provisional and not comparable due to ill defined coverage
- .. Not Reported
- NR NOT RECEIVED
- The sum of male and female may not tally with the total figure as some States/Uts have not reported genderwise information separately.

Source: Monthly Health Condition Reports from Directorate of Health Services of States/Uts.

### 3.1.1.17 States/UTs wise Cases and Deaths Due to Acute Poliomyelitis in India 2006

S. No.	State/UT	Male		Female		Total		Reference Period up to
		Cases	Deaths	Cases	Deaths	Cases	Deaths	
1		2	3	4	5	6	7	8
1	Andhra Pradesh	0	0	0	0	0	0	DEC., EXCEPT AUG.,06
2	Arunachal Pradesh	3	0	2	0	5	0	DEC., 06
3	Assam	..	..	..	..	..	..	NR
4	Bihar	..	..	..	..	..	..	NR
5	Chhattisgarh	0	0	0	0	0	0	DEC. EXCEPT JAN.& SEPT.,06
6	Goa	0	0	0	0	0	0	DEC.,06
7	Gujarat	43	1	18	0	61	1	DEC.,06
8	Haryana	9	0	10	0	19	0	DEC.,06
9	Himachal Pr.	0	0	0	0	0	0	DEC.,06
10	Jammu Div.	0	0	0	0	0	0	DEC.,06
	Kashmir Div.	0	0	0	0	0	0	DEC.,06
11	Jharkhand	0	0	0	0	0	0	DEC.,06
12	Karnataka	0	0	0	0	0	0	DEC.,06
13	Kerala	0	0	0	0	0	0	DEC.,06
14	Madhya Pradesh	0	0	0	0	0	0	JULY,06
15	Maharashtra	0	0	0	0	0	0	DEC.,06
16	Manipur	0	0	0	0	0	0	DEC.,06
17	Meghalaya	0	0	0	0	0	0	DEC.,06
18	Mizoram	0	0	0	0	0	0	DEC.,06
19	Nagaland	0	0	0	0	0	0	JULY,06
20	Orissa	3	0	0	0	3	0	DEC.,06
21	Punjab	0	0	0	0	0	0	DEC.,06
22	Rajasthan	2	0	3	0	5	0	DEC.,06
23	Sikkim	0	0	0	0	0	0	DEC.,06
24	Tamil Nadu	..	..	..	..	0	0	NOV.,06
25	Tripura	0	0	0	0	0	0	NOV.,06
26	Uttarakhand	0	0	0	0	0	0	DEC.,06
27	Uttar Pradesh	10	0	11	0	21	0	DEC.,06
28	West Bengal	0	0	1	0	1	0	DEC.,06
29	A & N Islands	0	0	0	0	0	0	DEC.,06
30	Chandigarh	..	..	..	..	..	..	NR
31	D & N Haveli	0	0	0	0	0	0	DEC.,06
32	Daman & Diu	0	0	0	0	0	0	FEB.,APR., NOV.&DEC.,06 ONLY
33	Delhi	1	0	0	0	1	0	DEC.,06
34	Lakshadweep	0	0	0	0	0	0	DEC.,06
35	Puducherry	0	0	0	0	0	0	DEC.,06
<b>TOTAL</b>		<b>71</b>	<b>1</b>	<b>45</b>	<b>0</b>	<b>116</b>	<b>1</b>	

Notes:

- Data is provisional and not comparable due to ill defined coverage
- .. Not Reported
- NR NOT RECEIVED
- The sum of male and female may not tally with the total figure as some States/Uts have not reported genderwise information separately.

Source: Monthly Health Condition Reports from Directorate of Health Services of States/Uts.

### 3.1.1.18 States/UTs wise Cases and Deaths Due to Pneumonia in India 2006

S. No.	State/UT	Male		Female		Total		Reference Period up to 8
		Cases 2	Deaths 3	Cases 4	Deaths 5	Cases 6	Deaths 7	
1	Andhra Pradesh	29287	65	28077	61	57364	126	DEC., EXCEPT AUG.,06
2	Arunachal Pradesh	598	4	461	6	1059	10	DEC.,06
3	Assam	..	..	..	..	..	..	NR
4	Bihar	..	..	..	..	..	..	NR
5	Chhattisgarh	2940	3	2002	4	4942	7	DEC. EXCEPT JAN.& SEPT.,06
6	Goa	64	0	57	0	121	0	DEC.,06
7	Gujarat	6445	91	5542	56	11987	147	DEC.,06
8	Haryana	6664	23	5348	17	12012	40	DEC.,06
9	Himachal Pr.	18297	67	17457	19	35754	86	DEC.,06
10	Jammu Div.	25563	1	17636	1	91721	2	DEC.,06
	Kashmir Div.	5180	0	4235	0	9415	0	DEC.,06
11	Jharkhand	1216	0	967	0	2183	0	DEC.,06
12	Karnataka	24214	40	24080	10	48294	50	DEC.,06
13	Kerala	13060	44	13047	18	26107	62	DEC.,06
14	Madhya Pradesh	14079	11	13601	10	27680	21	JULY,06
15	Maharashtra	17387	148	12253	95	29640	243	DEC.,06
16	Manipur	436	2	382	2	818	4	DEC.,06
17	Meghalaya	1428	39	1265	12	2693	51	DEC.,06
18	Mizoram	2401	36	2069	24	4470	60	DEC.,06
19	Nagaland	254	0	266	0	520	0	JULY,06
20	Orissa	7998	103	5967	56	13965	159	DEC.,06
21	Punjab	5154	60	3912	30	9066	90	DEC.,06
22	Rajasthan	52304	201	40062	149	92366	350	DEC.,06
23	Sikkim	1098	2	1187	1	2285	3	DEC.,06
24	Tamil Nadu	..	..	..	..	6672	2	NOV.,06
25	Tripura	5476	81	5124	62	10600	143	NOV.,06
26	Uttarakhand	4170	0	3638	0	7808	0	DEC.,06
27	Uttar Pradesh	27444	31	21338	8	48782	39	DEC.,06
28	West Bengal	47872	649	42030	502	89902	1151	DEC.,06
29	A & N Islands	340	6	224	6	564	12	DEC.,06
30	Chandigarh	..	..	..	..	..	..	NR
31	D & N Haveli	30	1	24	0	54	1	DEC.,06
32	Daman & Diu	4	0	1	0	5	0	FEB.,APR., NOV.&DEC.,06 ONLY
33	Delhi	12148	216	7689	135	19837	351	DEC.,06
34	Lakshadweep	29	0	32	1	61	1	DEC.,06
35	Puducherry	1934	5	1492	0	3426	5	DEC.,06
<b>TOTAL</b>		<b>335514</b>	<b>1929</b>	<b>281465</b>	<b>1285</b>	<b>672173</b>	<b>3216</b>	

Notes:

- Data is provisional and not comparable due to ill defined coverage
- .. Not Reported
- NR NOT RECEIVED
- The sum of male and female may not tally with the total figure as some States/Uts have not reported genderwise information separately.

Source: Monthly Health Condition Reports from Directorate of Health Services of States/Uts.

### 3.1.1.19 States/UTs wise Cases and Deaths Due to Meningococcal Meningitis in India 2006

S. No.	State/UT	Male		Female		Total		Reference Period up to
		Cases	Deaths	Cases	Deaths	Cases	Deaths	
1		2	3	4	5	6	7	8
1	Andhra Pradesh	473	6	467	5	940	11	DEC., EXCEPT AUG.,06
2	Arunachal Pradesh	22	3	9	2	31	5	DEC., 06
3	Assam	..	..	..	..	..	..	NR
4	Bihar	..	..	..	..	..	..	NR
5	Chhattisgarh	94	2	3	1	97	3	DEC. EXCEPT JAN.& SEPT.,06
6	Goa	0	0	0	0	0	0	DEC.,06
7	Gujarat	33	4	21	3	54	7	DEC.,06
8	Haryana	6	0	1	0	7	0	DEC.,06
9	Himachal Pr.	0	0	0	0	0	0	DEC.,06
10	Jammu Div.	0	0	0	0	6	0	DEC.,06
	Kashmir Div.	0	0	0	0	0	0	DEC.,06
11	Jharkhand	0	0	0	0	0	0	DEC.,06
12	Karnataka	2	0	1	0	3	0	DEC.,06
13	Kerala	17	2	6	0	23	2	DEC.,06
14	Madhya Pradesh	34	2	31	1	65	3	JULY,06
15	Maharashtra	120	37	79	22	199	59	DEC.,06
16	Manipur	45	8	21	6	66	14	DEC.,06
17	Meghalaya	48	7	30	4	78	11	DEC.,06
18	Mizoram	41	0	50	0	91	0	DEC.,06
19	Nagaland	0	0	0	0	0	0	JULY,06
20	Orissa	36	1	12	3	48	4	DEC.,06
21	Punjab	18	5	13	0	31	5	DEC.,06
22	Rajasthan	110	1	77	0	187	1	DEC.,06
23	Sikkim	3	0	1	0	4	0	DEC.,06
24	Tamil Nadu	..	..	..	..	8	0	NOV,06
25	Tripura	40	6	21	3	61	9	NOV.,06
26	Uttarakhand	35	0	23	0	58	0	DEC.,06
27	Uttar Pradesh	13	2	2	1	15	3	DEC.,06
28	West Bengal	554	68	354	46	908	114	DEC.,06
29	A & N Islands	4	0	3	1	7	1	DEC.,06
30	Chandigarh	..	..	..	..	..	..	NR
31	D & N Haveli	0	0	0	0	0	0	DEC.,06
32	Daman & Diu	0	0	0	0	0	0	FEB.,APR., NOV.&DEC.,06 ONLY
33	Delhi	237	39	82	19	319	58	DEC.,06
34	Lakshadweep	4	0	3	0	7	0	DEC.,06
35	Puducherry	43	0	41	1	84	1	DEC.,06
<b>TOTAL</b>		<b>2032</b>	<b>193</b>	<b>1351</b>	<b>118</b>	<b>3397</b>	<b>311</b>	

Notes:

- Data is provisional and not comparable due to ill defined coverage
- .. Not Reported
- NR NOT RECEIVED
- The sum of male and female may not tally with the total figure as some States/Uts have not reported genderwise information separately.

Source: Monthly Health Condition Reports from Directorate of Health Services of States/Uts.

### 3.1.1.20 States/UTs wise Cases and Deaths Due to Syphilis in India 2006

S. No.	State/UT	Male		Female		Total		Reference Period up to
		Cases	Deaths	Cases	Deaths	Cases	Deaths	
1	2	3	4	5	6	7	8	
1	Andhra Pradesh	26352	0	17227	0	43579	0	DEC., EXCEPT AUG.,06
2	Arunachal Pradesh	164	2	139	1	303	3	DEC.,06
3	Assam	..	..	..	..	..	..	NR
4	Bihar	..	..	..	..	..	..	NR
5	Chhattisgarh	548	0	278	0	826	0	DEC. EXCEPT JAN.& SEPT.,06
6	Goa	0	0	1	0	1	0	DEC.,06
7	Gujarat	856	0	808	0	1664	0	DEC.,06
8	Haryana	295	1	396	0	691	1	DEC.,06
9	Himachal Pr.	11	0	29	0	40	0	DEC.,06
10	Jammu Div.	0	0	0	0	0	0	DEC.,06
	Kashmir Div.	38	0	27	0	65	0	DEC.,06
11	Jharkhand	7	0	52	0	59	0	DEC.,06
12	Karnataka	3127	0	2935	0	6062	0	DEC.,06
13	Kerala	20	0	18	0	38	0	DEC.,06
14	Madhya Pradesh	288	0	574	0	862	0	JULY,06
15	Maharashtra	404	0	419	0	823	0	DEC.,06
16	Manipur	19	0	2	0	21	0	DEC.,06
17	Meghalaya	41	0	35	0	76	0	DEC.,06
18	Mizoram	118	0	84	0	202	0	DEC.,06
19	Nagaland	0	0	0	0	0	0	JULY,06
20	Orissa	149	0	128	0	277	0	DEC.,06
21	Punjab	77	0	78	0	155	0	DEC.,06
22	Rajasthan	137	0	104	0	241	0	DEC.,06
23	Sikkim	15	0	16	0	31	0	DEC.,06
24	Tamil Nadu	..	..	..	..	1150	0	NOV.,06
25	Tripura	150	0	104	0	254	0	NOV.,06
26	Uttarakhand	40	0	25	0	65	0	DEC.,06
27	Uttar Pradesh	463	0	523	0	986	0	DEC.,06
28	West Bengal	..	..	..	..	..	..	NR
29	A & N Islands	0	0	0	0	0	0	DEC.,06
30	Chandigarh	..	..	..	..	..	..	NR
31	D & N Haveli	4	0	4	0	8	0	DEC.,06
32	Daman & Diu	0	0	0	0	0	0	FEB.,APR., NOV.&DEC.,06 ONLY
33	Delhi	27	2	12	0	39	2	DEC.,06
34	Lakshadweep	0	0	0	0	0	0	DEC.,06
35	Puducherry	40	0	13	0	53	0	DEC.,06
<b>TOTAL</b>		<b>33390</b>	<b>5</b>	<b>24031</b>	<b>1</b>	<b>58571</b>	<b>6</b>	

Notes:

- Data is provisional and not comparable due to ill defined coverage
- .. Not Reported
- NR NOT RECEIVED
- The sum of male and female may not tally with the total figure as some States/Uts have not reported genderwise information separately.

Source: Monthly Health Condition Reports from Directorate of Health Services of States/Uts.

### 3.1.1.21 States/UTs wise Cases and Deaths Due to Gonococcal Infection in India 2006

S. No.	State/UT	Male		Female		Total		Reference Period up to 8
		Cases 2	Deaths 3	Cases 4	Deaths 5	Cases 6	Deaths 7	
1	Andhra Pradesh	26571	3	55043	1	81614	4	DEC., EXCEPT AUG.,06
2	Arunachal Pradesh	10	0	8	0	18	0	DEC., 06
3	Assam	..	..	..	..	..	..	NR
4	Bihar	..	..	..	..	..	..	NR
5	Chhattisgarh	822	0	792	0	1614	0	DEC. EXCEPT JAN.& SEPT.,06
6	Goa	1	0	5	0	6	0	DEC.,06
7	Gujarat	446	0	589	0	1035	0	DEC.,06
8	Haryana	294	0	1386	0	1680	0	DEC.,06
9	Himachal Pr.	319	0	865	0	1184	0	DEC.,06
10	Jammu Div.	0	0	0	0	0	0	DEC.,06
	Kashmir Div.	0	0	9327	0	9327	0	DEC.,06
11	Jharkhand	47	0	179	0	226	0	DEC.,06
12	Karnataka	4718	1	6019	1	10737	2	DEC.,06
13	Kerala	89	0	231	0	320	0	DEC.,06
14	Madhya Pradesh	375	1	1835	0	2210	1	JULY,06
15	Maharashtra	618	0	784	0	1402	0	DEC.,06
16	Manipur	29	0	178	0	207	0	DEC.,06
17	Meghalaya	17	0	16	0	33	0	DEC.,06
18	Mizoram	160	0	105	0	265	0	DEC.,06
19	Nagaland	4	0	5	0	9	0	JULY,06
20	Orissa	294	0	409	0	703	0	DEC.,06
21	Punjab	58	0	101	0	159	0	DEC.,06
22	Rajasthan	256	0	858	0	1114	0	DEC.,06
23	Sikkim	12	0	41	0	53	0	DEC.,06
24	Tamil Nadu	..	..	..	..	2486	0	NOV.,06
25	Tripura	453	0	450	0	903	0	NOV.,06
26	Uttarakhand	119	0	1205	2	1324	2	DEC.,06
27	Uttar Pradesh	619	0	5100	0	5719	0	DEC.,06
28	West Bengal	..	..	..	..	..	..	NR
29	A & N Islands	0	0	0	0	0	0	DEC.,06
30	Chandigarh	..	..	..	..	..	..	NR
31	D & N Haveli	87	0	400	0	487	0	DEC.,06
32	Daman & Diu	0	0	0	0	0	0	FEB.,APR., NOV.&DEC.,06 ONLY
33	Delhi	19	0	177	0	196	0	DEC.,06
34	Lakshadweep	0	0	0	0	0	0	DEC.,06
35	Puducherry	21	0	116	0	128	0	DEC.,06
<b>TOTAL</b>		<b>36458</b>	<b>5</b>	<b>86224</b>	<b>4</b>	<b>125159</b>	<b>9</b>	

Notes:

- Data is provisional and not comparable due to ill defined coverage
- .. Not Reported
- NR NOT RECEIVED
- The sum of male and female may not tally with the total figure as some States/Uts have not reported genderwise information separately.

Source: Monthly Health Condition Reports from Directorate of Health Services of States/Uts.

### 3.1.1.22 States/UTs wise Cases and Deaths Due to Pulmonary Tuberculosis in India 2006

S. No.	State/UT	Male		Female		Total		Reference Period up to 8
		Cases 2	Deaths 3	Cases 4	Deaths 5	Cases 6	Deaths 7	
1	Andhra Pradesh	84794	873	57263	311	142057	1184	DEC., EXCEPT AUG.,06
2	Arunachal Pradesh	898	14	695	24	1593	38	DEC., 06
3	Assam	..	..	..	..	..	..	NR
4	Bihar	..	..	..	..	..	..	NR
5	Chhattisgarh	5703	11	2986	1	8689	12	DEC. EXCEPT JAN.& SEPT.,06
6	Goa	1259	0	969	0	2228	0	DEC.,06
7	Gujarat	24152	163	17578	75	41730	238	DEC.,06
8	Haryana	20532	157	13195	70	29900	227	DEC.,06
9	Himachal Pr.	9526	93	5179	47	14705	140	DEC.,06
10	Jammu Div.	789	0	381	0	1849	28	DEC.,06
	Kashmir Div.	296	0	201	0	497	0	DEC.,06
11	Jharkhand	8116	3	7400	2	15516	5	DEC.,06
12	Karnataka	46572	502	30115	243	76687	745	DEC.,06
13	Kerala	9522	152	4318	29	13840	181	DEC.,06
14	Madhya Pradesh	11390	86	7476	46	18866	132	JULY,06
15	Maharashtra	28637	545	24361	250	52998	795	DEC.,06
16	Manipur	300	15	182	5	482	20	DEC.,06
17	Meghalaya	969	20	931	9	1900	29	DEC.,06
18	Mizoram	589	16	347	12	936	28	DEC.,06
19	Nagaland	525	0	313	0	838	0	JULY,06
20	Orissa	7618	123	3825	55	11443	178	DEC.,06
21	Punjab	12730	78	7882	28	20612	106	DEC.,06
22	Rajasthan	49042	516	22138	179	71180	695	DEC.,06
23	Sikkim	1203	22	952	14	2155	36	DEC.,06
24	Tamil Nadu	..	..	..	..	28979	73	NOV.,06
25	Tripura	644	20	327	7	971	27	NOV.,06
26	Uttarakhand	2344	4	1178	4	3522	8	DEC.,06
27	Uttar Pradesh	70711	103	39187	58	109898	161	DEC.,06
28	West Bengal	57265	570	32011	250	89276	820	DEC.,06
29	A & N Islands	1955	4	943	6	2898	10	DEC.,06
30	Chandigarh	..	..	..	..	..	..	NR
31	D & N Haveli	1048	22	496	14	1544	36	DEC.,06
32	Daman & Diu	19	2	6	1	25	3	FEB.,APR., NOV.&DEC.,06 ONLY
33	Delhi	8771	667	4773	326	13544	993	DEC.,06
34	Lakshadweep	20	0	19	0	39	0	DEC.,06
35	Puducherry	5204	102	2534	23	7738	125	DEC.,06
<b>TOTAL</b>		<b>473143</b>	<b>4883</b>	<b>290161</b>	<b>2089</b>	<b>789135</b>	<b>7073</b>	

Notes:

- Data is provisional and not comparable due to ill defined coverage
- .. Not Reported
- NR NOT RECEIVED
- The sum of male and female may not tally with the total figure as some States/Uts have not reported genderwise information separately.

Source: Monthly Health Condition Reports from Directorate of Health Services of States/Uts.

### 3.1.1.23 States/UTs wise Observed HIV Prevalence Levels in India 1998 - 2005

S. No.	State/UT	Number of sites in 2005	HIV Prevalence Levels							
			1998 (%) (180 sites)	1999 (%) (180 sites)	2000 (%) (232 sites)	2001 (%) (320 sites)	2002 (%) (384 sites)	2003 (%) (455 sites)	2004 (%) (670 sites)	2005 (%) (750 sites)
1	2	3	4	5	6	7	8	9	10	
1	Andhra Pradesh	STD 11	24.90	29.50	30.00	26.60	30.40	19.60	16.40	22.80
		ANC 23	2.25	2.60	2.00	1.50	1.25	1.25	2.25	2.00
2	Arunachal Pradesh	STD 3	0.00	0.00	0.10	0.00	0.00	0.00	0.00	0.00
		ANC 2	0.40	0.00	0.00	0.00	0.00	0.38	0.17	0.43
3	Assam	STD 5	2.10	2.40	0.61	1.49	0.75	1.20	0.80	0.89
		ANC 3	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	Bihar	STD 7	1.35	0.60	0.50	1.20	1.60	0.40	1.20	0.00
		ANC 6	0.00	0.00	0.10	0.13	0.25	0.00	0.00	0.00
5	Chattisgarh	STD 3	-	-	-	1.40	0.80	2.27	2.53	3.00
		ANC 5	-	-	-	0.33	0.25	1.00	0.00	0.25
6	Delhi	STD 4	1.60	0.80	3.26	4.65	3.23	3.23	7.98	9.15
		ANC 4	0.25	0.30	0.25	0.13	0.25	0.25	0.38	0.25
7	Goa	STD 2	19.40	13.50	12.02	15.00	11.29	14.30	15.77	13.80
		ANC 2	1.20	0.80	1.17	0.50	1.38	0.50	1.13	0.00
8	Gujarat	STD 8	2.50	6.70	4.65	4.14	6.17	4.50	3.60	2.00
		ANC 7	0.00	0.40	0.50	0.50	0.38	0.40	0.13	0.25
9	Haryana	STD 5	2.60	5.30	2.75	1.08	1.14	1.20	0.93	1.30
		ANC 3	0.00	0.00	0.00	0.41	0.38	0.25	0.00	0.13
10	Himachal Pradesh	STD 4	2.00	0.40	0.40	0.26	0.40	0.80	0.00	0.20
		ANC 6	0.36	0.30	0.89	0.13	0.00	0.00	0.13	0.13
11	Jammu & Kashmir	STD 2	1.83	1.20	0.40	0.80	0.95	1.86	0.20	0.00
		ANC 3	0.00	0.00	0.12	0.25	0.08	0.00	0.08	0.00
12	Jharkhand	STD 4	-	-	-	0.25	0.13	0.13	0.00	0.00
		ANC 5	-	-	-	0.08	0.00	0.00	0.00	0.13
13	Karnataka	STD 7	16.70	15.50	12.80	16.40	13.60	10.40	12.00	13.60
		ANC 27	1.75	1.00	1.68	1.13	1.75	1.25	1.25	1.25
14	Kerala	STD 2	2.60	3.20	5.20	6.42	2.45	2.45	2.78	2.82
		ANC4	0.10	0.00	0.00	0.08	0.38	0.38	0.33	0.25
15	Madhya Pradesh	STD 9	3.50	0.20	1.60	2.69	2.35	1.20	1.80	0.47
		ANC13	0.00	0.30	0.12	0.25	0.00	0.00	0.25	0.25
16	Maharashtra	STD 11	16.00	20.00	18.40	9.20	7.60	10.00	10.40	10.40
		ANC 39	2.00	2.10	1.12	1.38	1.25	1.25	1.25	1.25
16.1	Mumbai	STD 3			33.33	21.06	14.84	18.40	15.65	16.00
		ANC 6			2.00	2.25	0.75	1.25	1.12	1.00
17	Manipur	STD 2	4.15	12.00	11.60	10.50	9.60	13.00	7.20	12.20
		ANC 10	0.75	2.30	0.75	1.75	1.12	1.25	1.50	1.25
18	Meghalaya	STD 2	0.13	0.30	0.00	0.00	0.90	0.25	0.00	0.00
		ANC 1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
19	Mizoram	STD 2	1.49	0.76	2.00	2.20	2.60	3.80	1.00	3.00
		ANC 4	0.48	0.48	0.37	0.33	1.50	1.38	1.25	0.88
20	Nagaland	STD1	11.10	4.40	6.90	7.40	2.42	0.90	1.70	3.48
		ANC8	0.70	1.30	1.35	1.25	1.25	1.25	1.43	1.63
21	Orissa	STD 7	2.86	1.20	2.60	0.80	0.80	2.40	2.80	4.00
		ANC5	0.00	0.10	0.27	0.25	0.25	0.00	0.50	0.25

contd.

S. No	State/UT	Number of sites in 2005	HIV Prevalence Levels							
			1998 (%) (180 sites)	1999 (%) (180 sites)	2000 (%) (232 sites)	2001 (%) (320 sites)	2002 (%) (384 sites)	2003 (%) (455 sites)	2004 (%) (670 sites)	2005 (%) (750 sites)
1	2	3	4	5	6	7	8	9	10	
22	Punjab	STD 3	0.00	2.00	0.80	1.61	1.60	1.60	1.09	0.80
		ANC 4	0.00	0.40	0.00	0.40	0.49	0.00	0.25	0.13
23	Rajasthan	STD 7	5.20	3.20	2.84	4.00	6.00	3.70	2.92	5.60
		ANC 6	0.00	0.30	0.25	0.00	0.50	0.13	0.00	0.13
24	Sikkim	STD 1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.86
		ANC 1	0.13	0.10	0.00	0.00	0.13	0.13	0.00	0.25
25	Tamil Nadu	STD 11	16.30	10.40	16.80	12.60	14.70	9.20	8.40	9.20
		ANC 35	1.00	1.00	1.00	1.13	0.88	0.75	0.50	0.50
26	Tripura	STD 3	0.00	0.80	1.34	3.20	1.40	0.00	0.00	0.80
		ANC 1	-	-	-	0.25	0.00	0.00	0.30	0.00
27	Uttar Pradesh	STD 17	1.60	0.60	1.80	0.90	0.80	0.55	0.80	0.40
		ANC 16	0.24	0.00	0.12	0.00	0.25	0.00	0.25	0.00
28	Uttarakhand	STD 4			-	0.40	0.26	0.00	0.37	0.00
		ANC 3			-	0.00	0.23	0.00	0.00	0.00
29	West Bengal	STD 14	0.40	1.40	1.96	0.60	0.47	1.45	0.88	2.16
		ANC 9	0.62	0.10	0.50	0.13	0.00	0.50	0.50	0.84
30	A & N Islands	STD 2	1.20	0.40	1.20	1.20	2.60	1.60	1.60	0.40
		ANC 2	0.00	0.00	0.25	0.16	0.00	0.50	0.00	0.00
31	Chandigarh	STD 2	2.95	1.80	3.35	3.78	0.80	1.66	1.80	1.00
		ANC 1	0.47	0.80	0.00	0.00	0.25	0.50	0.50	0.00
32	D & N Haveli	STD 0	0.00	0.00	-	-	-	-	0.00	0.00
		ANC 1	0.00	0.00	0.00	0.25	1.00	0.13	0.00	0.30
33	Daman & Diu	STD 0	0.00	0.00	-	-	-	-	0.00	0.00
		ANC 2	0.13	0.00	0.00	0.25	0.22	0.50	0.38	0.13
34	Lakshadweep	STD 1	0.00	0.00	0.00	-	0.00	0.00	0.00	0.00
		ANC 2	0.60	0.00	0.00	-	0.00	0.00	0.00	0.00
35	Puducherry	STD 3	7.20	5.80	4.10	2.00	2.02	2.60	4.80	5.20
		ANC2	0.50	0.90	0.25	0.25	0.25	0.13	0.25	0.25

Notes:

- HIV Prevalence values in States with more than 3 sites are median values, while in States/UTs with 3 or less than 3 sites, the values are mean values.
- Sites with 75% coverage of desired sample size (STD: 250 & ANC:400) are included for analysis.

Source: National AIDS Control Organisation (Latest)

### 3.1.1.24 States/UTs wise Cases of AIDS in India 2006

S.No.	State/UT	AIDS Cases
1	<b>India</b>	<b>162257</b>
1	Andhra Pradesh	23648
2	Arunachal Pradesh	13
3	Assam	372
4	Bihar	155
5	Chattisgarh	0
6	Goa	671
7	Gujarat	7033
8	Haryana	789
9	Himachal Pradesh	302
10	Jammu & Kashmir	36
11	Jharkhand	258
12	Karnataka	4345
13	Kerala	1769
14	Madhya Pradesh	1894
15	Maharashtra	14325
16	Manipur	2946
17	Meghalaya	8
18	Mizoram	110
19	Nagaland	736
20	Orissa	725
21	Punjab	528
22	Rajasthan	1758
23	Sikkim	11
24	Tamil Nadu	58142
25	Tripura	5
26	Uttar Pradesh	1751
27	Uttarakhand	79
28	West Bengal	2397
29	A & N Islands	38
30	Chandigarh (UT)	2280
31	Dadra & Nagar Haveli	0
32	Daman & Diu	1
33	Delhi	2759
34	Lakshadweep	0
35	Puducherry	302
<b>Major Municipal Corporations</b>		
i	Ahmedabad M.C.	726
ii	Chennai M.C.	0
iii	Mumbai M.C	31345

Note:

- Data As on 31st December 2006

Source: National AIDS Control Organization

### 3.1.1.25 Performance of RNTCP Case Detection (2006, 1st - 3rd Qtr.), Smear Conversion (2005, 4th Qtr. - 2006, 2nd Qtr.) and Treatment Outcomes (2005, 1st - 3rd Qtr.)

S. No	State/UT	Population (in lakh) covered by RNTCP <sup>1</sup>	No.Of suspects examined	No.Of smear Positive patients diagnosed <sup>2</sup>	% of s+ve cases among suspects	% s+ve patients living in the district placed on dots	Total patients registered for treatment <sup>3</sup>	New smear positive patients registered for treatment	Success rate of new smear positive patients <sup>4</sup>
1	2	3	4	5	6	7	8	9	
1	Andaman & Nicobar	4	3070	275	9%	94%	668	192	79%
2	Andhra Pradesh	804	320232	49081	15%	90%	79234	32933	87%
3	Arunachal Pradesh	12	8413	1090	13%	89%	2005	724	89%
4	Assam	290	86226	14249	17%	91%	24595	10668	82%
5	Bihar	908	154630	20870	13%	89%	43570	13835	83%
6	Chandigarh	10	11208	1316	12%	90%	1799	614	85%
7	Chhattisgarh	229	81556	10190	12%	93%	21315	8235	86%
8	D & N Haveli	2	1208	148	12%	90%	295	117	65%
9	Daman & Diu	2	2256	149	7%	79%	213	73	93%
10	Delhi	161	121704	20053	16%	91%	37617	10861	87%
11	Goa	15	7736	832	11%	82%	1452	487	69%
12	Gujarat	548	259390	45559	18%	93%	60132	25102	86%
13	Haryana	230	123669	18210	15%	91%	27101	10320	83%
14	Himachal Pradesh	64	51014	6629	13%	90%	10464	3914	89%
15	Jammu & Kashmir	116	53182	3811	7%	92%	7823	2682	84%
16	Jharkhand	292	83806	13691	16%	90%	24731	10373	86%
17	Karnataka	561	254021	30399	12%	91%	48288	18895	79%
18	Kerala	336	171225	10597	6%	91%	18952	8196	84%
19	Lakshadweep	1	145	5	3%	100%	15	6	NA
20	Madhya Pradesh	668	197563	35121	18%	91%	56008	21928	83%
21	Maharashtra	1041	426554	56884	13%	93%	102831	39950	87%
22	Manipur	26	15591	1146	7%	97%	3593	913	85%
23	Meghalaya	25	8935	1408	16%	96%	2994	938	80%
24	Mizoram	10	6139	610	10%	94%	1476	424	92%
25	Nagaland	21	7361	863	12%	88%	2120	742	86%
26	Orissa	391	136425	19565	14%	90%	33700	14894	85%
27	Puducherry	10	11900	1158	10%	83%	1190	504	79%
28	Punjab	260	121037	16315	13%	92%	27294	10806	84%
29	Rajasthan	624	276262	55507	20%	89%	83546	31336	88%
30	Sikkim	6	5865	640	11%	88%	1148	403	87%
31	Tamil Nadu	653	473265	37916	8%	91%	66766	25495	84%
32	Tripura	34	8741	1164	13%	90%	1700	919	86%
33	Uttar Pradesh	1839	708728	103232	15%	91%	172078	70738	87%
34	Uttarakhand	92	46817	6144	13%	93%	9084	3407	86%
35	West Bengal	858	424995	51303	12%	92%	84271	38736	87%
<b>Total</b>		<b>11142</b>	<b>4670869</b>	<b>636130</b>	<b>14%</b>	<b>91%</b>	<b>1060068</b>	<b>420360</b>	<b>86%</b>

Notes:

- Projected population based on census population of 2001 is used for calculation of case-detection rate, 1 lakh=100,000 population
- Smear positive patients diagnosed include new smear positive cases and smear positive retreatment cases
- Total patients registered for treatment includes new sputum smear positive cases, new smear negative cases, new extra-pulmonary cases, smear positive retreatment cases and 'Others'
- Cure rate and success rate are not expected for states that began implementing RNTCP after 4th quarter 2004 Detailed state/district wise annual and quarterly performance reports available at [www.tbcindia.org](http://www.tbcindia.org)
- Detailed state/district wise annual and quarterly performance reports available at [www.tbcindia.org](http://www.tbcindia.org)

Source: Revised National TB Control Programme, MOHFW/GOI

### 3.1.1.26 States/UTs wise Leprosy Case Detection, Treatment & Discharge in India 2004-05

S. No.	State/UT	Estimated Population Mar. 2005	Total New Cases Detected	Cases Discharged as Cured	Cases on record under treatment	Prevalence Rate/10000 Population
1	2	3	4	5	6	
1	Andhra Pradesh	79742828	18751	28056	6323	0.79
2	Arunachal Pradesh	1196419	66	79	69	0.58
3	Assam	28530174	1227	1338	1182	0.41
4	Bihar	91482682	40395	68214	16532	1.81
5	Chattisgarh	22211571	13110	18034	7994	3.60
6	Goa	1420296	290	353	200	1.41
7	Gujarat	54832272	6900	10195	3651	0.67
8	Haryana	23244441	449	503	423	0.18
9	Himachal Pradesh	6480726	252	286	241	0.37
10	Jharkhand	29230570	19131	22944	7823	2.68
11	Jammu & Kashmir	11137008	298	316	348	0.31
12	Karnataka	56168678	7850	10671	4921	0.88
13	Kerala	33000375	1500	1845	1282	0.39
14	Madhya Pradesh	65825400	7626	11773	6182	0.94
15	Maharashtra	104892118	32618	45602	16513	1.57
16	Manipur	2650006	41	46	33	0.12
17	Meghalaya	2557409	27	17	42	0.16
18	Mizoram	985866	18	18	10	0.10
19	Nagaland	2414438	59	54	38	0.16
20	Orissa	38928689	20595	25652	8325	2.14
21	Punjab	26085912	1173	1344	1047	0.40
22	Rajasthan	62311437	1299	1594	1996	0.32
23	Sikkim	604794	39	53	26	0.43
24	Tamil Nadu	64786676	11244	14609	5503	0.85
25	Tripura	3381654	60	105	47	0.14
26	Uttar Pradesh	181864935	48010	76701	33884	1.86
27	Uttarakhand	9092469	1280	1656	850	0.93
28	West Bengal	85617760	20891	28607	18041	2.11
29	A & N Islands	391564	48	41	36	0.92
30	Chandigarh	1029430	289	294	285	2.77
31	Dadra & Nagar Haveli	264403	195	440	66	2.50
32	Daman & Diu	187911	2	3	2	0.11
33	Delhi	16006625	4221	5315	4958	3.10
34	Lakshadweep	64541	3	14	5	0.77
35	Puducherry	1048739	106	162	32	0.31
<b>Total</b>		<b>1109670816</b>	<b>260063</b>	<b>376934</b>	<b>148910</b>	<b>1.34</b>

Notes:

- Data for the period 1st April 2003 -31st March 2004
- All detected cases are initiated treatment with MDT

Source: National Leprosy Eradication Programme, 2005 (Latest)

### 3.1.1.27 State-wise Status of Chikungunya Fever in India, 2006

S. No.	State	No. of districts affected	Total fever cases/ Suspected Chikungunya fever cases	No. of samples sent to NIV/NICD	No. of confirmed cases	No. of deaths	
		1	2	3	4	5	6
1	Andhra Pradesh	23	77535	1224	248	0	
2	Karnataka	27	762026	5000	298	0	
3	Maharashtra	34	270116	5421	804	0	
4	Tamil Nadu*	35	64802	648	116	0	
5	Madhya Pradesh	21	60132	892	106	0	
6	Gujarat	25	75419	1088	225	0	
7	Kerala**	14	70731	235	43	0	
8	Rajasthan	1	102	44	24	0	
9	Puducherry	1	542	52	9	0	
10	Goa	2	287	75	2	0	
11	Orissa	13	6461	171	34	0	
12	West Bengal	1	0	0	21	0	
13	A&N Islands	2	1549	0	0	0	
14	Delhi	12	560	560	67	0	
<b>Total</b>		<b>211</b>	<b>1390262</b>	<b>15410</b>	<b>1997</b>	<b>0</b>	

Notes:

- Cases as reported by repective state up to 31.12.2006
- \* Out of total 40 administrative districts (Health)
- \*\* State of kerala reported 66554 suspeced Chikungunya cases on 7.11.06 and after two days state reported 67095 (541 suspected Chikungunya fever cases)

Source: National Vector Borne Disease Control Programme, MOHFW/GOI

### 3.1.2 Non Communicable Diseases

#### 3.1.2.1 Number of Estimated Cases of Coronary Heart Disease in India 2000 & 2005

S. No.	Age in years	2000			2005		
		Rural	Urban	Total	Rural	Urban	Total
1	2	3	4	5	6	7	
1	20-29	1799691	2711501	4511192	2012363	4138045	6150408
2	30-39	2854247	2635019	5489266	3383816	3869904	7253720
3	40-49	3342472	2776974	6119446	4217201	4116830	8334032
4	50-59	3590885	2288412	5879296	4544974	3171320	7716294
5	60-69	3153512	1888199	5041711	3849544	2582790	6432334
<b>Total</b>		<b>14740808</b>	<b>12300104</b>	<b>27040912</b>	<b>18007899</b>	<b>17878889</b>	<b>35886789</b>

Source: Centre for Chronic Disease Control, NCMH Background Papers-Burden of Disease in India, 2005 (Latest)

#### 3.1.2.2 Number of Estimated Cases of Diabetes in India 2000 & 2005

S. No.	Age in years	2000			2005		
		Rural	Urban	Total	Rural	Urban	Total
1	2	3	4	5	6	7	
1	20-29	549102	1003310	1552412	609128	1209725	1818853
2	30-39	1425108	2567970	3993077	1518041	3126311	4644352
3	40-49	2232090	3882005	6114095	2488845	4968478	7457323
4	50-59	2628455	4188171	6816626	2966586	5394860	8361446
5	60-69	2053095	2783100	4836195	2237319	3445602	5682920
6	70+	1100412	1401300	2501712	1267086	1807951	3075038
<b>Total</b>		<b>9988262</b>	<b>15825855</b>	<b>25814117</b>	<b>11087005</b>	<b>19952927</b>	<b>31039932</b>

Source: Centre for Chronic Disease Control, NCMH Background Papers-Burden of Disease in India, 2005 (Latest)

### 3.1.2.3 States/UTs wise Estimated Prevalence of Blindness in India 2004

S. No.	State/UT	Estimated prevalence per 1000 population				
		0-14 years 1	15-49 years 2	50+ years 3	Male 4	Female 5
	<b>India</b>	<b>0.1</b>	<b>0.6</b>	<b>77.3</b>	<b>10.2</b>	<b>12.2</b>
1	Andhra Pradesh	0.1	0.7	89.2	12.4	14.3
2	Arunachal Pradesh	0.2	1.2	209.1	19.3	23.8
3	Assam	0.3	1.4	236.9	26.1	31.5
4	Bihar	0.1	0.4	55.6	6.6	8.1
5	Chattisgarh	0.1	0.8	111.2	13.7	16.6
6	Goa	0.1	0.7	98.7	13.6	15.0
7	Gujarat	0.1	0.5	72.1	9.2	11.0
8	Haryana	0.2	0.9	133.8	15.8	20.0
9	Himachal Pradesh	0.1	0.4	43.7	6.3	6.8
10	Jammu & Kashmir	0.1	0.9	130.4	14.2	16.1
11	Jharkhand	0.1	0.7	100.6	11.9	14.7
12	Karnataka	0.2	0.8	107.9	15.5	18.0
13	Kerala	0.1	0.2	27.8	5.0	5.5
14	Madhya Pradesh	0.1	0.6	80.1	9.9	12.0
15	Maharashtra	0.1	0.4	57.0	8.2	9.8
16	Manipur	0.1	0.7	105.1	12.3	13.7
17	Meghalaya	0.05	0.4	73.4	6.6	7.3
18	Mizoram	0.1	0.4	70.3	6.8	7.8
19	Nagaland	0.1	0.5	91.1	9.0	10.8
20	Orissa	0.1	0.6	84.6	12.2	14.2
21	Punjab	0.1	0.5	63.5	8.5	10.6
22	Rajasthan	0.1	0.8	109.5	13.1	16.1
23	Sikkim	0.05	0.3	60.2	5.6	6.7
24	Tamilnadu	0.1	0.3	38.3	6.8	7.9
25	Tripura	0.1	0.4	56.6	6.8	7.7
26	Uttar Pradesh	0.1	0.5	66.3	7.9	9.9
27	Uttarakhand	0.04	0.3	39.5	4.7	5.9
28	West Bengal	0.1	0.5	76.2	10.1	12.3
29	A & N Islands	0.1	0.5	117.9	9.1	11.8
30	Chandigarh	0.1	0.4	94.1	8.2	11.0
31	D & N Haveli	0.1	0.5	89.6	8.5	9.4
32	Daman & Diu	0.1	0.5	80.8	9.6	10.5
33	Delhi	0.1	0.5	102.5	9.5	11.9
34	Lakshadweep	0.04	0.3	43.2	5.0	5.5
35	Puducherry	0.1	0.4	51.3	7.0	7.6

Note:

- Estimates are based on various surveys conducted by the National Programme for Control of Blindness (NPCB)

Source: Centre for Chronic Disease Control, NCMH Background Papers-Burden of Disease in India, 2005 (Latest)

### 3.1.2.4 States/UTs wise Estimated Incidences of Blindness in India 2004

S. No.	State/UT	Estimated number of new cases per year				
		0-14 years 1	15-49 years 2	50+ years 3	Male 4	Female 5
	<b>India</b>	<b>6396</b>	<b>57565</b>	<b>2068087</b>	<b>1002063</b>	<b>1129985</b>
1	Andhra Pradesh	453	4075	146404	70938	79994
2	Arunachal Pradesh	8	72	2574	1247	1407
3	Assam	165	1486	53399	25874	29177
4	Bihar	438	3946	141750	68683	77451
5	Chattisgarh	175	1571	56450	27352	30844
6	Goa	11	95	3430	1662	1874
7	Gujarat	306	2757	99058	47997	54125
8	Haryana	126	1134	40740	19740	22260
9	Himachal Pradesh	44	393	14104	6834	7706
10	Jammu & Kashmir	64	579	20789	10073	11359
11	Jharkhand	206	1857	66705	32321	36447
12	Karnataka	328	2953	106104	51411	57975
13	Kerala	200	1802	64728	31363	35367
14	Madhya Pradesh	339	3050	109577	53094	59872
15	Maharashtra	569	5121	183993	89151	100533
16	Manipur	17	151	5428	2630	2966
17	Meghalaya	16	146	5248	2543	2867
18	Mizoram	6	57	2058	997	11125
19	Nagaland	11	102	3655	1771	1997
20	Orissa	223	2003	71957	34866	39316
21	Punjab	147	1325	47600	23064	26008
22	Rajasthan	345	3103	111480	54016	6912
23	Sikkim	4	34	1207	558	659
24	Tamilnadu	383	3443	123689	59932	67582
25	Tripura	25	227	8152	3950	4454
26	Uttar Pradesh	1118	10060	361416	175119	197475
27	Uttarakhand	56	503	18069	8755	9873
28	West Bengal	498	4486	161177	78096	88066
29	A & N Islands	3	23	832	403	455
30	Chandigarh	6	53	1921	931	1049
31	D & N Haveli	1	11	411	199	225
32	Daman & Diu	1	8	301	146	164
33	Delhi	96	866	31129	15083	17009
34	Lakshadweep	0	4	153	74	84
35	Puducherry	7	67	2398	1162	1310
						2472

Note:

- Estimates are based on various surveys conducted by the National Programme for Control of Blindness (NPCB).

Source: Centre for Chronic Disease Control, NCMH Background Papers-Burden of Disease in India, 2005 (Latest)

### 3.1.2.5 Estimated Incidence of Common Cancers in India, 2004

S. No.	Site of Cancer	Incident Cases (%)	CIR/ $10^5$		ASR/ $10^5$		Ratio at Risk 0-74 years
			All Ages	35-64 years	All Ages	35-64 years	
1	2	3	4	5	6	7	
<b>Males</b>							
1	Oral Cavity	40700(10.9)	7.2	17.6	10.3	21.5	1:81
2	Lung	34983 (09.3)	6.2	9.8	9.4	15.2	1:85
3	Pharynx	31716 (08.5)	5.6	11.6	8.3	14.4	1:99
4	Oesophagus	24729(06.6)	4.4	9.7	6.6	11.9	1:123
5	Stomach	22222 (05.9)	3.9	7.9	5.8	9.9	1:137
<b>Females</b>							
6	Cervix	112609 (26.1)	21.3	57.4	28.5	70.7	1:32
7	Breast	90723(21.0)	17.1	39.7	22.8	53.1	1:40
8	Ovary	24246 (05.6)	4.6	9.8	6.2	13.2	1:144
9	Oral Cavity	22741 (05.3)	4.3	9.7	6.5	12.8	1:20
10	Oesophagus	17220(04.0)	3.3	6.8	5.0	8.7	1:163

Notes:

- CIR: Crude Incidence Rate
- ASR: Age Standardized Rate
- Oral Cavity includes lip, tongue, gum, floor of the mouth, cheek & palate
- Pharynx includes oro-, naso-& hypo pharynx
- Estimation of incidence rate of cancer for the entire country in the year 2004 was done by selecting registries on the basis of data quality & locations; selecting the same time window.

Source: Centre for Chronic Disease Control, NCMH Background Papers-Burden of Disease in India, 2005 (Latest)

### 3.1.2.6 States/UTs wise Cases and Deaths Due to Snake Bites in India, 2004

S. No.	State/UT	Male		Female		Total		Reference Period up to
		Cases	Deaths	Cases	Deaths	Cases	Deaths	
1	1	2	3	4	5	6	7	8
1	Andhra Pradesh	..	..	..	..	4737	22	JUNE,04
2	Arunachal Pradesh	..	..	..	..	..	..	NR
3	Assam	..	..	..	..	..	..	NR
4	Bihar	..	..	..	..	1633	193	DEC.,04
5	Chattisgarh	..	..	..	..	..	..	NR
6	Goa	723	2	383	1	1106	3	DEC.,04
7	Gujarat	1292	19	830	21	2122	40	DEC.,04
8	Haryana	416	13	172	6	588	19	DEC.,04
9	Himachal Pradesh	698	7	648	7	1346	14	DEC.,04
10	Jammu Div.	..	..	..	..	155	0	MAR,04
	Kashmir Div.	0	0	0	0	0	0	DEC.,04
11	Jharkhand	..	..	..	..	177	18	DEC.,04
12	Karnataka	4668	164	2801	97	7469	261	DEC.,04
13	Kerala	..	..	..	..	3405	28	DEC.,04
14	Madhya Pradesh	..	..	..	..	..	..	NR
15	Maharashtra	..	..	..	..	16171	104	DEC.,04
16	Manipur	0	0	0	0	0	0	DEC.,04
17	Meghalaya	0	0	0	0	0	0	MAR,04
18	Mizoram	46	0	22	0	68	0	DEC.,04
19	Nagaland	..	..	..	..	523	5	DEC.,04
20	Orissa	1077	37	665	40	1742	77	DEC.,04
21	Punjab	227	6	61	5	288	11	DEC.,04
22	Rajasthan	3762	80	2560	46	6322	126	DEC.,04
23	Sikkim	28	1	19	0	47	1	DEC.,04
24	Tamilnadu	..	..	..	..	16320	90	DEC.,04
25	Tripura	33	0	14	0	47	0	DEC.,04
26	Uttarakhand	86	6	110	7	196	13	DEC.,04
27	Uttar Pradesh	..	..	..	..	..	..	NR
28	West Bengal	..	..	..	..	15364	374	DEC.,04
29	A & N Islands	..	..	..	..	318	0	DEC.,04
30	Chandigarh	..	..	..	..	4	0	JUNE,04
31	D & N Haveli	225	5	235	3	460	8	DEC.,04
32	Daman & Diu	18	0	15	0	32	0	DEC.,04
33	Delhi	110	2	49	2	159	4	DEC.,04
34	Lakshadweep	0	0	0	0	0	0	DEC.,04
35	Puducherry	1465	10	812	2	2277	12	DEC.,04
	<b>TOTAL</b>	<b>14874</b>	<b>352</b>	<b>9396</b>	<b>237</b>	<b>83076</b>	<b>1423</b>	

Notes:

- Data is provisional and not comparable due to ill defined coverage
- .. NOT REPORTED
- NR NOT RECEIVED
- The sum of male and female may not tally with the total figure as some States/UTs have not reported genderwise information separately.

Source : Directorate of Health Services of States/UTs.

Contd...

### 3.1.2.6 States/UTs wise Cases and Deaths Due to Snake Bites in India, 2005

S. No.	State/UT	Male		Female		Total		Reference Period up to
		Cases 2	Deaths 3	Cases 4	Deaths 5	Cases 6	Deaths 7	
1								
1	Andhra Pradesh*	6524	65	3822	48	10346	113	DEC.,05
2	Arunachal Pradesh	..	..	..	..	..	..	NR
3	Assam	26	9	9	3	35	12	DEC.,05
4	Bihar	..	..	..	..	..	..	NR
5	Chattisgarh	260	21	218	11	478	32	DEC.,05
6	Goa	509	1	279	0	788	1	DEC.,05 EXCEPT JAN.
7	Gujarat	936	27	649	17	1585	44	DEC.,05 EXCEPT MAR.
8	Haryana	323	9	138	3	461	12	DEC.,05 EXCEPT JAN.TO MAR.
9	Himachal Pradesh	753	8	701	8	1454	16	DEC.,05 EXCEPT JAN.& FEB.
10	Jammu Div.*	..	..	..	..	1294	3	DEC.,05
	Kashmir Div.	0	0	0	0	10	3	MAY,05
11	Jharkhand	0	0	0	0	10	3	MAY,05
12	Karnataka	5119	168	2807	82	7926	250	DEC.,05
13	Kerala	..	..	..	..	2886	17	DEC.,05
14	Madhya Pradesh*	836	47	549	29	1385	76	DEC.,05
15	Maharashtra	..	..	..	..	20082	158	DEC.,05
16	Manipur	0	0	0	0	0	0	DEC.,05 EXCEPT OCT.
17	Meghalaya	0	0	0	0	0	0	MAY,05
18	Mizoram	48	0	24	0	107	0	DEC.,05
19	Nagaland	..	..	..	..	294	0	DEC.,05
20	Orissa	1688	49	1080	37	2768	86	DEC.,05
21	Punjab	283	17	82	5	365	22	DEC.,05
22	Rajasthan	2488	63	1853	39	4341	102	DEC.,05
23	Sikkim	41	1	25	0	66	1	DEC.,05
24	Tamilnadu	..	..	..	..	5613	51	MARCH,05
25	Tripura	34	1	16	0	50	1	DEC.,05
26	Uttarakhand	109	4	126	3	235	7	DEC.,05
27	Uttar Pradesh	..	..	..	..	..	..	NR
28	West Bengal	..	..	..	..	15243	460	DEC.,05
29	A & N Islands*	413	1	238	0	651	1	DEC.,05
30	Chandigarh	..	..	..	..	..	..	NR
31	D & N Haveli	315	4	381	1	696	5	DEC.,05 EXCEPT FEB.& APR.
32	Daman & Diu	22	0	14	0	36	0	NOV.,05 EXCEPT FEB.& MAR.
33	Delhi	79	7	31	0	110	7	DEC.,05 EXCEPT FEB.
34	Lakshadweep	..	..	..	..	..	..	NR
35	Puducherry	1435	11	871	8	2306	19	DEC.,05
<b>TOTAL</b>		<b>22241</b>	<b>513</b>	<b>13913</b>	<b>294</b>	<b>81621</b>	<b>1502</b>	

Notes:

- \* Based on Monthly Reports on non-communicable diseases.
- Data is provisional and not comparable due to ill defined coverage
- .. Not Reported
- NR NOT RECEIVED
- The sum of male and female may not tally with the total figure as some States/Uts. have not reported genderwise information separately.

Source : Directorate of Health Services of States/UTs.

Contd...

### 3.1.2.6 States/UTs wise Cases and Deaths Due to Snake Bites in India, 2006

S. No.	State/UT	Male		Female		Total		Reference Period up to
		Cases	Deaths	Cases	Deaths	Cases	Deaths	
1	2	3	4	5	6	7	8	
1	Andhra Pradesh*	3824	12	3170	5	6994	17	NOV.,06
2	Arunachal Pradesh	..	..	..	..	..	..	NR
3	Assam*	309	9	120	3	429	12	MARCH,06
4	Bihar	..	..	..	..	..	..	NR
5	Chhattisgarh	155	10	88	7	243	17	DEC,06
6	Goa	437	0	235	0	672	0	AUG.,06
7	Gujarat	660	17	557	12	1643	31	DEC.,06
8	Haryana*	518	10	283	5	801	15	DEC.,06
9	Himachal Pradesh*	554	4	626	11	1180	15	DEC.,06
10	Jammu Div.*	..	..	..	..	1072	0	DEC.,06
	Kashmir Div.	..	..	..	..	..	..	NR
11	Jharkhand*	136	6	100	8	236	14	AUG.,06
12	Karnataka	..	..	..	..	5338	193	DEC.,06 EXCEPT MAR.& AUG.
13	Kerala	..	..	..	..	3241	11	DEC.,06
14	Madhya Pradesh*	410	24	241	9	651	31	DEC.,06
15	Maharashtra	2102	7	1292	5	3394	12	APRIL,06
16	Manipur	1	0	0	0	1	0	DEC.,06 EXCEPT JAN.,APR.,MAY & Nov.
17	Meghalaya*	0	0	0	0	0	0	JULY,06
18	Mizoram*	73	0	21	0	94	0	DEC.,06
19	Nagaland*	..	..	..	..	284	0	JULY,06
20	Orissa	1977	65	1302	44	3279	109	DEC.,06
21	Punjab*	213	10	87	3	317	13	DEC.,06
22	Rajasthan	3764	88	2683	58	6447	146	DEC.,06
23	Sikkim*	32	0	26	1	58	1	DEC.,06
24	Tamil Nadu*	..	..	..	..	194	2	MAY,06
25	Tripura*	53	5	33	5	86	10	DEC.,06
26	Uttarakhand	172	10	146	5	318	15	DEC.,06
27	Uttar Pradesh	..	..	..	..	..	..	NR
28	West Bengal*	9202	221	5905	147	15107	368	OCT.,06
29	A & N Islands*	51	0	39	0	90	0	DEC.,06
30	Chandigarh	..	..	..	..	..	..	NR
31	D & N Haveli	340	3	401	1	761	25	DEC.,06
32	Daman & Diu	10	0	16	0	26	0	MAR.,APR.,AUG.TO DEC.,06 ONLY
33	Delhi	46	4	17	3	63	7	DEC.,06
34	Lakshadweep*	0	0	0	0	0	0	SEPT., 06
35	Puducherry*	1577	11	894	9	2471	20	DEC.,06
<b>TOTAL</b>		<b>26616</b>	<b>516</b>	<b>18282</b>	<b>341</b>	<b>55490</b>	<b>1086</b>	

Notes:

- \* Based on Monthly Reports on non-communicable diseases.
- Data is provisional and not comparable due to ill defined coverage
- .. Not Reported
- NR NOT RECEIVED
- The sum of male and female may not tally with the total figure as some States/Uts. have not reported genderwise information separately.

Source: Directorate of Health Services of States/UTs.

### 3.1.3 Incidence of Deaths due to Accidents in India 2001-2004

S. No.	Causes	No. of Deaths			
		2001 1	2002 2	2003 3	2004 4
1	<b>A. Natural Causes</b>	<b>36651</b>	<b>16723</b>	<b>14954</b>	<b>18937</b>
2	<b>B. Un-Natural Causes</b>	<b>234368</b>	<b>243399</b>	<b>244671</b>	<b>258326</b>
1.	Air-Crash	30	37	51	23
2.	Collapse of Structures	3119	2216	2376	2169
3.	Drowning	20739	19853	20960	21190
4.	Electrocution	5641	5361	6336	6224
5.	Explosions	575	636	722	601
6.	Falls	7446	7826	8800	8448
7.	Factory/Machine accidents	641	674	712	715
8.	Fire	22449	21004	19278	18445
9.	Fire Arms	2688	2597	1993	2283
10.	Sudden Deaths	15065	15230	16749	17413
11.	Killed by Animals	770	760	798	788
12.	Mines or quarry disaster	499	625	550	456
13.	Poisoning	24077	21886	21172	22035
14.	Stampede	30	44	83	31
15.	Suffocation	892	1481	1144	1218
16.	Traffic accidents	99516	101958	102951	111794
17.	Other Causes	14266	25801	27591	30409
18.	Causes Not Known	15925	15410	12405	14084
<b>Total (Natural+Unnatural)</b>		<b>271019</b>	<b>260122</b>	<b>259625</b>	<b>277263</b>

Source: National Crime Records Bureau, Ministry of Home Affairs (Latest)

## 3.2 Reproductive and Child Health

### 3.2.1 States/UTs wise Ante Natal Care in India

S. No.	State/UT	Maternity care (for births in the last 3 years)		
		Mothers who had at least 3 antenatal care visits for their last birth (%)	Mothers who consumed IFA for 90 days or more when they were pregnant with their last child (%)	Mothers who received postnatal care from a doctor/nurse/LHV/ANM/other health personnel within 2 days of delivery for their last birth (%)
1	2	3	4	
	<b>India</b>	<b>50.7</b>	<b>22.3</b>	<b>36.4</b>
1	Andhra Pradesh	86.0	39.3	69.8
2	Arunachal Pradesh	36.4	11.6	23.3
3	Assam	36.3	15.6	13.8
4	Bihar	16.9	9.7	15.3
5	Chattisgarh	54.7	21.8	25.3
6	Goa	95.0	72.0	78.4
7	Gujarat	64.9	35.7	54.0
8	Haryana	58.8	28.3	40.6
9	Himachal Pradesh	62.6	38.6	40.8
10	Jammu & Kashmir	74.2	27.5	48.0
11	Jharkhand	36.1	14.6	17.0
12	Karnataka	79.3	40.0	61.0
13	Kerala	93.9	77.3	87.7
14	Madhya Pradesh	40.2	11.8	27.9
15	Maharashtra	75.3	30.5	58.8
16	Manipur	70.1	13.9	49.1
17	Meghalaya	53.4	16.6	28.8
18	Mizoram	57.8	25.0	51.5
19	Nagaland	31.6	3.5	11.3
20	Orissa	60.9	32.8	38.3
21	Punjab	72.5	26.1	55.3
22	Rajasthan	41.2	12.8	28.9
23	Sikkim	69.4	39.4	48.5
24	Tamil Nadu	96.5	43.2	89.6
25	Tripura	58.7	18.6	26.7
26	Uttar Pradesh	26.3	8.7	14.2
27	Uttarakhand	44.8	26.2	30.2
28	West Bengal	62.4	24.3	37.8
29	A&N Island	N.A	N.A	N.A
30	Chandigarh	N.A	N.A	N.A
31	D & N Haveli	N.A	N.A	N.A
32	Daman & Diu	N.A	N.A	N.A
33	Delhi	74.4	38.3	50.4
34	Lakshadweep	N.A	N.A	N.A
35	Puducherry	N.A	N.A	N.A

Note:

N.A Not Available

Source: National Family Health Survey-III (2005-06)

### 3.2.2 States/UTs wise Percentage of Deliveries Attended by Trained Personnel in India

S. No.	State/UT	Maternity care (for births in the last 3 years)	
		Births assisted by a doctor/nurse/LHV/ ANM/other health personnel (%)	Institutional births (%)
		1	2
	<b>India</b>	<b>48.2</b>	<b>40.7</b>
1	Andhra Pradesh	74.2	68.6
2	Arunachal Pradesh	33.4	30.8
3	Assam	31.2	22.7
4	Bihar	30.9	22.0
5	Chattisgarh	44.3	15.7
6	Goa	94.3	92.6
7	Gujarat	64.7	54.6
8	Haryana	54.2	39.4
9	Himachal Pradesh	50.2	45.3
10	Jammu & Kashmir	60.5	54.3
11	Jharkhand	28.7	19.2
12	Karnataka	71.3	66.9
13	Kerala	99.7	99.5
14	Madhya Pradesh	37.1	29.7
15	Maharashtra	70.7	66.1
16	Manipur	61.7	49.3
17	Meghalaya	31.7	29.7
18	Mizoram	69.4	64.6
19	Nagaland	25.9	12.2
20	Orissa	46.4	38.7
21	Punjab	68.6	52.5
22	Rajasthan	43.2	32.2
23	Sikkim	55.8	49.0
24	Tamil Nadu	93.2	90.4
25	Tripura	50.0	48.9
26	Uttar Pradesh	29.2	22.0
27	Uttarakhand	41.5	36.0
28	West Bengal	45.7	43.1
29	A&N Island	N.A	N.A
30	Chandigarh	N.A	N.A
31	D & N Haveli	N.A	N.A
32	Daman & Diu	N.A	N.A
33	Delhi	65.1	60.7
34	Lakshadweep	N.A	N.A
35	Puducherry	N.A	N.A

Note:

N.A Not Available

Source: National Family Health Survey-III (2005-06)

### 3.2.3 States/UTs wise Percentage of Couples using Contraceptives in India

S. No.	State/UT	Family Planning (currently married women, age 15-49)						
		Any method (%)	Any modern method (%)	Female sterilization (%)	Male sterilization (%)	IUD (%)	Pill (%)	Condom (%)
1	2	3	4	5	6	7	8	
	<b>India</b>	<b>56.3</b>	<b>48.5</b>	<b>37.3</b>	<b>1.0</b>	<b>1.8</b>	<b>3.1</b>	<b>5.3</b>
1	Andhra Pradesh	67.7	67.0	62.9	3.0	0.5	0.3	0.5
2	Arunachal Pradesh	43.2	37.3	22.5	0.1	3.6	8.3	2.9
3	Assam	56.5	27.0	13.0	0.2	1.3	10.3	2.4
4	Bihar	34.1	28.8	23.8	0.6	0.6	1.3	2.3
5	Chattisgarh	53.2	49.1	40.7	3.5	0.8	1.4	2.9
6	Goa	48.2	37.2	25.8	0.1	2.3	1.5	7.8
7	Gujarat	66.6	56.5	42.9	0.6	4.5	2.6	6.0
8	Haryana	63.4	58.2	38.2	0.7	4.7	2.8	11.8
9	Himachal Pradesh	72.6	71.0	49.0	6.3	1.5	2.8	11.7
10	Jammu & Kashmir	52.6	44.9	26.3	2.6	2.7	4.7	8.1
11	Jharkhand	35.7	31.1	23.4	0.4	0.6	3.8	2.8
12	Karnataka	63.6	62.5	57.4	0.2	3.1	1.1	2.1
13	Kerala	68.6	57.9	48.7	1.0	2.3	0.5	5.8
14	Madhya Pradesh	55.9	52.8	44.3	1.3	0.7	1.7	4.9
15	Maharashtra	66.9	64.9	51.1	2.1	3.1	2.5	6.4
16	Manipur	48.7	23.5	8.1	0.5	5.4	5.3	4.2
17	Meghalaya	24.3	18.5	9.5	0.1	1.5	4.9	2.5
18	Mizoram	59.9	59.6	42.9	0.0	4.9	10.6	1.7
19	Nagaland	29.7	22.5	9.9	0.0	5.2	4.7	2.8
20	Orissa	50.7	44.6	33.1	1.0	0.6	7.0	3.2
21	Punjab	63.3	56.0	30.8	1.2	5.5	2.9	15.5
22	Rajasthan	47.2	44.4	34.2	0.8	1.6	2.0	5.8
23	Sikkim	57.6	48.7	21.2	4.5	3.1	12.8	4.2
24	Tamil Nadu	61.4	60.0	55.0	0.4	2.1	0.2	2.3
25	Tripura	44.9	17.6	0.5	1.0	22.0	3.5	N.A
26	Uttar Pradesh	43.6	29.3	17.3	0.2	1.4	1.7	8.7
27	Uttarakhand	59.3	55.5	32.1	1.8	1.5	4.2	15.7
28	West Bengal	71.2	49.9	32.2	0.7	0.6	11.7	4.5
29	A&N Island	N.A	N.A	N.A	N.A	N.A	N.A	N.A
30	Chandigarh	N.A	N.A	N.A	N.A	N.A	N.A	N.A
31	D & N Haveli	N.A	N.A	N.A	N.A	N.A	N.A	N.A
32	Daman & Diu	N.A	N.A	N.A	N.A	N.A	N.A	N.A
33	Delhi	66.9	56.4	23.0	0.8	5.0	4.5	23.3
34	Lakshadweep	N.A	N.A	N.A	N.A	N.A	N.A	N.A
35	Puducherry	N.A	N.A	N.A	N.A	N.A	N.A	N.A

Note:

N.A Not Available

Source: National Family Health Survey-III (2005-06)

### 3.2.4 States/UTs wise Percentage of Children Immunized In India

S. No.	States/UT	Child Immunization and Vitamin A Supplementation					
		Children 12-23 months fully immunized (BCG, measles, and 3 doses each of polio/DPT) (%)	Children 12-23 months who have received BCG (%)	Children 12-23 months who have received 3 doses of polio vaccine (%)	Children 12-23 months who have received 3 doses of DPT vaccine (%)	Children 12-23 months who have received measles vaccine (%)	Children are 12-35 months who received a vitamin A dose in last 6 months (%)
1	2	3	4	5	6	7	
	<b>India</b>	<b>43.5</b>	<b>78.2</b>	<b>78.2</b>	<b>55.3</b>	<b>58.8</b>	<b>21.0</b>
1	Andhra Pradesh	46.0	92.9	79.2	61.4	69.4	21.4
2	Arunachal Pradesh	28.4	57.7	55.8	39.3	38.3	17.4
3	Assam	31.6	62.6	59.2	45.1	37.5	16.6
4	Bihar	32.8	64.7	82.4	46.1	40.4	29.4
5	Chattisgarh	48.7	84.6	85.1	62.8	62.5	12.7
6	Goa	78.6	96.8	87.2	87.5	91.2	37.3
7	Gujarat	45.2	86.4	65.3	61.4	65.7	17.1
8	Haryana	65.3	84.9	82.8	74.2	75.5	13.0
9	Himachal Pradesh	74.2	97.2	88.6	85.1	86.3	28.9
10	Jammu & Kashmir	66.7	90.9	82.2	84.5	78.3	15.2
11	Jharkhand	34.5	72.9	79.6	40.3	48.0	23.3
12	Karnataka	55.0	87.8	73.8	74.0	72.0	17.1
13	Kerala	75.3	96.3	83.1	84.0	82.1	38.2
14	Madhya Pradesh	40.3	80.5	75.6	49.8	61.4	16.1
15	Maharashtra	58.8	95.3	73.4	76.1	84.7	32.0
16	Manipur	46.8	80.0	77.5	61.2	52.8	15.4
17	Meghalaya	32.8	66.3	56.9	47.6	43.8	19.9
18	Mizoram	46.4	87.4	63.2	66.6	68.7	42.2
19	Nagaland	21.0	45.9	46.4	28.8	27.4	8.7
20	Orissa	51.8	83.6	65.1	67.9	66.5	25.6
21	Punjab	60.1	88.0	75.9	70.5	78.0	17.0
22	Rajasthan	26.5	68.5	65.2	38.7	42.7	13.2
23	Sikkim	69.6	95.9	85.6	84.3	83.1	21.8
24	Tamil Nadu	80.8	99.5	87.8	95.7	92.4	37.2
25	Tripura	49.7	81.1	65.3	60.2	59.9	38.0
26	Uttar Pradesh	22.9	61.0	87.5	30.0	37.5	7.3
27	Uttarakhand	60.0	83.5	80.3	67.1	71.6	15.6
28	West Bengal	64.3	90.1	80.7	71.5	74.7	41.2
29	A&N Island	N.A	N.A	N.A	N.A	N.A	N.A
30	Chandigarh	N.A	N.A	N.A	N.A	N.A	N.A
31	D & N Haveli	N.A	N.A	N.A	N.A	N.A	N.A
32	Daman & Diu	N.A	N.A	N.A	N.A	N.A	N.A
33	Delhi	63.2	87.0	79.1	71.7	78.2	17.1
34	Lakshadweep	N.A	N.A	N.A	N.A	N.A	N.A
35	Puducherry	N.A	N.A	N.A	N.A	N.A	N.A

Note:

N.A Not Available

Source: National Family Health Survey-III (2005-06)

### 3.2.5 States/UTs wise Percentage of Children Breastfed in India and their Nutritional Status

S. No.	State/UT	Child Feeding Practices and Nutritional Status of Children					
		Children under 3 years breastfed within one hour of birth (%)	Children age 0-5 months exclusively breastfed (%)	Children age 6-9 months receiving solid or semi-solid food and breastmilk (%)	Children under 3 years who are stunted (%)	Children under 3 years who are wasted (%)	Children under 3 years who are underweight (%)
		1	2	3	4	5	6
	<b>India</b>	<b>23.4</b>	<b>46.3</b>	<b>55.8</b>	<b>38.4</b>	<b>19.1</b>	<b>45.9</b>
1	Andhra Pradesh	22.4	62.7	63.7	33.9	12.7	36.5
2	Arunachal Pradesh	55.0	60.0	77.6	34.2	16.5	36.9
3	Assam	50.6	63.1	59.6	34.8	13.1	40.4
4	Bihar	4.0	27.9	57.3	42.3	27.7	58.4
5	Chattisgarh	24.5	82.0	54.5	45.4	17.9	52.1
6	Goa	59.7	17.7	69.8	21.3	12.1	29.3
7	Gujarat	27.1	47.8	57.1	42.4	17.0	47.4
8	Haryana	22.3	16.9	44.8	35.9	16.7	41.9
9	Himachal Pradesh	43.4	27.1	66.0	26.6	18.8	36.2
10	Jammu & Kashmir	31.9	42.3	58.3	27.6	15.4	29.4
11	Jharkhand	10.9	57.8	65.3	41.0	31.1	59.2
12	Karnataka	35.6	58.0	72.5	38.0	17.9	41.1
13	Kerala	55.4	56.2	93.6	21.1	16.1	28.8
14	Madhya Pradesh	14.9	21.6	51.9	39.9	33.3	60.3
15	Maharashtra	51.8	53.0	47.8	37.9	14.6	39.7
16	Manipur	57.2	61.7	78.1	24.7	8.3	23.8
17	Meghalaya	58.6	26.3	76.3	41.7	28.2	46.3
18	Mizoram	65.4	46.1	84.6	30.1	9.2	21.6
19	Nagaland	51.5	29.2	71.0	30.3	14.6	29.7
20	Orissa	54.3	50.2	67.5	38.3	18.5	44.0
21	Punjab	10.3	36.0	50.0	27.9	9.0	27.0
22	Rajasthan	13.3	33.2	38.7	33.7	19.7	44.0
23	Sikkim	43.3	37.2	89.6	28.9	13.1	22.6
24	Tamil Nadu	55.3	33.3	77.9	25.1	21.5	33.2
25	Tripura	33.1	36.1	59.8	30.0	19.9	39.0
26	Uttar Pradesh	7.2	51.3	45.5	46.0	13.5	47.3
27	Uttarakhand	32.9	31.2	51.6	31.9	16.2	38.0
28	West Bengal	23.7	58.6	55.9	33.0	19.0	43.5
29	A&N Island	N.A	N.A	N.A	N.A	N.A	N.A
30	Chandigarh	N.A	N.A	N.A	N.A	N.A	N.A
31	D & N Haveli	N.A	N.A	N.A	N.A	N.A	N.A
32	Daman & Diu	N.A	N.A	N.A	N.A	N.A	N.A
33	Delhi	19.3	34.5	59.8	35.4	15.5	33.1
34	Lakshadweep	N.A	N.A	N.A	N.A	N.A	N.A
35	Puducherry	N.A	N.A	N.A	N.A	N.A	N.A

Note:

N.A Not Available

Source: National Family Health Survey-III (2005-06)

### 3.2.6 States/UTs wise Percentage of Anaemia among Children and Adults in India

S. No.	State/UT	Nutritional Status of Ever-Married Adults (Age 15-49)					Anaemia among Children and Adults			
		Women whose Body Mass Index is below normal (%)	Men whose Body Index is below normal (%)	Women who are overweight or obese (%)	Men who are overweight or obese (%)	Children age 6-35 months who are anaemic (%)	Ever-married women age 15-49 who are anaemic (%)	Pregnant women age 15-49 who are anaemic (%)	Ever-married men age 15- 49 who are anaemic (%)	
		1	2	3	4	5	6	7	8	9
	<b>India</b>	<b>33.0</b>	<b>28.1</b>	<b>14.8</b>	<b>12.1</b>	<b>79.1</b>	<b>56.1</b>	<b>57.8</b>	<b>24.3</b>	
1	Andhra Pradesh	30.8	24.8	17.7	17.6	79.0	62.0	56.4	22.6	
2	Arunachal Pradesh	15.5	13.6	10.5	10.6	66.3	48.9	49.2	27.4	
3	Assam	36.5	33.4	9.0	6.7	76.7	69.0	72.0	44.6	
4	Bihar	43.0	28.7	5.3	8.5	87.6	68.3	60.2	32.6	
5	Chattisgarh	41.0	31.8	6.7	6.5	81.0	57.6	63.1	26.4	
6	Goa	20.5	16.8	27.0	20.8	49.3	38.9	36.9	12.9	
7	Gujarat	32.3	28.2	20.3	15.4	80.1	55.5	60.8	22.1	
8	Haryana	27.8	26.8	21.0	14.4	82.5	56.5	69.7	17.6	
9	Himachal Pradesh	24.3	19.8	17.3	16.0	58.8	40.9	37.0	12.9	
10	Jammu & Kashmir	21.3	19.9	22.7	8.7	68.1	53.1	54.0	17.9	
11	Jharkhand	42.6	33.4	5.9	5.3	77.7	70.4	68.4	37.4	
12	Karnataka	31.4	25.5	18.1	14.0	82.7	50.3	59.5	18.1	
13	Kerala	12.5	11.9	34.0	24.3	55.7	32.3	33.1	7.1	
14	Madhya Pradesh	40.1	36.3	8.6	5.4	82.6	57.6	57.9	24.4	
15	Maharashtra	32.6	24.9	17.1	15.9	71.9	49.0	57.8	16.2	
16	Manipur	13.9	12.2	17.6	13.4	52.8	39.3	36.4	14.1	
17	Meghalaya	13.7	8.0	7.1	8.2	68.7	45.4	56.1	34.2	
18	Mizoram	15.3	6.0	12.0	16.9	51.7	38.2	49.3	19.5	
19	Nagaland	15.9	10.8	8.9	8.4	N.A	N.A	N.A	N.A	
20	Orissa	40.5	32.1	7.6	6.9	74.2	62.8	68.1	37.0	
21	Punjab	13.5	12.0	37.5	30.3	80.2	38.4	41.6	12.6	
22	Rajasthan	33.6	33.8	10.2	8.4	79.6	53.1	61.2	20.5	
23	Sikkim	9.6	7.2	19.5	17.3	56.9	46.8	53.1	18.1	
24	Tamil Nadu	23.5	18.5	24.4	19.8	72.5	53.3	53.3	16.6	
25	Tripura	35.1	38.3	7.8	5.2	67.9	67.4	57.6	39.8	
26	Uttar Pradesh	34.1	32.7	11.1	9.9	85.1	50.8	51.6	24.7	
27	Uttarakhand	25.7	21.8	16.0	11.4	61.5	47.6	45.2	26.1	
28	West Bengal	37.7	31.6	12.5	6.1	69.4	63.8	62.6	33.1	
29	A&N Island	N.A	N.A	N.A	N.A	N.A	N.A	N.A	N.A	
30	Chandigarh	N.A	N.A	N.A	N.A	N.A	N.A	N.A	N.A	
31	D & N Haveli	N.A	N.A	N.A	N.A	N.A	N.A	N.A	N.A	
32	Daman & Diu	N.A	N.A	N.A	N.A	N.A	N.A	N.A	N.A	
33	Delhi	10.6	10.4	32.9	24.0	63.2	43.4	29.9	18.9	
34	Lakshadweep	N.A	N.A	N.A	N.A	N.A	N.A	N.A	N.A	
35	Puducherry	N.A	N.A	N.A	N.A	N.A	N.A	N.A	N.A	

Note:

N.A Not Available

Source: National Family Health Survey-III (2005-06)

### 3.2.7 States/UTs wise Incidence of Foeticide and Infanticide in India 1999 - 2005

S. No.	State/UT	Foeticide							Infanticide						
		1999 2	2000 3	2001 4	2002 5	2003 6	2004 7	2005 8	1999 9	2000 10	2001 11	2002 12	2003 13	2004 14	2005 15
	<b>India</b>	<b>61</b>	<b>91</b>	<b>55</b>	<b>84</b>	<b>57</b>	<b>86</b>	<b>86</b>	<b>87</b>	<b>104</b>	<b>133</b>	<b>115</b>	<b>103</b>	<b>102</b>	<b>108</b>
1	Andhra Pradesh	3	8	0	0	0	0	1	10	8	1	1	3	1	1
2	Arunachal Pradesh	0	0	0	0	0	0	0	2	0	0	0	0	0	0
3	Assam	0	0	0	0	0	0	1	5	4	0	1	0	0	1
4	Bihar	4	1	0	1	0	1	0	7	4	0	0	0	0	1
5	Chhattisgarh	NA	NA	5	0	6	6	21	NA	NA	6	6	9	12	9
6	Goa	0	0	0	0	0	0	0	1	0	0	0	0	0	0
7	Gujarat	7	0	4	9	4	0	4	0	4	1	4	0	5	2
8	Haryana	9	13	3	6	2	15	8	4	1	0	6	5	2	0
9	Himachal Pradesh	1	0	0	6	0	2	1	0	0	0	0	1	0	0
10	Jammu & Kashmir	1	0	0	2	0	0	0	1	1	0	1	0	0	0
11	Jharkhand	NA	NA	0	0	1	1	0	NA	NA	3	1	0	0	0
12	Karnataka	0	1	1	7	0	4	7	2	2	17	3	0	8	5
13	Kerala	0	0	0	2	0	0	1	0	2	1	1	0	2	0
14	Madhya Pradesh	17	14	7	4	11	9	12	16	31	31	18	24	23	28
15	Maharashtra	13	41	17	10	5	15	4	14	20	26	24	11	6	3
16	Manipur	0	0	0	0	0	0	0	0	0	0	0	0	0	0
17	Meghalaya	0	0	0	0	0	0	0	0	1	0	0	0	0	1
18	Mizoram	0	0	0	0	0	0	0	0	0	0	0	0	0	0
19	Nagaland	0	0	0	0	0	0	0	0	0	0	0	0	0	0
20	Orissa	0	1	0	0	0	0	0	2	0	0	0	0	0	1
21	Punjab	3	0	7	10	11	8	12	11	6	3	0	8	7	9
22	Rajasthan	3	9	8	6	12	17	10	6	5	3	2	9	1	1
23	Sikkim	0	0	0	0	0	1	1	2	3	0	0	0	1	1
24	Tamilnadu	0	0	0	0	0	0	0	0	8	1	16	14	17	1
25	Tripura	0	0	0	0	0	0	0	0	0	0	0	0	0	0
26	Uttar Pradesh	0	0	1	1	3	2	0	0	39	30	19	17	44	
27	Uttarakhand	NA	NA	0	0	0	0	0	NA	NA	0	0	0	0	0
28	West Bengal	0	0	0	0	0	0	0	1	2	0	0	0	0	0
29	A & N Islands	0	0	0	0	0	0	0	0	0	0	1	0	0	0
30	Chandigarh	0	1	0	0	0	0	0	0	0	0	0	0	0	0
31	D & N Haveli	0	0	0	0	0	1	0	0	0	0	0	0	0	0
32	Daman & Diu	0	0	0	0	0	0	0	0	0	0	0	0	0	0
33	Delhi	0	2	2	20	2	4	3	3	2	1	0	0	0	0
34	Lakshadweep	0	0	0	0	0	0	0	0	0	0	0	0	0	0
35	Puducherry	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Note:

NA Not Available.

Source: National Crime Records Bureau, Min. of Home Affairs.

### 3.2.8 Targets and Achievement of Maternity and Child Health Activities in India 1991-92 to 2005-06

(Figures in Million Nos.)

Year	Target	Achievement	Percentage	Target	Achievement	Percentage
T.T. ( Preg. Women)						
1991-92	26.13	20.27	77.6	23.33	21.21	90.9
1992-93	27.01	21.45	79.4	24.29	22.00	90.6
1993-94	27.56	22.75	82.6	24.79	23.09	93.2
1994-95	27.53	23.07	83.8	24.77	23.40	94.5
1995-96	27.53	22.12	80.4	24.86	22.56	90.7
1996-97	28.11	22.98	81.8	25.40	23.25	91.5
1997-98	28.29	23.37	82.6	25.55	23.74	92.9
1998-99	27.75	23.28	83.9	25.12	23.55	93.7
1999-00	29.24	23.78	81.3	24.72	23.56	95.3
2000-01	28.81	24.73	85.8	24.35	24.58	100.9
2001-02	28.85	25.09	87.0	24.43	24.81	101.5
2002-03	29.76	24.22	81.4	25.20	24.53	97.4
2003-04	30.29	23.66	78.1	25.69	23.51	91.5
2004-05	30.25	23.88	78.9	25.69	24.10	93.8
2005-06*	30.31	24.29	80.2	25.79	24.73	95.9
D.T.				POLIO		
1991-92	17.66	13.75	77.8	23.33	21.30	91.3
1992-93	18.16	14.13	77.8	24.29	22.12	91.0
1993-94	18.54	13.42	72.4	24.79	23.21	93.6
1994-95	21.45	14.56	67.9	24.77	23.58	95.2
1995-96	21.79	10.49	48.1	24.86	22.78	91.6
1996-97	22.17	13.77	62.1	25.40	23.55	92.7
1997-98	22.55	10.52	46.6	25.55	23.98	93.9
1998-99	23.59	12.69	53.8	25.12	23.93	95.3
1999-00	23.93	12.56	52.5	24.72	23.71	95.9
2000-01	24.32	17.58	72.4	24.35	24.87	102.1
2001-02	24.83	14.50	71.5	24.43	24.75	101.3
2002-03	23.04	15.95	69.2	25.20	24.57	97.5
2003-04	23.57	15.12	64.2	25.69	23.98	93.3
2004-05	26.42	16.76	63.4	25.69	24.21	94.2
2005-06*	24.57	16.39	73.9	25.79	24.67	95.6
B.C.G. (Below 1 year)				MEASLES (Below 1 year)		
1991-92	23.33	21.67	92.9	23.33	19.83	85.0
1992-93	24.29	23.46	96.6	24.29	20.86	85.9
1993-94	24.79	24.09	97.2	24.79	21.95	88.5
1994-95	24.77	24.70	99.8	24.77	21.60	87.2
1995-96	24.86	24.13	97.1	24.86	20.54	82.6
1996-97	25.40	24.95	98.2	25.40	21.14	83.2
1997-98	25.55	25.42	99.5	25.55	21.92	85.8
1998-99	25.12	24.54	97.7	25.12	22.13	88.1
1999-00	24.72	25.12	101.6	24.72	22.20	89.8
2000-01	24.35	25.97	106.7	24.35	23.48	96.4
2001-02	24.43	26.03	106.5	24.43	23.45	96.0
2002-03	25.20	25.93	102.9	25.20	23.35	92.7
2003-04	25.69	25.70	100.5	25.69	21.99	85.6
2004-05	25.69	25.69	100.0	25.69	23.23	90.4
2005-06*	25.79	26.72	103.6	25.79	23.97	92.9

Notes:

\* Provisional

• All India percentage have been worked out after excluding need assessed of those States/Uts for which figure are not available

Source: Evaluation & Intelligence Devision, Department of Family Welfare, Ministry of Health & Family Welfare

### 3.3 Disability

#### 3.3.1 States/UTs wise Proportion of Disabled Population by Type of Disability in India 2001 (Census)

S. No.	State/UT	Speech	Hearing	Locomotor		Total	
		Visual Disability	Disability	disability only	Mental Disability		
1	2	3	4	5	6	7	
	<b>India</b>	<b>10634881</b>	<b>1640868</b>	<b>1261722</b>	<b>6105477</b>	<b>2263821</b>	<b>21906769</b>
1	Andhra Pradesh	581587	138974	73373	415848	155199	1364981
2	Arunachal Pradesh	23079	2429	3072	3474	1261	33315
3	Assam	282056	56974	51825	91970	47475	530300
4	Bihar	1005605	130471	73970	512246	165319	1887611
5	Chattisgarh	160131	30438	34093	151611	43614	419887
6	Goa	4393	1868	1000	4910	3578	15749
7	Gujarat	494624	66534	70321	310765	103221	1045465
8	Haryana	201358	24920	27682	151485	49595	455040
9	Himachal Pradesh	64122	12762	15239	46512	17315	155950
10	Jammu & Kashmir	208713	16956	14157	37965	24879	302670
11	Jharkhand	186216	39683	28233	138323	55922	448377
12	Karnataka	440875	90717	49861	266559	92631	940643
13	Kerala	334622	67066	79713	237707	141686	860794
14	Madhya Pradesh	63614	75825	85354	495878	115257	1408528
15	Maharashtra	580930	113043	92390	56945	213274	1569582
16	Manipur	11713	2769	2994	6177	4723	28376
17	Meghalaya	13381	3431	3668	5127	3196	28803
18	Mizoram	6257	2006	2421	2476	2851	16011
19	Nagaland	9968	4398	5245	4258	2630	26499
20	Orissa	514104	68673	84115	250851	103592	1021335
21	Punjab	170853	22756	17348	149758	63808	424523
22	Rajasthan	753962	73147	75235	400577	109058	1411979
23	Sikkim	10790	3174	3432	2172	799	20367
24	Tamil Nadu	964063	124479	72636	353798	127521	1642497
25	Tripura	27505	5105	5699	13970	6661	58940
26	Uttar Pradesh	1852071	255951	128303	930580	286464	3453369
27	Uttarakhand	85668	16749	15990	56474	19888	194769
28	West Bengal	862073	170022	131579	412658	270842	1847174
29	A&N Island	3321	652	545	1870	669	7057
30	Chandigarh	8422	882	607	3828	1799	15538
31	D & N Haveli	2346	295	337	795	275	4048
32	Daman & Diu	1898	189	120	690	274	3171
33	Delhi	120712	15505	8741	64885	26043	235886
34	Lakshadweep	603	207	147	505	216	1678
35	Puducherry	10646	1818	2277	8830	2286	25857

Note:

- India and Manipur figures exclude those of the three sub-divisions viz. Mao Maram, Paomata and Purul of Senapati district of Manipur as census results of 2001 in these three sub-divisions were cancelled due to technical and administrative reasons.

Source: Registrar General of India